Vol. 93, Sect. 2, 1956

### **PROTOZOA**

COMPILED BY

R. H. CUMMINGS, Ph.D., B.Sc. and R. A. NEAL, D.Sc., Ph.D.

LONDON

PUBLISHED BY

THE ZOOLOGICAL SOCIETY OF LONDON

PRICE TEN SHILLINGS

December 1958

# SEPARATE SECTIONS OF THE ZOOLOGICAL RECORD

In addition to the complete bound volume, the separate Sections may be obtained singly, bound in printed paper covers.

The following are the Sections and their prices, viz.:-

							8.	d.
1.	Comprehensive	Zoolog	у				3	0
2.	Protozoa						10	0
3.	Porifera						2	0
4.	Coelenterata						4	0
5.	Echinoderma				'		4	0
6.	Vermes						10	0
7.	Brachiopoda						4	0
8.	Bryozoa					••	2	6
9.	Mollusca						10	0
10.	Crustacea						6	6
11.	Trilobita						5	0
12.	Arachnida						10	0
*13.	Insecta						50	0
14.	Protochordata						2	0
15.	Pisces						8	6
16A	. Amphibia				• •		6	0
16в	. Reptilia						7	6
17.	Aves						10	0
18.	Mammalia						10	0
19.	List of New Ge	nera an	nd Subg	genera			4	0

<sup>\*</sup> Obtainable only from the Commonwealth Institute of Entomology, 56 Queen's Gate, London, S.W.7.

## 2. PROTOZOA

#### COMPILED BY

R. H. CUMMINGS, Ph.D., B.Sc., and R. A. NEAL, D.Sc., Ph.D.

### CONTENTS

						1	PAGE
I. TITLES			•••	•••	•••		2
II. SUBJECT INDEX			•••	•••	••••		72
General		The					72
Structure							74
Physiology							77
Development				40	***		82
Evolution and Ge	netics						82
Ecology		•••	90				83
Economics							91
Distribution		•••					96
Contract of the same							
III. SYSTEMATIC INDEX	•••		•••	•••		]	103
General				•••	•••	]	103
1. Rhizopoda						]	103
2. Mastigophora	•••	•••		***	•••	]	118
3. Sporozoa				•••		]	20
4. Ciliophora				•••	***	1	21
© Zoological Society of I	London.						
Vor. 93						ъ	1

#### FOREWORD

2

Papers dealing with Protozoa entirely from a medical or veterinary standpoint (clinical, therapeutic, etc.) are omitted, but notices of these will be found in *Tropical Diseases Bulletin* and *Veterinary Bulletin*.

#### I.—TITLES

The year of publication has been omitted where it is the same as the volume year of the "Record" namely (1956).

Anon (1). Status of names of bacterial genera that are later homonyms of names of protozoan genera. Int. Bull. bact. Nomencl. & Taxon. 3 1953: 109-110.

Anon. (2). Status of Babesia Trevisan 1889 as a generic name in bacteriology. Int. Bull. bact. Nomencl. & Taxon. 3 1953: 111-113.

Anon. (3). Diagnosis of malaria. Brit. med. J. (ii): 1533-1534.

Anon. (4). Opinion 418. Validation under the Plenary Powers of the Generic name "Stentor" Oken, 1815 (Class Ciliophora). Opin. int. Comm. zool. Nom. 14: 43-68.

Anon. (5). Direction 42. Determination of the gender to be attributed to the names of seventy-eight genera of various Classes of Invertebrates and of six genera of the Class Urochorda placed on the "Official List of Generic Names in Zoology" in the period up to the end of 1956, Opin. int. Comm. zool. Nom. 1D: 153-170.

Anon. (6). Donald Winchester Gravell. Proc. Geol. Soc. Amer. Ann. Rept. 1952 [1953]: 167.

Aaronson, S. see Hutner, S. H.

Aaronson, S., Hutner, S. H. & Baker, H. Effect of 2,4-dinitrophenol on Ochromonas. J. Protozool. 3 suppl.: 7.

Abdru, H. F. see Youssef, M. I.

Abrard, R. (1). Le formes de passage dans le rameau phylétique Nummulites atacicus Leymerie—N. aturicus Joly et Leymerie. C.R. Soc. géol. Fr. 7 1954: 145-147.

Abrard, R. (2). Une operculine cordelée de l'Éocéne inférieur de la Côte-d'Ivoire Operculina [Nummulitoides] tessieri n. subgen. n. sp. Bull. Soc. géol. Fr. 5 1955: 489-493, fig.

Abrard, R. (3). Discocyclina senegalensis: nov. sp. du Lutetien du Sénégal. Bull. Soc. géol. Fr. 6: 237-241, fig.

Accordi, B. Estension e limiti delle Formazioni Quaternarie nel Sottosuolo del Delta Padano. [Foraminifera.] Riv. "Metano" 6 1952: 3-8.

Achmerov, A. C. [On the microsporidiosis of Hypomesus olidus pallas (Teleostei)]. Trav. Soc. Nat. St. Petersb. (Leningr.), 69 1947; 3-6. [English summary.]

Adams, A. R. D. Symposium on the treatment of human amoebiasis. I. Treatment of intestinal amoebiasis. Trans. R. Soc. trop. Med. Hyg. 50: 109-113.

Adkins, M. G. Helen Jeanne Plummer (1891–1951). Bull. amer. Ass. Petrol. Geol. 38 1954: 1854–1857, fig.

Adler, J. see Adler, S.

Adler, S. The *in vitro* action of specific serum on *Trypanosoma cruzi*. Bull, res. Counc, Israel, **6E**: 78–79.

Adler, S. & Adler, J. Antragglutination of L.D. bodies on Lockeserumagar. Development of flagellates from Leishman-Donovan bodies. Bull. res. Counc. Israel. 6E: 78–79.

Agalede, H. Sur l'existence d'une faille de direction W.-E. sur la rive gauche de l'Adour entre Chambre d'Amour et Bayonne (Basses-Pyrenées). [Foraminifera.] C.R. Acad. Sci. Paris 236 1953: 1688-1690.

Agatston, R. S. Pennsylvanian and lower Permian of northern and eastern Wyoming. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 508-583, fig.

Agosin, M. & Weinbach, E. C. Partial purification and characterization of the isocitric dehydrogenase from Trypanosoma cruzi. Biochim. biophys. Acta 21: 117-126 figs.

Agostinucci, G. & Bronzini, E. Eimeria pternistis n. sp. parassita del francolino somalo. Nuova Ann. Igiene Microbiol. 6 1955: 449-450, figs. [English summary.]

Aguilar, F. J. Diagnostico de laboratorio en la enfermedad de Chagas o tripanosomiasis Americana. Rev. Kuba Med. trop. 12: 58-60, figs.

Aisenberg, D. E. & Brazhnikova, N. E. (1). [A comparison of the Lower Visean deposits of the Donetz Basin and those of other regions of the U.S.S.R.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 108: 691-694. [In Russian.]

Aisenberg, D. E. & Brazhnikova, N. E. (2). [On the faunistic features of the Donetz Lowlands.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 108: 907-909. [In Russian.]

Al-Abbass, A. H. Plasmodium praecox in Iraq. A survey of 108 sparrows in the suburbs of Baghdad. Bull. endemic Dis., Baghdad 1 1955: 237-238.

Albuquerque Lima, H. M. de see Silva Ramos, A. da.

Alcayaga, M. D. Distribution del acido desoxiribonucleico en *Trypanosoma cruzi*. Biologica, Santiago, No. 21 1955: 90–95 figs.

Alfert, M. & Goldstein, N. O. Cytochemical properties of nucleoproteins in *Tetrahymena pyriformis*; a difference in protein composition between macro- and micronuclei. J. exp. Zool. 130 1955: 403-421, figs.

Allan, R. S. Report on the Standing Committee on datum-planes in the geological history of the Pacific region. [Protozoa.] Proc. Pan-Pacif. sci. Congress 8th 2: 325–423.

Allen, M. B. see Dougherty, E. C.

Allgén, C. Über zwei neue antarktische Suctorien aus dem Graham Land. K. Fysiogr. Sällsk. Lund. Forh. 21 1952: 173–176, figs.

Alliata, E. di N. (1). Foraminiferi pelagici e facies in Italia. Atti VII Conv. Nat. Metano e Pet. Taormina 1952: 1-34, figs.

Alliata, E. di N. (2). Microfaune della partie superiore della serie oligocenica del Monte San Vito e del Rio Mazzapiedi-Castellania (Tortona-Alessandria). Riv. ital. Paleont. e Strat. 6 1953: 25-98, figs.

Allin, A. E. Parasites of moose and man. News Letter Thunder Bay Fd. Nat. Cl. 10: 5-6.

Almeida Franco, L. T. de see Trinçao, C.

Almela, A., & Rios, J. Ma. El Ecceno al SW. del Montserrat. [Foraminifera.] Bol. Inst. geol. Esp. 65 1953: 219-243, figs.

Ambroggi, R. Le Maestrichtien des environs d'Agadir (Sud Marocain). [Foraminifera.] C.R. Acad. Sci. Paris 239 1954: 547-549.

Amino, E. see Magara, M.

Anagnostakos, N. P. Carbon sources for green and colourless Euglenida. J. Protozool. 3 suppl.: 12.

Anderson, E. see Beams, H. W.

Anderson, E., Saxe, L. H. & Beams, H. W. Electron microscope observations of *Trypanosoma equiperdum*. J. Parasit. 42: 11-16, figs.

Anderson, H. H. see Loran, M. R. Anderson, R. C. see Fallis, A. M.

André, M. F. Amibiase chirurgicale et allergie. Du rôle de la flore microbienne associée dans les formes extrême de la maladie. Bull. Soc. Path. exot. 49: 508-525.

Andresen, N. Cytological investigations on the giant amoeba *Chaos chaos* L. C.R. Lab. Carlsberg, ser. chim. 29: 435-555, figs.

Andresen, N., Chapman-Andresen, C., Holter, H. & Robinson, C. V. Quantitative autoradiographic studies on the amoeba *Chaos chaos* with <sup>14</sup>C. C.R. Lab. Carlsberg ser. chim. **28** 1953: 499–528, figs.

Anisgard, H. W. Eorupertia in the Eocene of Venezuela. Contr. Cush. Fdn. Foram. Res. 7: 48-59, figs.

Annear, D. I. Preservation of Strigomonas oncopelti in the dried state. Nature, Lond. 178: 413.

Ansari, M. A. R. The genus Retortamonas Grassi—its cultivation and development. Pakist. J. Hlth. 5: 189–195, figs.

Anschau, M. see Lieb, F.

Ansfield, J. see Shaffer, J. G.

Applin, E. R. A biofacies of Woodbine age in southeastern Gulf Coast region. [Foraminifera.] Prof. Pap. U.S. geol. Surv. 264-I 1955: 187-197, figs.

Appuhn, E. & Weiss, C. Schizogonieformen von Leishmania donovani im menschlichen Knochenmark. Z. Tropenmed. u. Parasit. 7: 93–99, figs.

Arcaleo, G. see Carrescia, P. M.

Aréau, V. M. & Koppisch, E. Balantidiasis. A review and report of cases. Amer. J. Path. 32: 1089–1115, figs.

Arnal, R. E. Preliminary report on the sediments and foraminifera from the Salton Sea, Southern California (abstr.). Bull. geol. Soc. Amer. 65 1954: 1227-1228.

Arnold, Z. M. (1). Life history and cytology of the foraminiferan Allogromia laticoelaris. Univ. Calif. Publ. 2001. 61 1955: 167-252, figs.

Arnold, Z. M. (2). The contributions of Jean Le Calvez to the study of the Foraminifera. Contr. Cush. Fdn. Foram. Res. 7: 1-14, figs.

Arocha, L. I. see Scorza, J. V.

Arrhenius, G. & Blomquist, N. Proportion of sedimentary components in the calcareous eupelagic area of the East Pacific. Rep. Swed. Deep Sea Exped. 5: 229-233.

Artigas, J. see Neghme, A.

Asami, K. Physiological studies on Trichomonas vaginalis. Keio J. Med. 5: 169-190, figs.

Asano, K. News-Japan. Micro-paleontology 2: 308-309.

Ashworth, E. T. News-Peru. Micropaleontology 2: 411-412.

Asmund, B. Occurrence of Dinobryon crenulatum Wm. G. S. West in some Danish ponds and remarks on its morphology, cyst formation, and ecology. Hydrobiologia 7 1955: 75-87, figs.

Atchley, F. O., Hemphill, E. C. & Hunt, D. W. Current status of intestinal parasitism of man in Eastern Kentucky. J. Parasit. 42: 505-510.

Atzbach, O. & Geib, K. W. Über einen neuen Fundpunkt im Unteren Meeressand (Mitteloligozān) bei Bretzenheim/Noke (Mainzer Becken) [Foraminifera.] Notzbl. hess. Landesamt. Bodenforsch 83 1955: 237–242, figs.

Aulisio, C. G. see Morris, J. A.

Aurouze, G. & Bizon, J. J. Sur la prèsence de Spirocyclines dans le Portlandien du Bassin de Paris. Bull. Soc. géol. Fr. 5 1955: 51-54, fig.

Aurouze, G. & Boulanger, D. Ganella n. gen., nouveau genre de Foraminifères de l'Ypresien de Gan (Basses-Pyrénées). C.R. Soc. géol. Fr. 9 1954: 186–188, figs.

Austin, M. L., Widmayer, D. & Walker, L. M. Antigenic transformation as adaptive response of Paramecium aurelia to patulin; relation to cell division. Physiol. Zöol. 29: 261-287.

Ayme, A., Glangeaud, L. & Magné, J. Sur la stratigraphie du Crétacé de la feuille de Tablat. [Foraminifera.] C.R. Acad. Sci. Paris 238 1954: 498-500.

Aymé, A. see Glangeaud, L.

Baas-Becking, L. G. M. & Kaplan, I. R. The microbiological origin of the sulphur nodules of Lake Eyre. Trans. roy. Soc. S. Aust. 79: 52-65, figs.

Băcescu, M. & Caraiòn, F. E. [Animaux se nourissant de foraminifères.] Comun. Acad. Republ. rom. 6: 551-553, figs. [French summary: 552.]

Bach, M. K. see Hutner, S. H.

Bailey, V. M. (1). Notes on the incidence of human parasites in Samawa, Iraq. Bull. endemic Dis. Baghdad 1 1955: 250–252.

Bailey, V. M. (2). A cursory examination and comparison of stool examination methods. Bull. endemic Dis. 1: 295–297.

Bailey, W. S. Veterinary parasite problems. Public Hlth. Rep. Wash. 70 1955: 976-982.

Bairati, A. & Lehmann, F. E. Structure and chemical properties of the contractile vacuole of *Amoeba proteus*. Protoplasma 45: 525-539, figs.

Bairati, A. see Lehmann, F. E.

Baker, E. E. see Nakamura, M.

Baker, E. G. S. see Swader, L. L.

Baker, H. see Aaronson, S.

Baker, H. see Hutner, S. H.

Baker, J. R. (1). Studies on Trypanosoma avium Danilewsky 1885
1. Incidence in some birds of Hertfordshire. Parasitology 46: 308320, figs.

Baker, J. R. (2). Studies on Trypanosoma avium Danilewsky 1885. II. Transmission by Ornithomyia avicularia L. Parasitology 46:321-334.

Baker, J. R. (3). Studies on Trypanosoma avium Danilewsky, 1885. III. Life cycle in vertebrate and invertebrate hosts. Parasitology 46: 335–352, figs.

Balamuth, W. (1). In vitro approaches to the chemotherapy of amebiasis. Antibiot. Med. 1 1955: 625-631, figs.

Balamuth, W. (2). Experimental control of encystation of *Entamoeba invadens*. J. Protozool. 3 suppl.: 1.

Balavoine, P. Le gisement fossilifère de Saint-Gervais (Seine-et-Oise). Bull. Mus. Hist. nat. Paris 28: 419-427.

Ball, G. H. see Schinazi, L. A.

Ballantine, D. Two new marine species of *Gymnodinium* isolated from the Plymouth area. J. mar. biol. Ass. U.K. 35: 467-474, figs.

Ballard, A. C. Observations on pond life—VIII Amoeba. Microscope 9 1952: 85–91, figs.

Bamforth, B. J. see Lynch, J. E.

Bandy, O. L. (1). Ecology of foraminifera in the northeastern Gulf of Mexico (abstr.). Bull. geol. Soc. Amer. 65 1954: 1229.

Bandy, O. L. (2). Ecology of foraminifera in northeastern Gulf of Mexico. U.S. Geol. Surv. Prof. Paper 274-G.: 179-203, fig.

Banerjee, S. K. see Ganguly, D. N. Bankowski, R. A. see Wichmann, R. W.

Barber, C. W. Nicarbazin in the prevention of coccidiosis in chickens. Cornell Vet. 43 1955; 360–366.

Barbier, M., Fauré-Fremiet, E., & Lederer, E. Sur les pigments du cilié Stentor niger. C.R. Acad. Sci. Paris 242: 2182-2184, figs.

Barghini, G. Un raro reperto di cisti di *Iodamoeba bütschlii* con due corpi iodofili. Riv. Parassit. 17: 123-124, fig.

Barnard, T. (1). Some Lingulinae from the Lias of England. Micropaleontology 2: 271–282, figs.

Barnard, T. (2). News-Great Britain. Micropaleontology 2: 307–308.

Barnett, H. C. Experimental studies of concurrent infection of canaries and of the mosquito *Culex tarsalis* with *Plasmodium relictum* and Western equine encephalitis virus. Amer. J. trop. Med. Hyg. 5: 99–109.

Barreto, M. P. see Zago Fihlo, H.

Bartenstein, H. Taxionomische Revision der als Eoflabellina und Flabellamminopsis bezeichneten Foraminiferen. Paläont. Z. 29 1955: 170– 176, figs.

Bartos, E. On the arophytic mossfauna of mountains, Beskydy. Přérod. Sborn. Ostrarsk-Kraje 13 1952: 166–175, figs.

Barwick, R. E., Beveridge, P. J., Brazier, R. G., Close, R. I., Hirchfield, N., Pillau, S., Ramsay, G. W., Robinson, E. S., Stevens, G. R. & Todd, J. N. Some freshwater ciliates from the Wellington area including eleven species recorded from New Zealand for the first time. Tuatara 5 1955: 87–99, figs.

Basnuevo, T. G. & Figares, E. Diagnostico y tratamiento del sindrome disenterico por Trichuris trichura, por Endamoeba histolytica y por Balantidium coli. Rev. Kuba Med. trop. 12: 60-67, figs. [English summary.]

Bauer, O. N. Parasites of Coregonus albula in different aquatories of the U.S.S.R. Trav. Soc. Nat. St. Petersb. (Leningrad) 69 1947: 7-21 [English summary.]

Bauer, O. N. see Dogiel, V. A.

Bauman, P. M. see Walton, B. C.

Baumann, H. see Schwetz, J.

Bayles, A. see Thompson, P. E.

Beale, G. H. A comparative survey to the ciliary antigens of Paramecium aurelia, variety 1. Caryologia 6 Suppl. Atti IX Congr. Internat. Genet. (2) 1954: 1111-1112.

Beams, H. N. see Anderson, E.

Beams, H. W., Tahmisian, T. N., Anderson, E. & Devine, R. L. Structure of the trophozoite of *Gregarina melanopli* as revealed by the electron microscope. J. Protozool. 3 suppl.: 10.

Beamer, P. D. see Levine, N. D.

Beaver, P. C., Jung, R. C., Sherman H. J., Read, T. R. & Robinson, T. A. (1). Experimental Entamoeba histolytica infections in man. Amer. J. trop. Med. Hyg. 5: 1000-1009.

Beaver, P. C., Jung, R. C., Sherman, H. J., Read, T. R. & Robinson, T. A. (2). Experimental chemoprophylaxis of amebiasis. Amer. J. trop. Med. Hyg. 5: 1015-1021.

Becker, E. R. (1). Apropos oceyst measurements. J. Parasit. 42, suppl. 14.

Becker, E. R. (2). Catalog of Eimeriidae in genera occurring in vertebrates and not requiring intermediate hosts. Iowa St. Coll. J. Sci. 31: 85–139. Becker, E. R., Hollander, W. F. & Pattillo, W. H. Naturally occurring Plasmodium and Haemoproteus infection in the common pigeon. J. Parasit. 42: 474-478.

Becker, E. R., Jessen, R. J., Pattillo, W. H. & Doorninck, W. M. van. A biometrical study of the cocyst of *Eimeria necatrix*, a parasite of the common fowl. J. Protozool. 3:126-131.

Becker, E. R., Zimmermann, W. J., Pattillo, W. H. & Farmer, J. N. Measurements of the unsporulated oocysts of Eimeria acervulina, E. maxima, E. tenella, and E. mits; coccidian parasites of the common fowl. Iowa St. Coll. J. Sci. 31: 79-84, figs.

Becker, E. R. see Doorninck, W. M. van.

Bedoya, D. J. M. Problemas de la tricomoniosis genital femina. Modo de adquisición de la enfermedad. An. Acad. nac. Med. Madrid 73: 179-201.

Belford, D. J. see Kicinski, F. M.

Bell, S. The Ameru people of Kenya. A medical and social study Part VIII. Malaria. J. trop. Med. Hyg. 59: 106-112.

Bell, S. see Woodruff, A. W.

Bellelli, L. Castellanosi (tripanosomiasi) sperimentale della cavia da Castellanella (Trypanosoma) evansi. Tentativi di terapia della parassitosi con eritromicina. Arch. ital. Sci. med. trop. parassit. 37: 538–542.

Belov, N. A. & Lapina, N. N. [Bottom deposits in the region of the drifting work of Station "North Pole 2".] Bull. Acad. Sci. U.R.S.S. geol. 7: 3-16. [In Russian.]

Bemmelen, R. W. van (1). The geology of Indonesia. M. Nijhoff, The Hague, 1950, 1–997, figs. [Foraminifera.]

Bemmelen, R. W. van. (2). De geologische geschiedensis van Indonesië. Stockum & Zon, Den Haag, 1952 1-139, figs. [Foraminifera.]

Benedicenti, A. see Tchakhotine, S. T.

Beneš, K. see Růžička, B.

Benex, J. see Lamy, L.

Bennett, G. F. see Fallis, A. M.

Bennett, G. H. see Joyner, L. P.

Benson, R. E. see Fremming, B. D.

Berberian, D. A. see Dennis, E. W.

Berg, K. & Petersen, J. C. Studies on the humic acid Lake Gribsø. Folia limnol. scand. 8: 1-273, figs.

Bergenback, R. E. & Terriere, R. T. Petrography and petrology of Scurry Reef, Scurry County, Texas. [Foraminifera.] Bull. Amer. Ass. Petrol. Geol. 37 1953: 1014–1029, figs.

Bergendahl, E. see Seneca, H.

Berghe, L. van der. Aspect particulier de la trypanosomiase maladie des pêcheurs, au lac Tumba (Congo Belge). Ann. Soc. belge med. trop. 36: 185–189.

Berghe, L. & Chardome, M. Une Coccidie nouvelle du Fuku, Rat taupe du Congo Belge (Tachyoryctes ruandae Lomb. et Gyld.) Eimeria tachyoryctis n. sp. Rev. Zool. Bot. Afr. 53: 67-69, fig.

Bermudez, P. J. El genero Asterigerinata (foraminiferos) y sus especies. Mem. Soc. Cienc. nat. La Salle 12 1952 : 201–210, figs.

Bernard, F. Eaux Atlantiques et Méditerranéennes au large de l'Algérie. II. Courants et nannoplancton de 1951 a 1953. Ann. Inst. Océanogr. Paris 31: 231-234, figs.

Bernstein, E. see Gross, J. A.

Bernstein, E. O. & Dahn, T. L. The growth and sexuality of *Chlamy-domonas*. J. Protozool. 3 suppl.: 7.

Betts, G. D. see Cantrell, W.

Beveridge, E. The activity of phenanthridine compounds against Babesia rodhaini in mice; with a note on some clinical trials by P. G. Hignett. Ann. trop. Med. Parasit. 50: 85-91.

Beveridge, P. J. see Barwick, R. E.

Bhatia, S. B. (1). Recent Foraminifera from shore sands of Western India. Contr. Cush. Fdn. Foram. Res. 7: 15-24, figs.

Bhatia, S. B. (2). The study of variation in some smaller foraminifera. J. Palaeont. Soc. India 1: 142–152, figs.

Biczók, F. (1). Contributions to the protozoa of the rhizosphere of wheat. Acta zool. Budapest 2: 115-147, figs.

Biczók, F. (2). Morphologische und physiologische Untersuchungen an einer neuen Pyxidium-Art. Acta biol. Szeged N.S. 2: 155-165, figs.

Bird, R. G. A constant morphological feature in the trophozoite stage of *Entamoeba histolytica*. Trans. R. Soc. trop. Med. Hyg. **50**: 302.

**Bishop,** A. Absence of potentiation between quinine and pyrimethamine in infections of *Plasmodium gallinaceum* in chicks. Parasitology **46**: 220–223.

Bishop, A. & McConnachie, E. W. A study of the factors affecting the emergence of the gametocytes of *Plasmodium gallinaceum* from the erythrocytes and the exflagellation of the male gametocytes. Parasitology **46**: 192–215.

Bishop, M. S. see Grayshon, J. E.

Bizon, J. J. see Aurouze, G.

Blackstone, D. L. jr. Permian rocks in Lembi Range, Idaho. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 923–925.

Blagg, W. see Wells, W. H.

Blanc-Brude, R. see Dragesco, J.

Blokh, A. M. [On the distribution of the Middle Carboniferous deposits in the south-east of the sub-Moscow basin.] [Foraminifera.] Bull. Acad. Sci. U.R.S.S. 2: 101-104, figs. [In Russian.]

Blomquist, N. see Arrhenius, G.

Blow, W. H. Origin and evolution of the foraminiferal genus *Orbulina* d'Orbigny. Micropaleontology 2:57-70, figs.

Bogaert, L. van. De quelques aspects neurologiques de la trypanosomiase africaine. Ann. Soc. belge Med. trop. 36: 645-654.

Bogdanovich, A. K. & Dmitrieva, R. G. [On calchedony in the skeletons of foraminifera.] C.R. Acad. Sci. U.R.S.S. 107: 885–887, fig. [In Russian.]

Bôhm, L. K. & Supperer, R. Beiträge sur Kenntnis tierischer Parasiten. II. Zbl. Bakt. 167: 170–177, figs.

Bolin, E. J. (1). Microfossils of the Niobrara formation of southeastern South Dakota. Rept. Invest. South Dakota geol. Surv. 70 1952: 1-74.

Bolin, E. J. (2). Some foraminifera, radiolaria and ostracoda from the Cretaceous of Minnesota (abstr.). J. Paleont. 28 1954: 512.

Boltovskoy, E. (1). Las Tecamebas del Rio de la Plata. Acta Geol. Lilloana Brazil 1: 299-314, figs.

Boltovskoy, E. (2). Applications of chemical ecology in the study of the foraminifera. Micropaleontology 2: 321

Boltovskoy, E. (3). News-Argentina. Micropaleontology 2: 406-407.

Bolze, J., Burollet, P. F., & Castany, G. Le sillon tunisien. [Foraminifera.] 19th Congr. géol. Inter. Alger. Monogr. Région (2) Tunisie 5 1952: 1–112, fig.

Bonaventure, N. L'électrocinése dans le galvanotropisme de Paramoecium caudatum. Etude de l'action du courant galvanique sur les battements ciliaires. C.R. Soc. Biol. Paris 149: 2230–2232.

Bonaventure, N. see Viaud, G.

Bond, H. W. see Greenberg, J.

Boné, G. J. & Steinart, M. Isotopes incorporated in the nucleic acids of *Trypanosoma mega*. Nature, Lond. 178: 308-309.

Boné, G. J. see Steinart, M.

Bonnet, L. & Thomas, R. Étude sur les thécamoebiens du Sol (I). Bull. Soc. Hist. nat. Toulouse 90 1955: 411-428, figs.

Bordjochki, A. see Simitch, T.

Borgers, J. A. & Kitching, J. A. Reactions of the flagellate Astasia longa in gradients of dissolved carbon dioxide. Proc. roy. Soc. 144B: 507-519, figs.

Botafago Gonçalves, N., Tavares, B. M. & Silva Carmo, E. da. Ação da isoniazida na infecção experimental pelo Schizotrypanum cruzi. An. Acad. bras. Cienc. 28: 229-230, figs.

Botti, L. Prima segnalazione in Italia della Giardiasi del Vitello. Indagini biometriche sul parassita e sua identificazione nella specie Giardia bovis Fantham 1921. Riv. Parassit. 17: 129–142, figs.

Boucot, A. J. see Switzer, G. S.

Boughton, D. C. see Davis, L. R.

Bouïsset, L., Harant, H. & Ruffie, J. (1). Action de l'hibernation experimentale sur l'évolution de Trypanosoma equiperdum (Doflein, 1901) chez le rat blanc. C.R. Soc. Biol. Paris 150: 1277-1280, fig.

Bouïsset, L., Harant, H. & Ruffie, J. (2). Parasitose expérimentelle à *Trypanosoma equiperdum* Doflein. Ann. Parasit. hum. comp. 31: 331-349, figs.

Boulanger, D. see Aurouze, G.

Bourcart, J. Sables 'neritiques' à 2750 m. de profondeur au large de Bougie (Algérie). C.R. Acad. Sci. Paris 236 1953: 738-740.

Bourdon, M. & Lys, M. Microfaune des marnes à Ostrea longirostris Lmk. (Stampien) de la carrière de la Souys-Floira (Gironde). C.R. Soc. géol. Fr. 14 1954: 336–338.

Bowen, H. J. M. The biogeochemistry of strontium. [Protozoa.] Advanc. Sci. 12: 585-588, fig.

Bovee, E. C. (1). A Euplotes from the Amazon river. J. Protozool. 3 suppl.: 4.

Bovee, E. C. (2). Some observations on a marine ameba of intertidal zones, Vexillifera telmathalassa n. sp. J. Protozool. 3: 155– 158, figs.

Bovee, E. C. (3). Some observations on the morphology and activities of a new ameba from citrus wastes, Flamella citrensis n. sp. J. Protozool. 3: 151–153, figs.

Boulan, S. see Floch, H.

Bowman, G. W. see Davis, L. R.

Box, E. D. see Celaya, B. L.

Brachet, J. (1). Recherches sur les interactions biochemiques entre le noyau et le cytoplasme chez les organismes unicellulaires. I. Amoeba proteus. Biochem. biophys. Acta 18 1955: 247–268, figs.

**Brachet, J. (2).** Further observations on the action of ribonuclease on living amoebae. Exp. Cell Res. **10**: 255–256.

Bradin, J. L. Jr. see Kun, E.

Bradley, D. E. see Harris, K.

Bradley, S. G., Sussman, M. & Ennis, H. L. Environmental factors affecting the aggregation of the cellular slime mold *Dictyostelium discoideum*. J. Protozool. 3: 33-38, figs.

Brand, T. von. Beziehungen zwischen Stoffwechsel und taxonomischer Einteilung der Säugetiertrypanosomen. Zool. Anz. 157: 119–123.

Brand, T. von & Mercado, T. I. Quantitative and histochemical studies on glycogenesis in the liver of rats infected with *Plasmodium berghei*. Exper. Parasit. 5: 34–47, figs.

Brandt, C. L., Shephard, D. C. & Giese, A. C. The effect of nutritional state of photoreversal to ultraviolet injuries in *Didinium nasutum*. J. gen. Physiol. 38 1955: 295–305, figs.

Bray, R. S. Studies on malaria in chimpanzees. I. The erythrocytic forms of *Plasmodium reichenowi*. J. Parasit. **42**: 588–593.

Brazhnikova, H. E. & Yartsheva, M. V. [Study on the evolution of *Monotaxis.*] Micropal. Stud. Akad. Nauk SSSR. Otdel. geol.-geog. 1:62-58, figs. [In Russian.]

Brazhnikova, N. E. see Aisenberg, D. E.

Brazier, R. G. see Barwick, R. E.

Bridgman, J. & Kimball, R. F. The affects of X-rays on division rate and survival of *Tillina magna* and Colpoda sp. with an account of delayed death. J. cell. comp. Physiol. 44: 1954 431-445, figs.

Bronnimann, P. (1). Trinidad Paleocene and Lower Eocene Globigerinidae. Bull. Amer. Paleont. 34 1952: 1–34, figs.

Bronnimann, P. (2). Upper Cretaceous Orbitoidal Foraminifera from Cuba. Part V. *Historbitoides* n. gen. Contr. Cush. Fdn. Foram. Res. 7: 60-66, figs.

Bronzini, E. see Agostinucci, G.

Broungart, D. C. see Nardone, R. M.

Brown, J. A. H. & Whitby, J. L. An immobilization test for amoebiasis. J. clin. Path. 8 1955: 245–246, fig.

Bruce-Chwatt, L. J. & Gibson, F. D. Transplacental passage of Plasmodium berghei and passive transfer of immunity in rats and mice. Trans. R. Soc. trop. Med. Hyg. 50: 47-53, figs.

Bruce-Chwatt, L. J. see Walters, J. H.

Brückner, W. Globigerinenmergel und Flysch ein Beitrag zur Geologie der jüngsten helvetisch-ultrahelvetischen Ablagerungen der Schweizer Alpen. [Foraminifera.] Verh. naturf. Ges. Basel 63 1952; 17-40, figs.

Brunnschweiler, R. O. Mesozoio stratigraphy and history of the Canning Desert and Fitzroy Valley, Western Australia. [Foraminifera.] J. geol. Soc. Austral. 1 1954: 35-53, fig.

Bruschi, E. see Coggi, L.

Buddenbrock, W. van. Vergleichende Physiologie 3; Birkhäuser Verlag, Basel & Stuttgart 1956, 1–677, figs.

Bukhman, M. P. & Raïkov, J. B. [The usefulness of some histological fixatives for ultra-violet microscopy.] J. gen. Biol. Moscow 17: 233–238, figs. [In Russian.]

Burgess, R. W. Effect of topically applied DDT on development of Plasmodium vivax and Plasmodium falciparum in Anopheles quadrimaculatus. Amer. J. trop. Med. Hyg. 5: 163-167.

Burke, A. W. see Cleveland, L. R.

Burrows, R. B. & Swerdlow, M. A. Enterobius vermicularis as a probable vector of Dientamaeba fragilis. Amer. J. trop. Med. Hyg. 5: 258-265, figs.

Burollet, P. F. see Bolze, J.

Busson, G., Magné, J. & Sigàl, J. Quelques niveaux-rèperès micropaléontologiques dans le Crétacé du massif des Beni-Menacer (Tell septentrional Algérien). Bull. Soc. Hist. nat. Afr. N. 47: 26-30.

Buttrey, B. W. A morphological description of a *Tritrichomonas* from the nasal cavity of swine. J. Protozool. 3: 8-13, figs.

Bykova, E. R. [Foraminifera from the Devonian of the Russian Platform and Urals regions.] [In Russian.] Trudy Vses. Neft. nauch-issled. Geol. Raz. Inst. n. ser. 60 1952: 1-64, figs.

Caire, A. see Glangeaud, L.

Cairns, J., Jr. The effects of variation in the host diet upon Tritrichomonas augusta and T. batrachorum. Notul. nat. Acad. Philad. No. 292: 1–4.

Cameron, D. K. jr. Directory of Gulf Coast micropaleontologists. Micropaleontology 2: 299-302.

Cameron, T. W. M. Parasites and parasitism, London (Methuen & Co.) pp. xix+322, 115 figs.

Camin, J. H. see Hull, R. W.

Canning, E. U. A new eugregarine of locusts Gregarina garnhami n. sp. parasite in Solistocerca gregaria Forsk. J. Protozool. 3: 50-62, figs.

Cantrell, W. Behaviour of mixtures of oxyphenarsine-resistant and unmodified strains of *Trypanosoma* equiperdum in the rat. Exper. Parasit. 5: 178–190, figs.

Cantrell, W. & Betts, G. D. Effect of cortisone on immunization against *Trypanosoma equiperdum* in the rat. J. inf. Dis. 99: 282-296, figs.

Caporali, J. see Sautet, J.

Caputi, F. see Sangiorgi, G.

Caraion, F. E. see Bacescu, M.

Cardinali, G. & Carrescia, P. M. Ricerche sugli effecti dell' N-ossida della metil-bis ( $\beta$ -cloroetil) amina sulla infezione da *Plasmodium gallinaceum* e da *Plasmodium berghei*. Riv. Malariol. **34** 1955: 273–276 fig. [English summary.]

Cardoso, R. A. de A., Guimarães, F. N. & Garcia, A. P. Toxoplasmose congênita. Mem. Inst. O. Cruz **54**: 571–586, figs.

Carmichael, J. Treatment and control of babesiasis. Ann. N.Y. Acad. Sci. 64: 147-151.

Carneri, I. de (1). Influenza del siero di cavallo sulla crescita del Trichomonas vaginalis e Trichomonas hominis in terreno fluido al tioglicolato. Riv. Parassit. 17: 247-250.

Carneri, I. de (2). Conservation of *Trichomonas* in monobacterial cultures. Amer. J. trop. Med. Hyg. 5: 677–680.

Carneri, I. de (3). Isolation of Trichomonas vaginalis from fungi and bacteria. Amer. J. trop. Med. Hyg. 5: 210-212, fig.

Carneri, I. de (4). Azione dei due antipodi ottici del cloramfenicolo e dei trev.—l. p. nitroferil-2. amino-1, 3—propandioli enantiomorfi su alcuni protozoi parassiti. Farmaco, Sci. Pavia 11: 928—933.

Carozzi, A. (1). Sédimentation rythmique dans la nappe de Morcles-Aravis (Chaînes subalpines de Haute Savoie, France). Proc. Third int. Cong. Sediment. Groningen-Wageningen, Netherlands 1951: 81–89.

Carozzi, A. (2). Tectonique, courants de turbidité et sédimentation, Application au Jurassique supérieur des chaînes subalpines de Haute-Savoie. Rev. Gén. des Sci. Paris 59 1952: 229-245, figs.

Carrescia, P. M. & Arcoleo, G. Reperti ematologici nelle infezione da *Plasmodium berghei*. Riv. Malariole 35: 85–100. [English summary.]

Carrescia, P. M. see Cardinali, G.

Caron, J. & Jarry, D. Première contribution à l'étude des endoparasites des petits mammifères de Banyuls. Vie et Mileu 7:116-120.

Carsola, A. J. Recent marine sediments from Alaskan and northwest Canadian Arctic. [Foraminifera.] Bull. Amer. Ass. Petrol. Geol. 38 1954: 1552–1586, figs.

Carvalho, G. S. de. A geologia de Baixo Mondego nos arredores de Coimbra são depósitos miocénico-oligocénicos (?), pliocénicos e pleistocénicos, todos com facies detrítico. [Foraminifera.] Publ. Univ. Coimbra Mus. Min. e Geol. 29 1951: 1–36, figs.

Castany, G. see Bolze, J.

Castro, E. R. see Splitter, E. J.

Castro, F. T. de & Conceiro, A. Studies on vital staining of Protozoa. Exp. Cell Res. 8 1955: 245-247.

Cavanaugh, D. J. see Eyles, D. E.

Cavier, R. & Mossion, X. (1). Nouveaux essais d'infestation expérimentelle de la ratte par *Tricho*monas vaginalis (Donné, 1837). C.R. Acad. Sci. Paris 243: 180-1809.

Cavier, R. & Mossion, X. (2). Essais d'infestation expérimentale de la ratte par *Trichomonas vaginalis* (Donné, 1837). C.R. Acad. Sci. Paris **242**: 2412-2414.

Ceccaldi, J. see Depoux, R.

Čehović, G. Recherches expérimentales sur la corrélation hormonale entre le cycle saisonnier de la grenouille et celui de ses parasites. C.R. Acad. Sci. Paris 242: 2176-2178.

Celaya, B. L., Box, E. D. & Gingrich, W. D. Infectivity of Plasmodium berghei for Anopheles quadrimaculatus and other mosquitoes. Amer. J. trop. Med. Hyg. 5: 168-182.

Černa, Ž. & Daniel, M. [Coccidia from the rodents of the family Muridae and insectivores of the family Soricidae in South Moravia.] Českoslov. Parasitologie 3: 19-23 figs. [Czech with English summary.]

Cevallos, W. H. see Lilly, D. M.

Chacharonis, P. Observations on the ecology of protozoa associated with Sphagnum. J. Protozool. 3 suppl.: 11. Chadefaud, M. Sur un Labyrinthula de Roscoff. C.R. Acad. Sci. Paris 243: 1794–1797, figs.

Chaffee, E. F., Fife, E. H. J. & Kent, J. F. Diagnosis of Trypanosoma cruzi infection by complement fixation. Amer. J. trop. Med. Hyg. 5: 763-771.

Chang, P. C. H. The ultrastructure of *Leishmania donovani*. J. Parasit. **42**: 126-138, figs.

Chang, S. L. & Kabler, P. W. Detection of cysts of *Endamoeba histolytica* in tap water by the use of membrane filter. Amer. J. Hyg. **64**: 170-180.

Chapman-Andresen, C. & Holter, H. Studies on the ingestion of C<sup>14</sup> glucose by pinocytosis in the amoeba Chaos chaos. Exp. Cell. Res. 1955 suppl. 3: 52-65, figs.

Chapman-Andresen, C. see Andresen, N.

Chardez, D. (1). Variations morphologiques et teratologie chez quelques Rhizopodes testaces. Biol. Jaarb. 23: 265–276, figs.

Chardez, D. (2). Contribution à la faune rhizopodique de Belgique. 1. Thecamoebiens de la région Verviétoise. Rev. verviét. Hist. nat. 13:23-32, 42-49.

Chardez, D. (3). Quelques infusoires ciliés observés dans la région d'Ambleteuse (Pas-de-Calais). Rev. verviét. Hist. nat. 13: 91–92.

Chardome, M., Peel, E. & Lambrecht, F. L. La malaria dans le Mutara (Ruanda). Ann. Soc. belge Med. trop. 36: 141-144.

Chardome, M. see Berghe, L.

Chaře, K. E. Aspects of biogeochemistry of magnesium. 1. Calcareous marine organisms. J. Geol. 62 1954: 266–283, figs.

Chatterji, A. K. see Mohan, K.

Chatton, M. News-Middle East. Micropaleontology 2: 97. Chekhovich, V. D., Solovyeva, M. N., Theleznov, V. M., Ribkin, M. L., Starodubtzeva, A. S., Stukova, K. V. & Urmanov, H. H. [New data on the Devonian of Kizil-Kum.] C.R. Acad. Sci. U.R.S.S. 107: 149–150. [In Russian.]

Chernk, S. J. see Pizzi, P. J.

Chew, F. Red tide and the fluctuations of conservative concentrations at an estuary mouth. Bull. mar. Sci. Gulf & Caribbean 5 1955: 321-330, figs.

Chibalitch, D. see Simitch, T.

Chipail, A. see Wasserman, L.

Chiji, M. [On the microbiostratigraphy of the Yatsuo group in the Yatsuo district of Toyama Prefecture.] J. geol. Soc. Japan 61 1955: 162-172, figs. [English abstract.]

Child, F. M. & Mazia, D. A method for the isolation of the parts of ciliates. Experientia 12: 161-162, figs.

Chimicuti, N. see Sangiorgi, G.

Christensen, J. F. see Moulton, J. E.

Christman, R. A. Geology of St. Bartholomew, St. Martin, and Anguilla, Lesser Antilles. [Foraminifera.] Bull. geol. Soc. Amer. 64 1953: 65-96.

Cirillo, V. P. Induced enzyme synthesis in the phytoflagellate *Polytoma*. J. Protozool. 4: 69-74.

Ciry, R. & Rat, P. Dos Foraminiferos nuevos del cretácico de Navarra. Publ. [alem.] extran. Geol. Esp. 7 1953: 287-315, figs.

Civrieux, J. M. S. de (1). Appendice micropaleontologico: Region de Altagracia de Orituco. [Foraminifera & Radiolaria.] Bol. Geol. Venezuela 1 1951: 260–264.

Civrieux, J. M. S. de (2). Estudio de la microfauna de la seccion-tipo del Miembro Socuy de la formacion Colon, distrito Mara, Estado Zulia. Bol. Geol. Venezuela 2 1952: 231-310, figs.

Cizancourt, M. de. Quelques commentaires sur Miscellanea antillea (Hanzawa) M. de Cizancourt et Operculinoides georgianus Cole et Herrick. C.R. Soo. géol. Fr. 9 1954: 178-179.

Cizancourt, M. de & Cuvillier, J. Les Nummulites cordelées du Sénégal occidental. C.R. Soc. géol. Fr. 1 1954: 130–133, figs.

Clark, G. M. see Elliott, A. M.

Clark, G. M. & Elliot, A. M. Nuclear behaviour in haploid clones of *Tetrahymena pyriformis*. J. Protozool. 3 suppl.: 3.

Clarke, B. see Parke, M.

Clarkson, M. J. Experimental infection with Turkey poults with Eimeria adenoeides (Moore and Brown 1951) isolated from a natural case in Great Britain. Nature, Lond. 178: 196-197, fig.

Cleveland, L. R. (1). Hormoneinduced sexual cycles of flagellates. XIV. Gametic meiosis and fertilisation in *Macrospironympha*. Arch. Protistenk. 101: 99-170, figs.

Cleveland, L. R. (2). Brief accounts of the sexual cycles of the flagellates of Cryptocercus. J. Protozool. 3: 161-180, figs.

Cleveland, L. R. (3). Cell division without chromatin in *Trichonympha* and *Barbulanympha*. J. Protozool. 3: 78-83, figs.

Cleveland, L. R. (4). Hormoneinduced sexual cycles of flagellates. XIII. Unusual behaviour of gametes and centrioles of *Barbulanympha*. J. Morph. 97 1955: 511-541, figs.

Cleveland, L. R. & Burke, A. N. Effects of temperature and tension on oxygen toxicity for the protozon of *Cryptocercus*. J. Protozool. 3:74-77, figs.

Cleveland, L. R. & Nutting, W. L. Suppression of sexual cycles and death of the protozoa of *Cryptocercus* resulting from change of hosts during moulting period. J. exp. Zool. 130 1955: 485–513.

Close, R. J. see Barwick, R. E.

Coggi, L. & Bruschi, E. Contributo alla conoscenza dell'Oligocene in Sicilia. Boll. Soc. geol. ital. 71 1955: 83-93, figs.

Cohen, A. J. The effect of enucleation on the DPN level of *Amoeba*. J. biophys. & biochem. Cytol. 2: 17-21.

Colbourne, M. J. & Sowah, E. M. A. Does milk protect infants against malaria? Trans. R. Soc. trop. Med. Hyg. 50: 82-90.

Colbourne, M. J. & Wright, F. N. (1). Malaria in the Gold Coast (Part I). W. Afr. med. J. 4 1955: 3-17, figs.

Colbourne, M. J. & Wright, F. N. (2). Malaria in the Gold Coast (Part II). W. Afr. med. J. 4 1955: 161-174, figs.

Cole, C. R. see Sanger, V. L.

Cole, W. S. Larger foraminifera and smaller diagnostic foraminifera from Bikini drill-holes. Prof. Pap. U.S. geol. Surv. 260-0 1954: 569-608, figs.

Coleman, N. see Eyles, D. E.

Coleman, N. see Gibson, C. L.

Collins, A. C. A recent record of the genus *Fabularia* Defrance, Contr. Cush. Fdn. Foram. Res. 7: 105.

Collinson, C. & Schwalb, H. North American Paleozoic Chitinozoa. Illinois State geol. Surv. Rept. Invest. 186 1955: 1–33, figs.

Colom, G. (1). Los caracteres micropaleontologicos de algunasformaciones del Secundario de España. [Foraminifera.] Bol. Inst. geol. Esp. 64 1952 : 257–316, figs.

Colom, G. (2). On the distribution and lithological importance of Nannoconus limestones in the bathyal facies of the Lower Cretaceous of the western Mediterranean. Rept. 18th int. Geol. Congr. Gt. Brit. 10 1948. Prov. J. [1952]: 83-91, figs.

Colom, G. (3). Aquitanian-Burdigalian diatom deposits of the north Beltec Strait, Spain. J. Paleont. 26 1952: 867-885.

Colom, G. (4). In Carvalho, G. S. de; Contribuição para o Estudo da Micropaleontologia dos Depósitos Detríticos Pliocenicos de Portugal. [Foraminifera.] Publ. Lab. Min. geol. Univ. Coimbra Mem. e Notic. 37 1954: 37-60, figs.

Colom, G. (5). Estudio de las biozonas con foraminiferos del Terciario de Alicante. Bol. Inst. geol. Esp. 66 1954: 101-379, figs.

Colom, G. (6). Notas sobre Alveolinas españolas. Notas Inst. geol. Esp. 39 1955: 17-37, figs.

Colom, G. (7). News-Spain. Micropaleontology 2: 310.

Colom, G. (8). Una neuva Cyclammina (Foraminifera) de las costas del Senegal. Bull. Inst. franç. Afr. Noire 18A: 35-38, figs.

Colom, G. & Gamundi, J. Sobre la extension e importancia de las "Moronitas" a lo largo de las formaciones Aquitano-Burdigalienses del Estrecho Nort-Betico. [Protozoa.] Invest. geol. Inst. "Lucas Mallada", 14 1951: 331-385.

Coly, M. see Coudert, J.

Comer, E. O'B. Electrophoretic studies of plasma proteins in dogs with amebic dysentery. J. Parasit. 42 suppl.: 25-26.

Conato, V. & Martinis, B. Osservazioni sul Miocene dei colli Veronesi e Vicentini. Riv. ital. Paleont. 61 1955: 53-65, figs.

Conceiro, A. see Castro, F. T. de.

Conkin, J. E. "Nodosinella Brady, 1876, and associated Upper Palaeozoic genera"—a comment. Micropaleontology 2: 193.

Conover, S. A. MacM. Oceanography of Long Island Sound, 1952–54: IV. Phytoplankton. Bull. Bingham oceanogr. Coll. 15: 62–112, figs.

Conran, A. see Conran, O. F.

Conran, O. F. & Conran, A. Medical survey of Tonkolili and adjacent valleys, Sierra Leone. J. trop. Med. Hyg. 59: 285-294.

Conti, L. Stratigrafia e Paleontologia della Val Solda (Lago di Lugano). Appendice. Ostracodi e foraminiferi hettangiana della Val Solda. Mem. Carte geol. ital. 30 1954: 1–248, figs.

Cook, A. R. see Thompson, P. E. Cookson, J. C. see Deflandre, G.

Copeland, M. J. & Kesling, R. V. A new occurrence of Semitextularia thomasi Miller and Carmer, 1933. Contr. Mus. Geol. Univ. Mich. 12 1955: 105-112, fig.

Corbett, J. J. (1). Occurrence of lag phase due to vitamin depletion of Euglena gracilis. J. Protozool. 3 suppl.: 12.

Corbett, J. J. (2). Factors influencing initial expansion of *Euglena* gracilis in fresh medium. J. Protozool. 3 suppl.: 12.

Corliss, J. O. (1). Occurrence and study of autogamy in diverse strains of *Tetrahymena nostrata*. J. Protozool. 3 suppl.: 3.

Corliss, J. O. (2). On the evolution and systematics of ciliated Protozoa [Part I]. Syst. Zool. 5: 68-91.

Corliss, J. O. (3). On the evolution and systematics of ciliated Protozoa [Part II]. Syst. Zool. 5: 121-140, figs.

Corliss, J. O. see Dial, N. A.

Corliss, J. O. see Harman, W. J.

Corliss, J. O. see Holz, G. G.

Corradetti, A. & Neri, I. Plasmodium subpraecox Grassi e Feletti 1892 ceppo di Plasmodium praecox Grassi e Feletti 1890 adattato a vivere nella civetta Carina noctua. Riv. Parassit. 17: 165-169.

Cosgrove, W. B. Carbohydrate metabolism of two species of trypanosomids from insects. J. Protozool. 3 suppl.: 6.

Cosgrove, W. B. see Hunter, F. R.

Cotrim, J. X. & Ramalho, A. C. R. Nova tecnica de coloração de protozoārios pelos derivados do Romanovsky. Folia Clin. Biol. 23 1955: 161-166, figs. Coudert, J. & Coly, M. Essai d'application de la réaction d'agglutination des particules de collodion a quelques parasitoses. Ann. Parasit. hum. comp. 31: 489-499, fig.

Coutinho, J. O. (1). Contribuição para o estudo da *Leishmania enriettii* Muniz e Medina, 1948—inoculações experimentais. Folia Clin. Biol. S. Paulo 23 1955: 91–102.

Coutinho, J. O. (2). Nota sôbre o trataniento da leishmaniose da cobaia, Leishmania enriettii Muniz e Medina, 1948. Folia clin. Biol. S. Paulo 23 1955: 37-42.

Covell, G. (1). Some aspects of malaria-therapy. J. trop. Med. Hyg. 59: 253-261.

Covell, G. (2). Quartan stippling. J. trop. Med. Hyg. 59: 28-30.

Craig, M. F. see Sonneborn, T. M.

Crespin, I. (1). Distribution of Lower Cretaceous Foraminifera in bores in the Great Artesian Basin, Northern New South Wales. J. roy. Soc. N.S.W. 89: 78-84.

Crespin, I. (2). Migration of foraminifera in Tertiary times in Australia. Rept. Bur. Min. Res. Australia 25: 1-15.

Crespin, I. (3). Changes in ideas of age of certain beds in the Australian Tertiaries. Rept. Bur. Min. Res. Australia 25: 16-25.

Crespin, I. (4). News-Australia. Micropaleontology 2: 407-408.

Crewe, W. see Gordon, R. M.

Cuckler, A. C. & Malanga, C. M. The effect of nicarbazin on the development of immunity to avian coccidia. J. Parasit. 42: 593-608.

Cummings, R. H. (1). Developments in micropaleontological technique. [Foraminifera.] J. Paleont. 26 1952: 123.

Cummings, R. H. (2). Revision of the Upper Paleozoic textulariid foraminifera. Micropaleontology 2: 201-242, figs.

Cummings, R. H. (3). Preparation of microfossils for photography. Micropaleontology 2: 402.

Cummings, R. H. (4). Gyratory sieving and straining applied to geological research. [Protozoa.] Laboratory Practice 5: 109-110, figs.

Cushman, J. A., Todd, R. & Post, R. J. Recent foraminifera of the Marshall Islands. Prof. Pap. U.S. geol. Surv. 260-H 1954: 319-384, figs.

Cutchins, E. C. & Warren, J. Immunity patterns in the guinea pig following *Toxoplasma* infection and vaccination with killed *Toxoplasma*. Amer. J. trop. Med. Hyg. 5: 197–209.

Cuvillier, J. (1). A propos des "Corrélations stratigraphiques par microfacies en Aquitaine occidentale" [Foraminifera]. Bull. Soc. géol. Fr. (6) 4 1954: 233–236.

Cuvillier, J. (2). News-France. Micropaleontology 2: 306-307.

Cuvillier, J. & Debourle, A. Découverte du Jurassique terminal et du Néocomien en Aquitaine occidentale et méridionale. [Foraminifera.] C. R. Soc. géol. Fr. 4 1954: 75–76.

Cuvillier, J. see Cizancourt, M. de.

Cventković, L. see Nevenić, V.

**D**, A. (1). Jérôme Rodhain. Ann. Soc. belge Med. trop. **36** : 521–522.

**D**, A. (2). J. A. Sinton. Ann. Soc. belge Med. trop. 36: 370.

**D**, A. (3). C. Mathis. Ann. Soc. belge Med. trop. 36: 371.

Dabrowska, J. [The training of Paramecium caudatum, Stentor coeruleus, and Spirostomum ambiguum to light stimuli.] Folia biol. 2: 77-91, figs. [English summary: 91.]

Daci, A. In Dartevelle, E. & Roger, J.: Contribution à la connaissance de la faune du Miocène de l'Angola. [Foraminifera.] Comun. Serv. geol. Portug. 34 1954: 237-240, figs.

Dagert, B. y C. see Scorza, J. V.

Dalloni, M. L'Atlas tellien occidental. [Foraminifera.] 19th Congr. géol. Inter. Algér. Monogr. Region (1) Algérie 24 1952: 1–98.

Dam, A. ten. Rélations du Crétacé et du Tertiare dans la Tethys (abstr.). [Foraminifera.] Rés. des Comm., 19th Congr. géol. Inter. Alger 1952: 129.

Danforth, W. Oxidation metabolism of Euglena. Arch, Biochem. & Biophys. 46 1953: 164-173.

Danforth, W. F. see Wilson, B. W.

Daniel, M. see Černa, Ž.

Danielli, J. F. The transfer of nuclei from cell to cell as a method of studying differentiation. Exp. Cell. Res. suppl. 3 1955: 98–101.

Danielli, J. F. see Ord, M. J.

Danisch, E. Über die Flora und Fauna der Kimmeridge.—und Gigas-Schichten zwischen Engter und Venne. Veröff. naturw. Ver. Osnabrück 27 1955: 54-73, figs.

Danner, W. R. Yakutat-Franciscan type rocks of the State of Washington (abstr.). [Foraminifera.] Bull. geol. Soc. Amer. 64 1953: 1411.

Davey, T. H. see Thomas, W. E.

Davis, L. R., Boughton, D. C. & Bowman, G. W. Biology and pathogenicity of *Eimeria alabamensis* Christensen, 1941, an intranuclear coccidium of cattle. Amer. J. vet. Res. 16 1955: 274—281, figs.

Davis, L. R. & Bowman, G. W. The endogenous development of *Eimeria zurnii* (Rivolta, 1878) Martin 1909, a pathogenic coccidium of cattle. J. Protozool. 3 suppl.: 1.

Davis, R. J. see Nathan, H. A.

Deane, L. M. Leishmaniose visceral no Brasil. Estudos sôbre reservatorios e transmissores realizados no Estado do Ceara. Rio de Janeiro, 1956: viii+162 pp., figs. [In Portuguese.]

Debourle, A. Cuvillierina eocenica, nouveau genre et nouvelle espèce de Foraminifère de l'Yprésien d'Aquitaine. Bull. Soc. géol. Fr. 5 1955: 55-57, fig.

Debourle, A. & Delmas, M. Victoriella aquitanica, nouveau Foraminifère de l'Oligocène d'Aquitaine. Bull. Soc. géol. Fr. 5 1955: 47-49, fig.

Debourle, A. see Cuvillier, J.

Dechary, J. M. see Kun, E.

Decloitre, A. L. Rhizopodes de l'Afrique orientale anglaise. Bull. Inst. franç. Afr. noire 15 1953: 1432-6, figs.

Decloitre, E. Matériaux pour une faune rhizopodique d'A.O.F. (Casamance, Sénégal, Guinée.) Bull. Inst. franç. Afr. N. 18A: 377-390, figs.

Decloitre, L. (1). Rhizopodes thécamoebiens. Part XVI of Le Pare National du Niokolo-Koba. Mém. Inst. Fr. Afr. Noire 48: 233– 258, figs.

Decloitre, L. (2). Qu'est-ce que les Rhizopodes thécamoebiens ? Note afr. No. 62 1954 : 54-55, figs.

Decloitre, L. (3), Repartition biogéographique de quelques Nebela (Thécamoebiens). C.R. Soc. Biogéogr. 31 1954: 32-34.

Decloitre, L. (4). Rhizopodes Thécamoebiens du Vénézuéla. Hydrobiologia 7 1955 : 325–372, figs.

Decloitre, L. (5), Les Thecamoebiens de l'Eqe (Groenland). Act. Sci. et Indust. 1242. Exped. Pol. Fr. Missions Paul-Emile Victor 8: 1-105, figs.

Deegan, T. Malaria pigment. Trans. roy. Soc. trop. Med. Hyg. 50: 106-107.

Deegan, T. & Maegraith, B. G. (1). Studies on the nature of malarial pigment (haemozoin). I: The pigment of the simian species, Plasmodium knowlesi and P. cynomolgi. Ann. trop. Med. Parasit. 50: 194—211, figs.

Deegan, T. & Maegraith, B. G. (2). Studies on the nature of malarial pigment (haemozoin). II: The pigment of the human species, Plasmodium falciparum and P. malariae. Ann. trop. Med. Parasit. 50: 212–222, figs.

Deflandre, G. & Cookson, I. C. (1). Sur le microplaneton fossile conservé dans diverses roches sédimentaires australiennes s'étagement du Cretacé inférieur au Miocene supérieur. [Forms listed here are nomina nuda but validated in 1955.] C.R. Acad. Sci. Paris 239 1954: 1235–1238, figs.

Deflandre, G. & Cookson, I. C. (2.) Fossil microplankton from Australian late Mesozoic and Tertiary sediments. Aust. J. Mar. Freshw. Res. 6 1955: 242–313, figs.

De Guisti, D. & Delidow, S. The life cycle of *Gregarina hyalellae*, a gregarine parasite in *Hyalella azteca*. J. Parasit. **42** Suppl. : 25.

Dekeyser, P. L. & Villiers, A. Contributions à l'étude du peuplement de la Mauritanie. Notations écologiques et biogéographiques sur la fauna de l'Adrar. Mém. Inst. franç. Afr. N. 44: 1–222, figs.

Deleau, P. (1). Le Pays Constantinois. [Foraminifera.] 19th Congr. inter. Géol. Alger, Monogr. Région (1), Algérie 13 1952: 1-85, figs.

Deleau, P. (2). La grande faille limitant au sud la chaine numidique. [Foraminifera.] C.R. Acad. Sci. Paris 236 1953: 2525-2527.

Deleau, P. & Marie, P. Les calcaires oolithiques du Namurien du Sud-Oranais et leur faune de Foraminifères. C.R. Soc. géol. Fr. 11 1954: 225–226.

Delga, M. D. Le sud-ouest de la Petite Kabylie. [Foraminifera]. 19th Congr. géol. Inter. Alger., Monogr. Région (1) Algèrie 10 1952: 1-62, figs.

Delga, M. D., Glangeaud, L., Magné, J. & Tayeb, G. Les formations sédimentaires entourant le massif eruptif de cavallo (Nord-Constantinois, Algerie). [Foraminifera]. C.R. Acad. Sci. Paris 236 1953: 302-305.

Delga, M. D. see Fallot, P.

Delidow, S. see De Guisti, D.

Delmas, M. see Debourle, A.

Demanet, F. Contribution à l'étude de la microfaune marine du Westphalien de la Campine. [Foraminifera.] Bull. Inst. roy. Sci. nat. Belg. 25 1950: 1-16, figs.

Demarchi, J. Le milieu biologique en région tropicale. Méd. trop. 16: 59-74.

Dennis, E. W. & Berberian, D. A. The chemotherapeutic properties of WIN 5047 (Mantomide), a new synthetic amebacide. Antibiot. & Chemother. 5 1954; 554-560.

Deom, J. & Mortelmans, J. Observations sur la coccidiose du mouton et de la Chèvre au Congo Belge. Essais thérapeutiqués. Ann. Soc. belge Méd. trop. 36: 47-51.

Depieds, R. Considérations biologiques sur les cultures d'amibes. Méd. trop. 15 1955 : 208-214.

Depieds, R. & Faure, A. A propos du rapport protéines totales globulines chez les rats infestés par *Plasmodium* berghei. Bull. Soc. Path. exot. 49: 270-271.

Depoux, R., Merveille, P. & Ceccaldi, J. Étude de la réaction de fixation du complément dans la trypanosomiasis humaine. Ann. Inst. Pasteur, Paris 91: 684-692.

Deschiens, R., Pick, F. & Sarauw, U. L'immunisation expérimentelle de la poule domestiqué contre l'infestation a *Plasmodium gallinaceum*. Bull. Soc. Path. exot. 49: 353-365, figs.

Desowitz, R. S. (1). Effect of antibody on the respiratory rate of *Trypanosoma vivax*. Nature, Lond. 177: 132–133, figs.

**Desowitz**, R. S. (2). Observations on the metabolism of *Trypanosoma vivax*. Exper. Parasit. **5**: 250–259, fig.

Desowitz, R. S. see Williamson, J.

Deunff, J. Un microplaneton fossilé dévonien à Hystrichosphères du continent nord-américain. Bull. Micro. appl. (2) 5 1955: 138–150, figs.

Devine, R. L. see Beams, H. W. Dewey, V. C. see Kidder, G. W.

Dial, N. A. & Corliss, J. O. A possible experimental approach to regeneration problems in *Tetrahymena pyriformis*. J. Protozool. 3 Suppl.: 10.

Diamond, L. S. & Rubin, R. Susceptibility of domestic animals to infection with *Trypanasoma cruzi* from the raccoon. J. Parasit. 42 Suppl.: 21.

Dippell, R. V. (1). A preliminary report on the chromosomal constitution of certain variety 4 races of Paramecium aurelia. Caryologia 6 Suppl. Atti IX Congr. Internat. Genet. (2) 1954: 1109-1111.

Dippell, R. V. (2). A temporary stain for *Paramecium* and other ciliate Protozoa. Stain Tech. **30** 1955: 69-71.

Dippell, R. V. see Sonneborn, T. M.

Diskus, A. (1). Zum Osmoseverhalten halophiler Euglenen vom Neusiedler See. S.B. öst. Akad. Wiss. Abt. 1 162 (3) 1953: 171–179, figs.

Diskus, A. (2). Färbestudien an den Schleimkörperchen und Schleimausscheidungen einiger Euglenen. Protoplasma 45: 460–477, figs.

Dizer, A. [Les Foraminifères de l'Eocène Inférieur de l'ouest de Ravin de Filyos]. Rev. Fac. Sci. Univ. Istanbul. 21B: 1-8, figs.

Dmitrieva, R. G. see Bogdanovich, A. K.

Dogelv, V. A. & Reshchetnyak, V. V. Radiolaria (31-39). In P. V. Ushakov, Atlas of the Invertebrates of the Far Eastern Seas of the U.S.S.R. Inst. Zool. Acad. Sci. Leningrad 1955. [In Russian.]

Dogiel, V. A. [General characteristics of the parasitic fauna of animals inhabiting the Far East seas.] Trav. Inst. Zool. Acad. Sci. U.R.S.S. 21: 53-61. [In Russian.]

Dogiel, V. A. & Bauer, O. N. [Campaign against harmful parasites of fish in ponds.] Moseow, 1955, 85 pp. 26 figs. [In Russian.]

Dolezal, M., Przybykiewicz, Z. & Starzyk, J. [Influence and action of Chlorpromazine on the course of experimental toxoplasmosis in white mice.] Acta Parasit. polon. 4:555-560. [English summary.]

Dolle, M. Les Lepidocyclines de l'Oligocène de Sousse. 19th Congr. géol. Inter. Alger. Monogr. Région (2) Tunisie 6 1952: 139-140.

18

Dollfus, R. Ph. Liste des parasites animaux du hareng de l'Atlantique Nord et de la Baltique. J. Cons. int. Explor. Mer 22: 58-65.

Doolan, J. J., Rotner, M. & Yancey, P. H. An effect of penicillin on *Paramecium* cultures. J. Ala. Acad. Sci. 22 1952: 100.

Doorninck, W. M. van & Becker, E. R. Penetration and invasion of the intestinal mucosa of the chicken by the sporozoites of *Eimeria necatrix*. J. Protozool. 3 Suppl.: 1.

Doorninck, W. M. van see Becker, E. R.

Doran, D. J. (1). Aerobic metabolism of *Trichomonas foetus* and *Trichomonas* spp. from swine. J. Protozool. 3 Suppl.; 13.

Doran, D. J. (2). Changes in aerobic fermentation during growth of *Trichomonas foetus*. J. Protozool. 3 Suppl.: 13.

Dott, R. H. jr. Chaetetes, important marker in Pennsylvanian of Central Great Basin (abstr.). [Foraminifera.] Bull. geol. Soc. Amer. 65 1954: 1245–1246.

Dougherty, E. C. Parasexuality should be sought in the primitive protista. J. Protozool. 3 Suppl.: 11.

Dougherty, E. C. & Allen, M. B. Some pigment "mutants" of Cyanidium caldarium (division (?) Chlorophyta). J. Protozool. 3 Suppl.: 12.

Doyle, B. see Setlow, R.

Dragesco, J., Blanc-Brude, R. & Gauchery, M. Anhydrobiose chez un infusoire tentaculifère: *Heliophrya erhardi* (Rieder) Matthes. Mikroskopie 10: 262–266. [English summary: p. 265.]

Dragonas, P. see Tarlatzis, C.

**Drooger**, C. W. (1). Remarks on *Cycloclypeus*. I. Proc. Akad. Wet. Amst. **58B** 1955: 415-423, figs.

Drooger, C. W. (2). Remarks on Cycloclypeus. II. Proc. Akad. Wet. Amst. 58B 1955: 424-433, figs.

Drooger, C. W. (3). Transatlantic correlation of the Oligo-Miocene by means of foraminifera. Micropaleontology 2: 183-192.

Drooger, C. W. (4). Miogypsina at Puente Viejo, Spain. Proc. Akad. Wet. Amst. 59B: 68-72, fig.

Drooger, C. W. (5). Parallel evolutionary trends in larger foraminifera. Proc. Akad. Wet. Amst. 59B: 458-469, figs.

Droop, M. R. On the ecology of flagellates from some brackish and fresh-water rockpools of Finland. Acta Botanic. Fenn. 51 1953: 3-46, figs.

Dubourdieu, G. Monts du Méllégue. [Foraminifera.] 19th Congr. inter. Géol. Alger. Monogr. Région (1), Algérie 3 1952: 1–54, figs.

Ducci, A. Contributo alla geologia dell'Isola di Capri. [Foraminifera.] Boll. Uff. geol. Ital. 73 1951: 347– 354, fig.

**Ducloux,** A. H. Enrico Fossa-Mancini (1884–1950). Bull. Amer. Ass. Petrol. Geol. **37** 1953: 2245– 6, fig.

Ducoff, H. S. (1). Radiationinduced fission block in synchronized cultures of *Tetrahymena pyriformis* W. Exp. Cell Res. 11: 218–220, figs.

Ducoff, H. S. (2). The influence of specific nutrients on mating reaction in *Tetrahymena pyriformis*. J. Protozool. 3 Suppl.: 3.

Dunbar, C. O. A new technique for making sections of invertebrate fossils. J. Paleont. 28 1954: 112.

Duplan, L. Sur l'existence d'un flysch gréso-quartziteux du Sénonien dans le régions littorales de l'Algérie, [Foraminifera.] C.R. Acad. Sci. Paris 236 1953: 1371–1373.

Durall, C. S. & Vilardell, F. Risultati dell'intradermoreazione alla toxoplasmina nella populazione di Barcelona. Igiene mod. 48: 667–677, figs. [English summary.]

Dutkiewicz, J. [In vitro action of Largactil upon Trichomonas foetus Ried.] Acta Parasit. polon. 4:601-608. [English summary.]

Dzvelaya, M. F. [On the Middle Oligocene of Guria.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 106: 317-319. [In Russian.]

Earland, A. Some notes on Foraminifera. J. roy. micr. Soc. 75: 194-197, fig.

Echols, D. J. News-Mid-Continent of United States. Micropaleontology 2: 101-103.

Edgell, S. Some guide foraminifera of the Upper Cretaceous and lower Tertiary in Australia and California. (abstr.). Bull. Amer. Ass. Petrol. Geol. 37 1953: 2781.

Edwards, E. E., Judd, J. M. & Squire, F. A. (1). Observations on trypanosomiasis in domestic animals in West Africa: 1. The daily index of infection and the weekly haematological values in goats and sheep infected with Trypanosoma vivax, T. congolense and T. brucei. Ann. trop. Med. Parasit. 50: 223-241, figs.

Edwards, E. E., Judd, J. M. & Squire, F. A. (2). Observations on trypanosomiasis in domestic animals in West Africa. II. The effect on the crythrocyte sedimentation rate, plasma protein, bilirubin, blood sugar, red-cell osmotic fragility, body weight and temperature in goats and sheep infected with Trypanosoma vivax, T. congolense and T. brucei. Ann. trop. Med. Parasit. 50: 242-251, fig.

Edwards, E. E., Judd, J. M. & Squire, F. A. (3). Responses of domestic animals to infections of Trypanosoma vivax, T. congolense and T. brucei. Nature, Lond. 177: 332.

Ehret, C. F. & Powers, E. L. (1). Macronuclear and nucleolar development in *Paramecium bursaria*. Exp. Cell Res. 9 1955: 241-257, figs.

Ehret, C. F. & Powers, E. L. (2). The systems and complexes of primary organelles in *Paramecium*. J. Protozool. 3 Suppl.: 5.

Eichel, H. J. Effects of atabrine and flavin mononucleotide on oxidation of succinic acid by *Tetrahymena* preparations. Biochim. biophys. Act 22: 571–573, fig.

Eichenwald, H. F. The laboratory diagnosis of toxoplasmosis. Ann. N.Y. Acad. Sci. 64: 207-214.

Elgood, J. H. see Webb, J. E.

Elias, M. K. Cambroporella and Coeloclema, lower Cambrian and Ordovician bryozoans. J. Paleont. 28 1954: 52-58, figs.

Ellenby, C. Arresting Paramecium. Nature, Lond. 177: 98.

Elliot, A. M. see Clark, G. M.

Elliott, A. M. & Clark, G. M. (1). The induction of haploidy in *Tetrahymena pyriformis* following X-irradiation. J. Protozool. 3: 181-188, figs.

Elliot, A. M. & Clark, G. M. (2). Strains of *Tetrahymena pyriformis* that grow without pyridoxime. J. Protozool. 3 Suppl.: 6.

Ellis, B. G. & Messina, A. R. Catalogue of Foraminifera, Supplement for 1952. Spec. Publ. Amer. Mus. nat. Hist. 1952: 1-711, figs.

Elsdon-Dew, R. see Lingen, M. I.

Elsdon-Dew, R. Further aspects of amoebiasis in Africans. Central Afr. J. Med. 2: 291-294.

Emiliani, C. Nomenclature and grammar. [Protozoa]. J. Wash. Acad. Sci. 42 1952: 137-141.

Emiliani, C. & Epstein, S. Temperature variations in the lower Pleistocene of southern California. [Foraminifera]. J. Geology 61 1953: 171–181.

Endo, R. & Hashimoto, W. Unquestionably Paleozoic (Permian) fossils found in Hokkaida, Japan. Proc. Japan Acad. 31 1955: 704-708, figs.

English, A. R. see Lynch, J. E.

Ennis, H. L. see Bradley, S. G.

Epstein, S. & Lowenstam, H. A. Temperature - shell - growth relations of Recent and interglacial Pleistocene shoal-water biota from Bermuda. J. Geol. 61 1953: 424-438.

Epstein, S. see Emiliani, C.

Ercoli, N. see Volini, M.

Erhardová, B. see Ryšavý, B.

Ericson, D. B. Deep-sea cores and currents in the Pleistocene North Atlantic (abstr.). [Foraminifera]. Bull. geol. Soc. Amer. 64 1953: 1418. Ericson, D. B. & Wollin, G. Micropaleontological and isotopic determinations of Pleistocene climates. Micropaleontology 2: 257-270, figs.

20

- Ertl, M. (1). Prispevok k poznania fauny koreňonožcov (Rhizopoda) Dunaja. Biológia, Bratislava 9 1954: 607–616, figs. [German summary.]
- Ertl, M. (2). Rhizopoden des Torfmoors von Bór (Crava). Prace II Sekc. Slov. Akad. Vied. Sér. Biol. 1 1955: 1–39, figs. [German summary: 27.1
- Ertl, M. (3). Kritische Bemerkungen über Difflugia leidyi Wailes. Biológica, Bratislava 11: 423–429, figs. [German summary, p. 428.]
- Etges, F. J. Notes on the use of technicon mounting medium for *in toto* preparations. J. Parasit. **42**: 30.
- Eugene, E., Lynch, V. & Thoms, R. K. (1). Observations on vaginal trichomoniasis in monkeys. J. Parasit. 42 Suppl.: 22.
- Eugene, E., Lynch, V. & Thoms, R. K. (2). The inhibitory effect of an ion exchange resin on *Trichomonas vaginalis*. J. Parasit. 42 Suppl.: 23.
- Evans, F. R. Tritrichomonas muris in desert rodents of Utah. J. Parasit. 42: 495.
- Evens, F. & Niemegeers, C. Étude comparative entre des souches de T. gambiense de la région de Léopold-ville et les souches provenant du foyer de trypanosomiese à T. rhodesiense des Ruanda-Urundi. Ann. Soc. belge. Méd. trop. 36: 71-86.
- Eventor, Y. S. see Kopeliovich, A. V.
- Evitt, W. R. Foraminifera from the Devonian of New York (abstr.). Bull. geol. Soc. Amer. 65 1954: 1249– 1250.
  - Exner, H. see Lieb, F.
- Eyles, D. E. Newer knowledge of the chemotherapy of toxoplasmosis. Ann. N.Y. Acad. Sci. 64: 252-267, fig.
- Eyles, D. E. & Coleman, N. (1). Notes on the treatment of acute experimental toxoplasmosis of the mouse with chlortetracycline and tetracycline. Antibiot. & Chemother. 4: 1954 988-991.

- Eyles, D. E. & Coleman, N. (2). An evaluation of the curative effects of pyrimethamine and sulfadiazine, alone and in combination, on experimental mouse toxoplasmosis. Antibiot. & Chemother. 5 1955: 529-539.
- Eyles, D. E. & Coleman, N. (3). The effect of sulfadimetine of sulfasuxazole, and sulfapyrazine against mouse toxoplasmosis. Antibiot. & Chemother. 5 1955: 525-528.
- Eyles, D. E. & Coleman, N. (4). Relationship of size of inoculum to time of death in mice infected with *Toxoplasma gondii*. J. Parasit. 42: 272-276, fig.
- Eyles, D. E., Coleman, N. & Cavanaugh, D. J. Preservation of Toxoplasma gondii by freezing. J. Parasit. 42: 408-413, fig.
- Eyles, D. E. & Jones, F. E. The chemotherapeutic effect of pyrimethamine and sulfadiazine on toxoplasmosis on the Norway rat. Antibiot. & Chemother. 5 1955; 731–734
  - Eyles, D. E. see Gibson, C. L.
  - Eyles, D. E. see Jeffery, G. M.
- Fabiani, G. & Orfila, J. (1). Action d'une traitement sulfamidé sur le paludisme expérimental de la souris blanche. C.R. Soc. Biol. Paris 148 1954: 1390–1392.
- Fabiani, G. & Orfila, J. (2). Recherche du pouvoir séro-protecteus chez le rat infecté experimentalement par *Plasmodium berghei*. C. R. Soc. Biol. Paris 150: 1182–1184.
- Fabiani, G. & Orfila, J. (3). Intérêt de l'épreuve peritonéale au cours du paludisme des rongeurs. C. R. Soc. Biol. Paris 150: 168–170.
- Fabiani, G. & Orfila, J. (4). Le paludisme expérimental du souriceau influence de allaitement maternel. Bull. Soc. Path. exot. 49: 704-713, figs.
- Fairbairn, H. The infectivity to man of syringe-passaged strains of Trypanosoma rhodesiense and T. gambiense. Ann. trop. Med. Parasit. 50:167-171.

Fallis, A. M., Anderson, R. C. & Bennett, G. F. Further observations on the transmission and development of *Leucocytozoon simondi*. Canad. J. Zool. 34: 389-404, figs.

Fallot, P., Delga, M. D. & Magné, J. Présence de l'Eocène inférieur dans le Rif septentrional (Maroc). C.R. Acad. Sci. Paris 243: 1975–1981.

Farmer, J. N. see Becker, E. R.

Farr, M. M. Survival of the protozoan parasite, *Histomonas melea*gridis, in fæces of infected birds. Cornell Vet. 46: 178-181, fig.

Faune, A. see Depieds, R.

Faune, A. see Ranque, J.

Fauré-Fremiet, E. (1). Mitochondries et bactéries symbiotes chez les Ciliés. Publ. Un. int. Sci. biol. (B) No. 21: 31-32.

Fauré-Fremiet, E. (2). Microscopie électronique de quelques Ciliés. Bull. Soc. zool. Fr. 81: 9-11.

Fauré-Fremiet, E., Rouiller, C. & Gauchery, M. (1). Structure et origine du pédonoule chez *Chilodochona*. J. Protozool. 3: 188-193, figs.

Fauré-Fremiet, E., Rouiller, C. & Gauchery, M. (2). Les structures myoïdes chez les ciliés. Étude au microscope électronique. Arch. Anat. micr. Morph. exp. 45: 139-161, figs.

Fauré-Fremiet, E., Rouiller. C. & Gauchery, M. (3). L'appareil squelettique et myoide des Urcéolaires ; étude au microscope électronique. Bull. Soc. zool. Fr. 81; 77-84.

Fauré-Fremiet, E., Rouiller, C. & Gauchery, M. (4). La structure fine des ciliés. Présentation de micrographies électroniques. Bull. Soc. zool. Fr. 81: 168-170.

Fauré-Fremiet, E. see Barbier, M.

Fauré-Fremiet, E. see Rouiller, C. R.

Faust, E. C. (1). History of human parasitic infections. Public Hlth. Rep. Wash. 70 1955: 958–965.

Faust, E. C. (2). The amebiasis problem. Antibiot. Med. 1 1955: 596-602.

Fedecka, B. [Quantitative Untersuchungen des Geotropismus bei Paramecium caudatum.] Folia biol. 4:65-76. [German summary: 74.]

Feldman, H. A. The relationship of *Toxoplasma* antibody activation to the serum-properdin system. Ann. N.Y. Acad. Sci. 66: 263-267.

Feldman, H. A. & Miller, L. T. (1). Serological study of toxoplasmosis prevalence. Amer. J. Hyg. **64**: 320–335.

Feldman, H. A. & Miller, L. T. (2). Congenital human toxoplasmosis. Ann. N.Y. Acad. Sci. 64: 180-184.

Fendel, H. Eine toxoplasmotische Zwillungsgebart. Virchow's Arch. Berlin 327 1955: 293–303, figs.

Feo, L. G. The incidence of *Trichomonas vaginalis* in the various age groups. Amer. J. trop. Med. Hyg. 5: 786-790.

Ferasin, F. Studio di una serie cretacea nella bassa valle de Piave. [Foraminifera.] Boll. serv. Geol. Ital. 78: 243–263, figs.

Fernandez-Galiano, D. (1). Los sistemas fibrilares de las especies del género Balantidium. II. Balantidium entozoon y Balantidium galianoi. Trab. Inst. Cieno. nat. Acosta. Biol. 4: 69-90, figs.

Fernandez-Galiano, D. (2). El aparato neuromotor de *Eudiplodinium maggii* Fior. Bol. Soc. esp. Hist. nat. Biol. **53**: 53-76, figs.

Ferreira, J. M. News-Portugal. Micropaleontology 2: 98.

Ferreira, J. M. & Rocha, A. T. Sur la decouverte de "Lagena X" au Portugal. Com. Serv. Geol. Portugal 36: 83-86, figs.

Ferreira, J. M. see Rocha, A. T.

Ficq, A. Incorporation de phénylalanine-3-14C dans les fragments nuclées et anuclées d'amibes. Arch. internat. Physiol. 64: 129–130.

Fidalgo, M. A. Diagnostico de la tripanosomiasis. Med. colon. 25 1955: 138–150.

Field, J. W. & Shute, P. G. The microscopic diagnosis of human malaria. II. A morphological study of the erythrocytic parasites. Kuala Lumpur. (Inst. for Medical Research) 1956, pp. xii+251, 59 pls. 37 figs.

Fife, E. H. see Chaffee, E. F.

Figares, E. see Basnuevo, J. G.

Filipponi, A. Dimorfisme sessuale nei trifozoite del genere *Gigaductus* (Sporozoa, Gregarinidae, Gigaductidae). R.C. Ist. sup. Sanit. 18 1955: 97-114, figs.

Filliartre, M. le see Vargues, R.

Filliartre, M. le see Verain, A.

Finger, J. Immobilizing and precipitating antigens of *Paramecium*. Biol. Bull. Woods Hole **111**: 358–363.

Finlay, P. & Manwell, R. D. Toxoplasma from the crow, a new natural host. Exper. Parasit. 5: 149-153.

Fischer, W. A. The foraminifera and stratigraphy of the Colorado group in Central and Eastern Colorado. Univ. Colo. Stud. Gen. Ser. 29 1954: 9-10.

Fjeld, P. (1). On some marine Psammobiotic Ciliates from Drøbak (Norway). Nytt Mag. Zool. 3 1955: 5-65, figs.

Fjeld, P. (2). On Spirobutschliella clignyi (Ciliata, Astomata) from the Oslofjord. J. Protozool. 3: 63-68, figs.

Flandrin, J. (1). Les châines atlasiques et la bordure nord du Sahara. [Foraminifera,] 19th Congr. géol. Inter. Algér. Monogr. Région (1) Algérie 14 1952: 1–81, figs.

Flandrin, J. (2). La Châine du Djurd-jura. [Foraminifera]. 19th Congr. géol. Inter. Algér. Monogr. Région (1), 19 1952: 1-49, figs.

Flandrin, J. see Flandrin, L. D.

Flandrin, L. D. & Flandrin, J. Sur la présence du Miocène a Miŏ-gypsines dans les monts de la Haute Medjerda. Bull. Soc. géol. Fr. (6) 4 1954 : 415-419, figs.

Fleming, C. A. Castlecliffian fossil from Ohope Beach, Whakatane. N.Z. J. Sei. Tech. 36B 1955; 511-522, figs.

Flemeth, T. H. see Fulton, J. D.

Floch, H. & Boulan, S. Sur deux nouveaux cas de schizotrypanosomiase humaine américaine en Guyane Française. Arch. Inst. Pasteur Guayane Française, publ. no. 412, p. 1-5.

Foley, G. E. see Winter, W. D. Jr.

Fort, M. see Schwetz, J.

Fournier, G. New methods and techniques in the photography of microfossils. Micropaleontology 2: 37-56, figs.

Franceschi, T. Considerazioni preliminari sull'addizione di paraminosalicilato di sodio in culture di Colpoda (Protozoi, Infusori). Boll. Zool. 21 1954: 231–234.

Franchino, E. M., Grun, J. & Stauber, L. A. A method for screening compounds against visceral leishmaniasis in the hamster. J. Parasit. 42 Suppl.: 22.

Frank, O. see Scher, S.

Fremming, B. D., Vogel, F. S., Benson, R. E. & Young, R. J. A fatal case of amebiasis with liver abscesses and ulcerative colitis in a chimpanzee. J. Amer. vet. med. Ass. 126 1955: 406-407, figs.

Frenkel, J. K. Pathogenesis of toxoplasmosis and of infections with organisms resembling *Toxoplasma*. Ann. N.Y. Acad. Sci. **64**: 215–251, figs.

Freydanck, H. Die Abhangigkeit einer rezenten Foraminiferen-Vergesellschaftung von Sediment und Strömungsgeschwindigkeit des Wassens. Neues Jb. Min. Geol. Paläont. 100 1955: 332–349, figs.

Freyvogel, T. (1). Zur frage der wirkung des höhenklimas auf den verlauf akuter malaria. Acta Trop. 13, sep. no. 1 p. 1–57, figs.

Freyvogel, T. (2). Malaria in tiefer und mittlener höhonlage. Acta Trop. 13, sep. no. 1, p. 58–81.

- Frisch, D. & Hirshfield, H. I. In vivo induction of melanization in Amoeba proteus. J. Protozool. 3, Suppl.: 10.
- Frizzell, D. L. & Middour, E. S. Paleocene radiolaria from southeastern Missouri. Bull. Univ. Missouri Sch. Min. Met. Tech. Ser. 77 1951: 1-37, figs.
- Frizzell, D. L. & Schwartz, E. A new lituolid foraminiferal genus from the Cretaceous, with an emendation of Cribrostomoides Cushman. Bull. Univ. Missouri Sch. Min. Met. Tech. Ser. 76 1950: 1–12, figs.
- Fromaget, J. Aperçu de nos connaisances sur la géologie de l'Indochine en 1948. [Foraminifera]. 18th int. Congr. Geol. Gt. Britain Proc. Sect. M. 13 1952 : 63-77, figs.
- Fromentin, H. Action de l'acide salicyclique et de quelques-mis de ses dérivés sur l'infection expérimentale du rat blane à *Trypanosome gambiense*. Bull. Soc. Path. exot. **49**: 272-277.
- Fromentin, H., Sandor, M., Sandor, G. & Levaditi, J. Étude humorale de la trypanosomiase expérimentale du rat. C.R. Acad. Sci. Paris 243: 1077-1080.
- Frye, W. W. The pathogenesis and therapy of human amebiasis. Pakist, med. J. 7 1955: 11-27.
- Fuchs, H. [Examen de la fréquence de dimensions d'une espèce de Nummulites (Camerina).] Földt. Közl. 85 1955: 466-471, figs. [French summary: 472.]
- Fujimoto, H. & Igō, H. Hidaella, a new genus of the Pennsylvanian fusulinids from the Fukuji district, eastern part of the Hida mountainland, central Japan. Trans. palaeont. Soc. Japan N.S. 18 1955: 45–48, fig.
- Fujita, Y. On some species of the genera Elphidium, Elphidiella, and Cribroelphidium Variation of Japanese Elphidium crispum. Sci. Rep. Tokyo Kyoiku Daig 4C: 219—233, figs.
  - Fullerton, W. J. see Jellison, W. L.

- Fulmer, C. V. Stratigraphy and paleontology of the typical Markley and Nortonville formations of Central California (abstr.) [Foraminifera]. Bull. geol. Soc. Amer. 65 1954: 1341.
- Fulton, J. D. & Flewett, T. H. The relation of *Plasmodium berghei* and *Plasmodium knowlesi* to their respective red-cell hosts. Trans. R. Soc. trop. Med. Hyg. **50**: 150-156, figs.
- Fulton, J. D. & Grant, P. T. (1). Experiments on the mode of action of stilbamidine. Ann. trop. Med. Parasit. 50: 381-384.
- Fulton, J. D. & Grant, P. T. (2). The sulphur requirements of the erythrocytic form of *Plasmodium knowlesi*. Biochem. J. **63**: 274-282, fig.
- Fulton, J. D. & Spooner, D. F. (1). Inhibition in the respiration of *Trypanosoma rhodesiense* by thiols. Biochem. J. 63: 475-481.
- Fulton, J. D. & Spooner, D. F. (2). The *in vitro* respiratory metabolism of erythrocytic forms of *Plasmodium berghei*. Exper. Parasit. **5**: 59-78, figs.
- Gaardner, K. R. (1), Coccolithinose, Silicoflagellatae, Pterospermataceae and other forms from the "Michael Sars" North Atlanic Deep Sea Expedition 1910. Rept. Sars N. Atl. Deep Sea Exped. 2 1954: 1–20, figs.
- Gaardner, K. R. (2). Dinoflagellatae from the "Michael Sars" North-Atlantic Deep Sea Expedition 1910. Rept. Sars N. Atl. Deep Sea Exped. 2 1954: 21-82, figs.
- Gabaldon, A. The time required to reach eradication in relation to malaria constitution. Amer. J. trop. Med. Hyg. 5: 966-976.
  - Gaither, N. see Kimball, R. F.
- Galliard, H., Lapierre, J. & Murard, J. Evolucion de la infeccion for *Plasmodium berghei* en las ratas recien nacidas. Med. colon. 26 1955: 403-413, figs.

Gallitelli, E. M. (1). Origine, stato atuale e finalità di un laboratorieo dit micropaleontologie nell' Istitut Geologica di Modena. Atti Accad. Modena (5) 11 1953: 150–159.

Gallitelli, E. M. (2). Qualche appunto sulla stratigrafia e la tettonica della regione di Castelvetro (Modena). [Foraminifera]. Atti Accad. Modena (5) 12 1954: 172–200, figs.

Gallitelli, E. M. (3). Marne ed argille a Schackoina e Gümbelina nella formazione a fucoidi ed elmintoidee di Serramazzoni (Modena). Atti Accad. Modena (5) 12 1954: 201-210, figs.

Gallitelli, E. M. (4). Foraminiferi cretacei delle marne a fucoidi di Serramazzoni (Appennino modenese). Atti Accad. Modena (5) 13 1955: 175-204.

Gallitelli, E. M. (5). Variabilità e distribuzione stratigrafica del gen. Schackoina Thalmann. Atti Accad. Modena (5) 13 1955: 205–212.

Gallitelli, E. M. (6). Una revisione della famiglia Heterohelicidae Cushman. Atti Accad. Modena (5) 13 1955: 213–223.

Gallitelli, E. M. (7). Bronnimannella, Tappanina, and Trachelinella, three new foraminiferal genera from the Upper Cretaceous. Contr. Cush. Fdn. Foram. Res. 7: 35–39, figs.

Gamundi, J. see Colom, G.

Ganapati, P. N. & Raō, M. V. N. Macronuclear reorganisation in *Diophrys appendiculata* (Ciliata Hypotricha). Curr. Sci. 25: 360–361, fig.

Ganapati, S. V. The limnology of two minor irrigation reservoirs near Madras. I. The Errakuppan reseryoir. Hydrobiologia 8: 365–380.

Ganelina, R. A. [Foraminifera of the Visean deposits of the northwestern region of the Moscow Basin]. [In Russian]. Trudy Vses. Neft. Nauch-issl. Geol. Raz. Inst. n. ser. 98 1956: 61–183, figs.

Ganguly, D. N. & Banerjee, S. K. A study of pH of the body of some parasitic ciliates and its effect on the

host with a comment on the validity of Methyl green Pyronin stain (Brachet). Arch. Protistenk. 101: 203-214.

Garcia, A. P. see Cardoso, R. A. de A.

Garcia, L. see Gutierrez Ballesteros, E.

Garetzki, R. G. & Nemkov, G. I. [New exposures of the nummulitic horizons in the Northern Pre-Ural.] C.R. Acad. Sci. U.R.S.S. 108: 1141-1143. [In Russian].

Garjeanne, A. J. M. Badhamia ovispora ein voor Nederland nieuwe Slymzwam. Levende Nat. 59: 273-276, figs.

Garnham, P. C. C. Isolation of a new strain of *Trypanosoma cruzi*. Trans. R. Soc. trop. Med. Hyb. 50: 613.

Garnham, P. C. C., Lainson, R. & Gunders, A. E. Some observations on malaria parasites in a chimpanzee, with particular reference to the persistence of *Plasmodium reichenowi* and *Plasmodium vivax*. Ann. Soo. belge Med. trop. 36: 811–822, figs.

Garnham, P. C. C. see Rego, S.

Garrido, J. A. see Matilla, V.

Gates, D. W. & Roby, T. O. The status of the complement-fixation test for the diagnosis of anaplasmosis in 1955. Ann. N.Y. Acad. Sci. 64: 31-39.

Gauchery, M. see Dragesco, J.

Gauchery, M. see Fauré-Fremiet, E.

Gauchery, M. see Rouiller, C. R.

Gavrilita, L. see Wasserman, L.

Geib, K. W. see Atzbach, O.

Gellért, J. Ciliaten des sich unter dem Moosrasen auf Felsen gebildeten Humus. Acta biol., Budapest 6: 337-372, figs.

George, T. N. Carboniferous Main Limestone of the East Crop in South Wales [Foraminifera]. Quart. Journ. geol. Soc. London 111 [1955] 1956: 309-322, figs. Georgévitch, J, Sur l'appareil pas parabasal de *Proteromonas melisselensis*. Bull. Acad. Serb. Sci. N.S. 16: 51-55, fig.

Geroch, S. Saccamminoides n. gen. (Foraminifera) from the Eocene in the Flysch Carpathians. Ann. Soc. géol. Pologne 23 1955: 53-63, fig. [In Polish, Russian and English.]

Geroch, S. & Gradzinski, R. [Stratigraphy of the Sub-Silesian Series in the tectonic window of Żywiec (Western Carpathian).] Ann. Soc. géol. Pologne 24 1955: 3-64, figs. [In Polish, Russian and English.]

Gerwel, C. [Die Bekämpfung der Darmparasiten des Menschen in Polen.] Wiad. Parazyt. 1 1955: 53–82. [German summary.]

Gibbs, A. J. Perezia sp. (fam. Nosematidae) parasitic in the fat-body of Gonocephalum arenarium (Coleoptera: Tenebrionidae). Parasitology 46: 48-53, figs.

Gibson, C. L., Eyles, D. E., Coleman, N. & Smith, C. S. Serological response of a rural negro population of the Sabin-Feldman cytoplasmodifying test for toxoplasmosis. Amer. J. trop. Med. Hyg. 5: 772-783 figs.

Gibson, F. D. see Bruce-Chwatt, L. J.

Giese, A. C. see Brandt, C. L.

Gigon, W. Geologie des Habkerntales und des Quellgebietes der Grossen Emme. [Foraminifera.] Verh. naturf. Ges. Basel 63 1952: 49-136, figs.

Gilman, L. C (1). Distribution of the varieties of Paramecium caudatum. J. Protozool. 3 Suppl.: 4.

Gilman, L. C. (2). Size differences among twelve varieties of *Paramecium caudatum*. J. Protozool. 3 Suppl.: 4.

Gilson, M. E. see Nardone, R. M.

Giñezinskaya, T. A. [On the parasites of the goose in Leningrad region.] Trav. Soc. Nat. St. Petersb. (Leningr.) 69 1947: 22-30. [English summary.]

Gingrich, W. D. see Celaya, B. L.

Giroud, P. see Le Sac, P.

Gispen, R. see Heyl, J. G.

Giuliani, V. Osservazioni sul Trypanosoma lewisi (Kent) dei ratti di Aquila. Nuovi Ann. Igiene Microbiol. 6 1955: 374–376. [English summary.]

Glangeaud, L., Aymé, A., Caire, A., Mattauer, M. & Muraour, P. Histoire géologique de la province d'Alger. [Foraminifera.] 19th Congr. inter. Géol. Algér. Monogr. Région (1) Algérie 25 1952: 1-141, figs.

Glangeaud, L. see Ayme, A.

Glangeaud, L. see Delga, M. D.

Gleason, N. N. see Mackie, T. T.

Glenn, S. & Manwell, R. D. Further studies on the cultivation of the avian malaria parasites: II. The effect of heterologous sera and added metabolites on growth and reproduction in vitro. Exper. Parasit. 5: 22-23, figs.

Gocht, H. Rhombodinium und Dracodinium, zwei neue Dinoflagellaten-Gattungen aus dem norddeutchen Tertiär. Neues Jb. Geol. Paläont. B. 2 1955: 84–92, figs.

Godfrey, D. G. see Taylor, A. E. R.

Goeckeritz, D. see Lynch, J. E.

Goldman, M. Observations on some problems encountered in the routine performance of the dye test for toxoplasmosis. J. clin. Path. 9:55-58.

Goldstein, N. O. see Alfert, M.

Golev, B. T. [On the question of the classification of nummulites.] Geol. Sbornik. 1956: 181-187. [In Russian.]

Gomez Rodríguez, R. J. Estudio de la tripanosomiasis natural del canino (Canis fam.) en Venezuela. Rev. Med. Vet. Parasit. Caracas 15: 63–105, figs.

Gonzales-Mugabura, L. see Payne, E. H.

Goodrich, H. P. Crayfish epidemics Parasitology 140: 480-483. Gorbenko, V. F. [On the Senonian deposits on the north-eastern outskirts of the Donetz Ridge.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 106: 106-109. [In Russian.]

26

Gordon, R. M., Crewe, W. & Willett, K. C. Studies on the deposition, migration and development to the blood forms of trypanosomes belonging to the Trypanosoma brucei group I. An account of the process of feeding adopted by the tsetse-fly when obtaining a bloodmeal from the mammalian host, with special reference to the ejection of saliva and the relationship of the feeding process to the deposition of the metacyclic trypanosomes. Ann. trop. Med. Parasit. 50: 426-437.

Gordon, R. M. & Willett, K. C. A preliminary account of the deposition by the tetse-fly of the infective forms of *Trypanosoma rhodesiense*, their subsequent migration to the general circulation and their development to the blood forms. Ann. trop. Med. Parasit. 50: 314–318.

Görges, J. & Penndorf, H. Das niederhessische Tertiär und seine marinen Ablagerungen. [Foraminifera.] Hess. Landes. J. Bodenf. Notizbl. Wiesbaden 6 1952: 138–146, figs.

Goudkoff, P. P. & Mendoza, N. C. Range chart showing known stratigraphic occurrence of Foraminifera in Eocene of California. Privately mimeograph. Los Angeles 1950: 1-24.

Gourinard, Y. Le Litoral Oranais (mouvements verticaux et anomalies gravimetrique). [Foraminifera]. 19th Congr. inter. Géol. Alger. Monogr. Région. (1), Algérie 22 1952: 1-62.

Graaf, F. de (1). De microorganismen van plancton, lasion en bodem van het plassengebied Het Hol. Kortenhoef, Amsterdam 1955: 67–90, figs.

Graaf, F. de (2). Studies on Rotatoria and Rhizopoda from the Netherlands, I. Rotatoria and Rhizopoda from the "Grote Huisven". Biol. Jaarb. 23: 145–217.

Graaf, F. de & Meijer, W. De combinaties van micro-organismen in de trilvenen van het plassengebied Het Hol. Kortenhoef, Amsterdam 1955: 109-118, fig.

[1956]

Gradzinski, R. see Geroch, S.

Graham, J. J. Eocene foraminifera from the Woodside district, San Mateo County, California (abstr.). Bull. Amer. Ass. Petrol. Geol. 37 1953: 2780.

Grainge, E. B. see Jenkins, A. R.

Grant, P. T. see Fulton, J. D.

Grassé, P.-P. L'appareil parabasal et l'appareil de Golgi sont un même organite. Leur ultrastructure, leur modes de sécrétion. C.R. Acad. Sci. Paris 242: 858–861, figs.

Graves, R. W. jr. see Plumley, W. J.

Grayson, J. F. The conversion of calcite to fluorite. Micropaleontology 2: 71-78, figs.

Grayshon, J. E., Osborne, M. M. & Bishop, M. S. A lithofacies study of the Frio Section in Jackson and Wharton Counties, Texas. Trans. Gulf. Assoc. geol. Soc. Texas 6: 237–240, figs.

Grebecki, A. & Kužnicki, L. [Studies on the ability of Paramecium caudatum to resist changes in chemical media commonly occurring under natural conditions.] Folia biol. Warszawa 4: 93–118. [English summary: 115.]

Green, J. Records of Peritrichs (Protozoa, Ciliata) on aquatic insects. Ent. mon. Mag. 89 1951: 107.

Greenberg, B. G. see Mackie, T. T.

Greenberg, J. (1). Differences in the course of *Plasmodium berghei* infections in some hybrid and backcross mice. Amer. J. trop. Med. Hyg. 5: 19-28, figs.

Greenberg, J. (2). Mixed lethal strains of *Plasmodium gallinaceum*; Drug-sensitive, transferable (SP) X drug-resistant, non-transferable (B1). Exper. Parasit. 5: 359-370, figs.

Greenberg, J. & Bond, H. W. Further studies on cross-resistance between pyrimethamine and related compounds. Amer. J. trop. Med. Hyg. 5: 14-18, fig.

Greenberg, J., Taylor, D. J. & Bond, H. W. Glucosamine in the culture of Entamoeba histolytica with a mixed bacterial flora. Amer. J. trop. Med. Hyg. 5: 62-66.

Greenberg, J. see Taylor, D. J.

Grekoff, N. & Gubler, Y. Données complémentaires sur les terrains tertiares de la Nouvelle-Caledonie, [Foraminifera.] Rev. Inst. Franç. Pétrole et Ann. Combust. Liq. 6 1951: 283-293.

Grell, K. G. (1). Protozoa and algae. Ann. Rev. Microbiol. 10: 307-328.

Grell, K. G. (2). Untersuchungen über die fortpflanzung und sexualität de Foraminiferen. I. Rotaliella roscoffensis. Arch. Protistenk. 102: 147–164, figs.

Grell, K. G. (3). Prötozoologie. Springer-Verlag, Berlin 1956: vii+284, figs.

Grell, K. G. (4). Die Kerndualismus der Foraminifere Glabratella sulcata. Z. Naturf. 11B: 366–368, figs.

Grell, K. G. (5). Über die Elimination somatischer Kerne bei heterokaryotischen Foraminiferen. Z. Naturf. 11B: 759-761, figs.

Grewing, W. see Hellbrugge, T.

Grey, R. R. Eccene in the Philippines. Proc. Pan-Pacif. sci. Congr. 8th 2: 503-513, figs.

Grill, R. (1). News-Austria. Micropaleontology 2: 305–306.

Grill, R. (2). Neue Jodwasserbohrungen in Bad Hall. [Foraminifera.] Verh. Geol. Bundesanst. Wien 1952: 85-92, figs.

Grill, R. (3). Über die Verbreitung des Badener Tegels im Wiener Becken. [Foraminifera.] Verh. geol. Bundesanst. Wien 2 1955: 113–120, fig.

Grill, R. see Papp, A.

Grimsdale, T. F. & Morkhoven, F. P. C. M. van. The ratio between pelagic and benthonic Foraminifera as a means of estimating depth of deposition of sedimentary rocks. Proc. 4th World Petrol. Congr. Sect. I/D, Roma 4 1954: 473-491, figs.

Grishkevich, G. N. [Sarmatian beds of the Transpathia district of the SSSR.] [Foraminifera.] Geol. Sbornik. 1956: 158–190. [In Russian.]

Grøntved, J. Planktological Contributions. II. Taxonomical studies in some Danish coastal localities. Medd. Danm. Fisk. Havundersøg 1: 1-13, figs.

Groot, A. A. de see Hoogenraad, H. R.

Gross, J. A. The temperature dependence of the inhibition of growth of a protozoan by antibiotics. Biochim. biophys. Acta 18 1955: 452–453, figs.

Gross, J. A. & Jahn, T. L. (1). Growth characteristics of drugbleached euglenas. J. Protozool. 3 Suppl.: 6.

Gross, J. A. & Jahn, T. L. (2). Temperature tolerance of some bleached strains of *Euglena*. J. Protozool. 3 Suppl.: 7.

Gross, J. A., Wirtschafter, S. K., Bernstein, E. & James, T. W. Monochromatic microscopy of *Euglena*. Trans. Amer. micr. Soc. **75**: 480–483, fig.

Grossgeim, V. A. [Cross-section of the Miocene in the River Zibya of the north-western Caucasus.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 108: 523-525. [In Russian.]

Grozdilova, L. P. [Microfauna of the Upper Artinskian deposits of the lower Permian of the Western Urals.] [Foraminifera.] [In Russian.] Trudy Vses. Neft. Nauch.issl. Geol. Raz. Inst. n. ser. 98 1956: 521-531, figs.

Grun, J. see Franchino, E. M.

Guba, F. see Hajóssi, G.

Gubler, Y. see Grekoff, N.

Guillaume, L. Les formations quaternaires de la plage du débarquement britannique de Saint-Crôme de Fresne-Asnelles Belle Plage (Calvados). [Foraminifera.] 18th int. Congr. Gt. Britain 1948. Proc. Sect. M. 13 1952: 105-113, figs.

Guillemot, J. La bordure sudtellienne dans le Titteri. [Foraminifera.] 19th Congr. géol. Inter. Algér. Monogr. Région (1) Algèrie 9 1952; 1-61, figs.

Guimarães, F. N. see Cardoso, R. A. de A.

Gullentops, F. Les foraminifères des sables de Vieux-Jones (Tongrien Supérieur). Mem. Inst. Géol. Univ. Louvain 20: 1-25, fig.

Gumble, A. R. see Hewitt, R. I.

Gunders, A. E. The experimental use of Rattus (Mastomys) coucha for various protozoal infections. Trans. R. Soc. trop. Med. Hyg. 50: 300-301.

Gunders, A. E. see Garnham, P. C. C.

Gutierrez, J. The metabolism of cellulose-digesting, symbiotic flagellates of the genus *Trichonympha* from the termite *Zootermopsis*. J. Protozool. 3:39-42 figs.

Gutierrez, J. & Hungate, R. E. Factors in the nutrition of the rumen ciliate Dasytricha ruminantium. J. Protozool. 3 Suppl.: 14.

Gutierrez Ballasteros, E. & Garcia, L. El cultivo sistematico en la busqueda de protozoarios intestinales de hombre. Rev. Inst. Salubr. Enferm. trop. Méx. 16: 1-7.

Haeck, M.-C. Bijdrage tot de kennis der drentse Rhizopoda testacea en Heliozoa. Biol. Jaarb. 23: 254-264, figs.

Hagn, H. (1). Zur Altersfrage der bunten "Neocommergel" im Hirschbachtobel bei Hindeläng (Allgau). [Foraminifera.] Erdöl u. Kohle 5 1952: 768-770, figs.

Hagn, H. (2). Ein Fund der Gattung Queraltina Marie 1950 (Foram.) im Unter-Oligozän von Reit. i. Winkl. Ein Beitrage zur Mikropaläontologie des inneralpinen Tertiärs. Geol. Jahrb. Hannover 68 1953: 331–340, figs.

Hagn, H. (3). Geologisch-paläontologische Untersuchungen im Helvetikum und Flysch des Gebietes von Neubevern am Inn (Oberbayern). [Foraminifera.] Geol. bavar. 22 1954: 1-136, figs.

Hagn, H. (4). Paläontologische Untersuchungen am Bohrgut der Bohrungen Ortenburg CF 1001, 1002 und 1003 in Niederbayern. Z. dtsch. geol. Ges. 105 1953 [1955]; 324-359, figs.

Hagn, H. (5). Zur Altesfrage der Nierentaler Schichten im Becken von Gosau. [Foraminifera.] Neues Jb. Geol. Paläont. B 1 1955: 16–28.

Hagn, H. (6). Zur Kenntnis alpina Eozän-Foraminiferen III. Eorupertia cristata (Gümbel). Paläont. Z. 29 1955: 46-73, figs.

Hagn, H. & Zeil, W. (1). Globotruneanen aus dem Ober-Cenoman und Unter-Turon der Bayerischen Alpen. Ecl. geol. helv. 47 1954: 1-60, figs.

Hagn, H. & Zeil, W. (2). Der Geröllbestand der jungkattischen Konglomerate im Staffelsee bei Murnau (Oberbayern) und seine Bedeutung für die Paläeogeographie der subalpinen Molasse. [Foraminifera.] Geol. Jb. 69 1955: 537–598, fig.

Haiba, M. H. Further study on the susceptibility of murines to human giardiasis. Z. Parasit. 17: 339-345, figs.

Hajóssi, G. & Guba, F. Die submikroskopische zellmembran von Endamoeba blattae Bütschli, Acta Biol. Budapest 6: 279–287, figs.

Halbouty, M. T. & Hardin, G. C. jr. New exploration possibilities on piercement-type salt domes established by thrust fault at Boling salt dome, Wharton County, Texas. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 1725–1740, figs.

Hall, R. P. Induction of sensitivity to sulfanilamide by prolonged exposure of *Chilomonas* to p-aminobenzoic acid. J. Protozool. 3 Suppl.: 13.

Halloran, P. O'C. Diseases of wild mammals and birds. Amer. J. vet. Res. 16, 61 part 2 1955: 1–465.

Ham, W. E. Collings Ranch conglomerate, late Pennsylvanian, in Arbuckle Mountains, Oklahoma. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 2035–2045, figs.

Hamet, R. La cinchonamine et l'aricine ont-elles une influence sur l'infection de la souris par Plasmodium berghei Vincke et Lips. C.R. Soc. Biol. Paris 150: 1883-1885.

Hammond, D. M. & Leidl, W. (1). Experimental genital infections of bulls with trichomonads from cecum and feces of swine. J. Protozool. 3 Suppl.: 1.

Hammond, D. M. & Leidl, W. (2). Experimental infections of the genital tract of swine and goats with *Trichomonas foetus* and *T.* species from the cecum of swine. J. Parasit. 42 Suppl.: 22.

Hanna, G. D. Geology of the continental slope off central California. [Foraminifera.] Proc. Calif. Acad. Sci. 27 1952: 325–358, figs.

Hansen, J. B. see Petersen, J. B.

Hanson, E. D. Spontaneous mutations affecting the killer character in *Paramecium aurelia*, variety 4. Genetics 41: 21-30, fig.

Hanson, H. C. see Levine, N. D.

Hanson, R. W. Nitrogen requirements of a colorless protozoan flagellate. J. Ala. Acad. Sci. 26 1954: 83–84.

Hanzliková, E. [Micropaleontological-stratigraphical evaluation of the bore Žukov NP 15.] [Foraminifera.] Sborn. geol. Ust. čsl. 20 1953: 85–167, figs. [Russian and English summaries.]

Harant, H. & Ruffié, J. Evolution et parasitisme. Biol. Méd. Paris 45: 382-394.

Harant, H. see Bouïsset, L.

Hardenbrook, H. J. see Levine, N. D.

Hardin, G. C. jr. see Halbouty, M. T.

Harding, D. E. (1). Some responses made by ten duck hosts inoculated with phanerozoite stages

of Plasmodium lophurae. Proc. Iowa Acad. Sci. 62 1955: 539-542, figs.

Harding, D. E. (2). Some responses of chickens to infection with *Plasmodium lophurae*. Proc. Iowa Acad. Sci. **62** 1955; 542–549.

Harman, W. J. & Corliss, J. O. Isolation of earthworm setae by use of histophagous Protozoa. Trans. Amer. micr. Soc. 75: 332-333.

Harrington, G. L. Ammobaculites, migrant or recent introduction to California. Contr. Cush. Fdn. Foram. Res. 7: 29-30.

Harris, K. & Bradley, D. E. Electron microscopy of *Synura* scales. Discovery 17: 329-332, figs.

Hartmann, M. Neue Befunde über Befruchtungsstoffe (Gamone) und ihre theoretische Bedeutung. Naturwissensschaften 43: 313–317, figs.

Hartz, P. H. Use of the phase-contrast method in parasitological examination of faeces. Docum. Med. geogr. trop. 8: 164–166.

Harwood, P. D., Stunz, D. I. & Wolfgang, R. W. (1). The efficacy of a nitrofuran mixture as an avian coccidiostat. J. Protozool. 3 Suppl.: 8.

Harwood, P. D., Stunz, D. I. & Wolfgang, R. W. (2). The optimum in coccidiostatic activity. J. Parasit. 42 Suppl.: 25.

Hashimoto, K. (1). On the relationship between the formation of the silver line system and the behaviour of the cytoplasmic inclusions at the cystic stage of peritrichous ciliate *Vorticella microstoma*. Zool. Mag. Tokyo 64 1954: 237-249, figs.

Hashimoto, K. (2). On the behaviour of the refractile bodies at the cystic stage of *Stylonychia histrio* S. Müll. Zool. Mag. Tokyo **64**: 237–242, figs.

Hashimoto, K. (3). Mechanism of the development of the cilium at cystation of *Colpoda cucullus* Müll. Zool. Mag. Tokyo **65**: 223–227.

Hashimoto, W. see Endo, R. Hashimoto, S. see Minato, M.

Hassan, M. Y. The occurrence of Nummulites deserti de la Harpe in Kharga Oasis and the age of the Lower Libyan in southern Egypt. Bull. Inst. Desert Egypt 3 1953: 114-122, fig.

30

Hassan, M. Y. see Youssef, M. I.

Harlic, O. Die protozoologie in der erforschung der naturlichen infektionsherde. Natürliche Infektionsherde [Symposium] p. 361. Slovak. Acad. Sci. Bratislava. [With German and Russian summaries.]

Hawes, R. S. J. The dysentery amoeba of man. New Biol No. 21: 87-101, figs.

Hawgood, B. C. see Ridley, D. S.

Hayasaka, J. & Minato, M. The Japanese Carboniferous (abstr.). [Foraminifera.] Rés. des Comm. 19th Congr. géol. Inter. Algér. 1952: 112.

Hayashi, S. Notes on the distribution and seasonal variation of *Paramecium* observed in the city of Sapporo. Zool. Mag. Tokyo 65: 287–289, figs.

Haynes, J. Certain smaller British Paleocene foraminifera Part I. Contr. Cush, Fdn. Foram. Res. 7: 79-101, figs.

Heek, W. A., Yenne, K. A. & Henbest, L. G. Boundary of the Pennsylvanian and Permian in the subsurface Scurry Reef. Scurry County, Texas. [Foraminifera.] Rept. Invest. Bur. Econ. Geol. Univ. Texas 13 1952: 1-17, figs.

Heisch, R. B. Zoonoses as a study in ecology, with special reference to plague, relapsing fever, and leishmaniasis. Brit. med. J. 2: 669-673.

Heissin, E. M. [The taxonomy of the Sporozoa (Type Protozoa).] Zool. Zh. 35: 1281–1298. [English summary: 1296–8.]

Hela, I. Ecological observations on a locally limited red tide bloom. Bull. mar. Sci. Gulf & Caribbean 5 1955: 269-291, figs.

Hellbrugge, T., Spiegler, W. & Grewing, W. Klinische, morphologische und serologische Befunde bei

der generalisierten Toxoplasmose der ratte. Zbl. Bakt. 165: 495-506, figs. [English summary.]

Heller, I. M. & Kopac, M. J. (1). A microincinerative study of normal and starving *Amoeba proteus*. Exp. Cell Res. 8 1955: 563-566, figs.

Heller, I. M. & Kopac, M. J. (2). Cytochemical reactions of normal and starving *Amoeba proteus* I. Exp. Cell Res. 8 1955: 62–76, figs.

Heller, I. M. & Kopac, M. J. (3). Cytochemical reactions of normal and starving *Amoeba proteus*. II. Localization of minerals. Exp. Cell Res. 11: 206–209, figs.

Hemphill, E. C. see Atchley, F. O.

Henbest, L. G. Significance of evolutionary explosions for diastrophic division of earth history. Introduction to Symposium. [Protozoa.] J. Paleont. 26 1952: 299-318, figs.

Henbest, L. G. see Heek, W. A.

Henny, S. M. see Lilly, D. M.

Herman, C. M. see Walton, B. C.

Hewitt, R. I. & Gumble, A. R. Antitrypanosomal activity of structural variants of Stylomycin (puromycin). J. Parasit. 42 Suppl.: 21.

Hewitt, R. I., Gumble, A. R., Wallace, W. S. & Williams, J. H. (1). Experimental chemotherapy of trypanosomiasis. V. Effects of puromycin analogues against *Trypanosoma equiperdum* in mice. Antibiot. & Chemother. 5 1955: 139-144.

Hewitt, R. I., Gumble, A. R., Wallace, W. S. & Williams, J. H. (2). Experimental chemotherapy of trypanosomiasis. IV. Reversal by purines of the *in vivo* activity of puromycin, and an amino nucleoside analog, against *Trypanosoma equiperdum*. Antibiot. & Chemother. 4 1954: 1222-1227.

Heylmun, E. B. Carboniferous fossils from wells in Paradox Basin, Utah. [Foraminifera]. Bull. Amer. Ass. Petrol. Geol. 37 1953: 2188–2191, figs.

Heyl, J. G. & Gispen, R. A complement fixing *Toxoplasma* antigen prepared from duck eggs and enhanced by phenol. Leeuwenhoek ned. Tijdschr. 21 1955: 157-160.

Highman, B. see Tobie, E. J.

Hiltermann, H. (1). Micropaleontology. — In Weyl, R. Die Sierra de Bahoruco von Santo Domingo und ihre Stellung im Antillenbogen. N. Jb. Geol. Min. Monat. Abh. 98 1953: 1-27, figs.

Hiltermann, H. (2). News-Germany. Micropaleontology 2: 194–195.

Hiltermann, H. (3). Ten rules concerning the nomenclature and classification of the foraminifera. Micropaleontology 2: 296-298.

Hiltermann, H. (4). Annotated bibliography of micropaleontology in Germany for 1955. Micropaleontology 2: 385–392.

Hiltermann, H. & Kremp, G. Mikropaläontologische Fragen zur Stratigraphie des Oberkarbons. [Foraminifera]. Erdöl u. Kohle 5 1952: 707–711, fig.

Hirchfield, N. see Barwick, R. E.

Hiregaudar, L. S. (1). A new species of *Eimeria* from a cow-calf in Bombay State. Curr. Sci. 25: 197, fig.

Hiregaudar, L. S. (2). A record of Globidium leuckarti (Flesch) from a horse in India. Curr. Sci. 25: 334-335.

Hirshfield, H. I. & Pecora, P. Studies of isolated *Blepharisma* and *Blephorisma* fragments. J. Protozool. 3: 14-16, figs.

Hirshfield, H. I. see Frisch, D.

Hitchcock, D. J. & Malewitz, T. D. Habitat of *Giardia* in the kitten. J. Parasit. **42**: 286.

Hiwatashi, K. (1). Studies on the conjugation of Paramecium caudatum. V. The time of the initiation of nuclear activation. Sci. Rep. Tôhoku Univ. 21 1955: 199–206, figs.

Hiwatashi, K. (2). Studies on the conjugation of Paramecium caudatum. VI. On the nature of the union of conjugation. Sci. Rep. Tôhoku Univ. 21 1955: 207-218, figs.

Hoare, C. A. (1). Intraspecific ecological categories in pathogenic Protozoa. Zool. Zh. (Moscow) 35: 1113-1117. [Russian with English summary.]

Hoare, C. A. (2). Morphological and taxonomic studies on mammalian trypanosomes. VIII. Revision of *Trypanosoma evansi*. Parasitology **46**: 130–172, figs.

Hoeppli, R. The knowledge of parasites and parasitic infections from ancient times to the 17th century. Exper. Parasit. 5: 398-419.

Hofker, J. (1). Kleinforaminiferen und paläontologische Chronologie. Neues Jb. Geol. Paläont. B. 2 1955: 77–81.

Hofker, J. (2). The foraminifera of the Vincentown formation. Rept. McLean Foram. Lab. 2 1955: 1-21, figs.

Hofker, J. (3). The structure of *Globorotalia*. Micropaleontology 2: 371-373, figs.

Hofker, J. (4). Die Pseudotextularia-Zone der Bohrung Massbull I und ihre Foraminiferen-Fauna. Paläont. Zeit. 30: 59-79, figs.

Hofker, J. (5). For aminifera Dentata: For aminifera of Santa Cruz and Thatch Island, Virginia Archipelago, West Indies. Spolia zool. Mus. Hauniens 15: 1–237, figs.

Hofker, J. (6). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XIV. The genus Orbignyna. Natuurh. Maandbl. 45: 16-19, figs.

Hofker, J. (7). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XV. Dictyopsella tenuissima (Reuss). Natuurh. Maandbl. 45: 28, fig.

Hofker, J. (8). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XVI. Bolivinoides polonica Pozaryska. Natuurh. Maandbl. 45: 28–29, fig. Hofker, J. (9). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XVII. Lagena acuticosta Reuss. Natuurh. Maandbl. 45: 28, fig.

Hofker, J. (10). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XVIII. Eponides toulmini (Brotzen). Natuurh. Maandbl. 45: 29-33, fig.

Hofker, J. (11). Foraminifera from the Cretaceous of Southern Limburg, Netherlands, XIX. Planctonic foraminifera of the chalk tuff of Maestricht and environments. Natuurh. Maandbl. 45: 51-57, figs.

Hofker, J. (12). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XX. The development of Coleites reticulosus (Plummer). Natuurh. Maandbl. 45: 75–78, figs.

Hofker, J. (13). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XXI. The species of the genera Gavelinella and Gavelinopsis in the Cretaceous above the Hervian in Germany, Holland and Belgium, and the increase in the diameter of the pores as indication of the stratigraphic levels, etc. Natuurh. Maandbl. 45: 99-110, figs.

Hofker, J. (14). Foraminifera from the Cretaceous of Southern Limburg, Netherlands. XXII. The development of *Eponides beisseli* Schijfsma. Natuurh, Maandbl. 45: 131-132, figs.

Hofmann, F. Zur Stratigraphie und Tektonik des St. gallischthurgauischen Miozäns (Obere Süsswassermolasse) und zur Bodenseegeologie. [Foraminifera]. Bd. St. Gallische Naturwiss. Ges. 74 1952: 1–101.

Hogg, J. F. see Wu, C.

Hollander, W. F. see Becker, E. R.

Holley, E. C. see Lynch, J. E.

Holter, H. Enzymatic studies on mitochondria of amoebae. Publ. Un. int. Sci. biol. (B) No. 21: 71-76.

Holter, H. & Marshall, J. M. jr. Studies on pinocytosis in the amoeba Chaos chaos dedicated to F. Baltzer on the occasion of his seventieth birthday. C.R. Lab. Carlsberg Chim. 29 1954: 7-26, figs.

Holter, H. see Andresen, N.

Holter, H. see Chapman-Andresen, C.

Holz, G. G. Protein and the growth of hymenstome ciliates. J. Protozool. 3 Suppl.: 5.

Holz, G. G. & Corliss, J. O. Tetrahymena setifera n. sp., a member of the genus Tetrahymena with a caudal cilium. J. Protozool. 3: 112-118, figs.

Honess, R. F. & Winter, K. B. Diseases of wildlife in Wyoming (including protozoa). Bull. Wyoming Fish Comm. No. 9, pp. 279.

Hoogenraad, H. R. & Groot, A. A. de. Rhizopoden iut het mos van de trilvenen in Het Hol bij Kortenhoef. Kortenhoef, Amsterdam 1955: 91-98, figs.

Horiguchi, M. see Morikawa, R.

Hornibrook, N. de B. News-New Zealand. Micropaleontology 2: 411.

Horton-Smith, C. & Long, P. L. Studies in histomoniasis. I. The infection of chickens (Gallus gallus) with histomonad suspensions. Parasitology 46: 79-90.

Horváth, I. Die protozoenfauna des virusinfixierten und virusfreien Szegediner paprikas. Acta Biol., Szeged. 2: 193–198.

Horváth, J. Beitrage zur kenntis einiger neuer bodenciliaten. Arch. Protistenk. 101: 269–276, figs.

Hosoya, S. Trichomycin. Ein neues antibiotikum gegen krankheitserregende Bilze und Protozoen. Umschau 55 1955: 42–43.

Hovasse, R. Arnoldia antiqua, gen. nov., sp. nov., foraminifère probable du Précambrien de la Côte d'Ivoire. C.R. Acad. Sci. Paris 242: 2582-2584, figs.

Hudson, R. G. S. A new lower Cretaceous stromatoporoid Bekhmeia wetzeli from northern Iraq. [Foraminifera.] J. Paleont. 28 1954: 47-51, figs. Huff, C. G. Excerythrocytic stages of Plasmodium nucleophilum. J. Parasit. 42: 612.

Hughes, F. W. & Tatum, A. L. (1). Effects of hypoxia and intercurrent infections on infections by *Plasmodium berghei* in rats. J. inf. Dis. 99: 38-43, figs.

Hughes, F. W. & Tatum, A. C. (2). Effects of hypoxia on rats infected by *Trypanosoma lewisi*. J. inf. Dis. 98: 127-132, figs.

Hull, R. W. Reproductive potential of isolated *Podophyra collini*. J. Protozool. 3 Suppl.: 11.

Hull, R. W. & Camin, J. H. Blood parasites in reptiles. J. Parasit. 42 Suppl.: 36.

Hulland, T. J. Toxoplasmosis in Canada. J. Amer. vet. med. Ass. 128: 74-79, figs.

Hungate, R. E. see Gutierrez, J.

Hunt, D. W. see Atchley, F. O.

Hunter, F. R. & Cosgrove, W. B. Aerobic metabolism of *Crithidia fasciculata*. J. Protozool. 3 Suppl.: 12.

Hunter, G. W. III. see Ritchie, L. S.

Hurley, M. P. see Nardone, R. M.

Husmann, S. Untersuchungen über die Grundwasserfauna zwischen Harz und Weser. Arch. Hydrobiol. 52: 1-184, figs.

Hutner, S. H., Aaronson, S., Baker, H. & Nathan, H. A. New problems with B<sub>12</sub> metabolism in protozoa. J. Protozool. 3 Suppl.: 5.

Hutner, S. H., Bach, M. K. & Ross, G. I. M. A sugar-containing basal medium for vitamin B<sub>12</sub>-assay with Euglena; application to body fluids. J. Protozool. 3: 101-112, figs.

Hutner, S. H. see Aaronson, S.

Hutner, S. H. see Nathan, H. A.

Hynes, J. see Odum, H. T.

Ichikawa, T. see Minato, M.

Igō, H. Notes on the Osobudani conglomerate and some Lower Permian Fusulinids contained in its limestone pebbles. Part II. (On a new type of wall structure of Fusulinids). Sci. Rep. Tokyo Kyoika Daig 4C: 293-302, fig.

Igō, H. see Fujimoto, H.

Ijiri, S., Ogawa, K., Takasawa, M. & Wada, M. Tertiary system in the Chichibu Basin. [Foraminifera.] Bull. Nat. Sci. Mus. 28 1950: 1-67. [In Japanese.]

Ikeda, T. Group substance decomposing enzyme from *Trichomonas* foetus, Gunma J. med. Sci. 4 1955: 279–284, figs.

Illing, L. V. Bahaman calcareous sands. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 1–95, figs.

Ingerson, E. see Ladd, H. S.

Inoki, S., Osaki, H. & Nakabayashi, T. Studies on the immunological variation in *Trypanosoma gambiense* II. Verifications of the new variation system by Ehrlich's and *in vitro* methods. Med. J. Osaka Univ. 7: 165–173, fig.

Ivens, V. see Levine, N. D.

Iwasa, S. [Biostratigraphy of the Isizawagawa Group in Honjō and its environs, Akita Prefecture.] J. geol. Soc. Japan 61 1955: 1–18, fig. [English abstract.]

Iwasa, S. & Kikuchi, Y. Foraminifera from the Sugota formation, Akita Prefecture, Japan. Trans. palaeont. Soc. Japan N.S. 16 1954: 183–194, figs.

Jacobs, L. Propagation, morphology, and biology of *Toxoplasma*. Ann. N.Y. Acad. Sci. **64**: 154–179, figs.

Jaffé, F. La position géologique des ophiolites dans les Préalpes. [Foraminifera]. C.R. Adad. Sci. Paris 238 1954: 1246–1247.

Jahn, T. L. see Bernstein, E. O.

Jahn, T. L. see Gross, J. A.

Jahn, T. L. see Wirtschafter, S.

Jakowska, S. see Nigrelli, R. F.

Jakowska, S. & Nigrelli, R. F. Babesiosoma gen. nov. and other babesioids in erythrocytes of cold-blooded vertebrates. Ann. N.Y. Acad. Sci. 64: 112–127, figs.

James, T. W. see Gross, J. A.

James, J. W. see Prescott, D. M.

Jankow, L. see Simitch, T.

Jansen, B. C. & Neitz, W. O. The experimental transmission of *Theileria ovis* by *Rhipicephallus evertsi*. Onderstepoort. J. vet. Res. 27: 3-6.

Jansen, B. C. see Neitz, W. O.

Jara, F. de la. Accion del daraprim y la primaquina, asociados, sobre infecciones experimentales con P. gallinaceum. Acta zool, Mexicana 1 1955: 1-12.

Jarny, D. see Caron, J.

Jeffery, G. M. (1). Human coccidiosis in South Carolina. J. Parasit. 42: 491–495.

**Jeffery**, G. M. (2). Intestinal parasites in a Georgia mental hospital. J. Parasit. **42**: 553-555.

Jeffery, G. M. (3). Relapses with Chesson strain *Plasmodium vivax* following treatment with chloroquine. Amer. J. trop. Med. Hyg. 5: 1-13, figs.

Jeffery, G. M., Young, M. D. & Eyles, D. E. The treatment of *Plasmodium falciparum* infection with chloroquine, with a note on infectivity to mosquitoes of primaquine-and pyrimethamine-treated cases. Amer. J. Hyg. **64**: 1-11.

Jeffries, W. B. Studies on excystment in the hypotrichous ciliate *Pleurotricha lanceolata*. J. Protozool, 3: 136-144.

Jellison, W. L. On the nomenclature of *Besnoitia besnoiti*, a protozoan parasite. Ann. N.Y. Acad. Sci. **64**: 268–270.

Jellison, W. L., Fullerton, W. J. & Parker, H. Transmission of the protozoan Besnoitia jellisoni by ingestion. Ann. N.Y. Acad. Sci. 64: 271-274.

Jenkins, A. R. & Grainge, E. B. The oxidative metabolism of African pathogenic trypanosomes. I. Observations on *Trypanosoma rhodesiense*  maintained by sub-inoculation and cyclical tsetse-fly transmission. Trans. R. Soc. trop. Med. Hyg. **50**: 481–484.

Jepps, M. W. The protozoa, Sarcodina. London and Edinburgh (Oliver and Boyd). 183 pp., figs.

Jessen, R. J. see Becker, E. R.

Johnson, H. Memorial to Innokenty Pavlovich Tolmachoff (1872– 1950). Proc. Geol. Soc. Amer. Ann. Rept. 1952 [1953]: 147–154, fig.

Johnson, L. P. Observations on Euglena fracta sp. nov., with special reference to the locomotive apparatus. Trans. Amer. micr. Soc. 75: 271-281, figs.

Johnson, W. H. Nutrition of protozoa. Ann. Rev. Microbiol. 10: 193–212.

Johnson, W. H. & Miller, C. A. (1). Nutritional requirements of Paramecium multimicronucleatum. J. Protozool. 3 Suppl.: 5.

Johnson, W. H. & Miller, C. A. (2). A further analysis of the nutrition of *Paramecium*. J. Protozool. 3: 221–226.

Jones, E. E. The ciliate *Dileptus* beersi, n. sp. J. Elisha Mitchell sci. Soc. **22**: 67-72, figs.

Jones, F. E. see Eyles, D. E.

Jong, C. de & Kraan, H. An autochthonous case of malaria near Eindhoven. Docum. Med. geogr. trop. 8:70-74.

Jonsson, S. & Nakamura, M. Amebacidal action of some new synthetic pyrimidine amides. J. Protozool. 3 Suppl.: 2.

Jorg, E. Mikropaläontologische Untersuchungen in der Miozänen Molasse des Bodenseegebietes. Mitt. Badischen Geol. Landesanst. 1949 [1950]: 33–36.

Jörg, M. E. Limite sud de la dispersion geographica de *Triatoma infestans* y su infestacion por *Trypanosoma cruzi* en Argentina. Folia Clin. Biol. S. Paulo 23 1955: 115-132, figs.

Josephson, E. S. see Taylor, D. J.

Joyner, L. P. & Bennett, G. H. Observations on the viability of *Trichomonas foetus* during the process of freezing to -79°C. and thawing in the presence of glycerol. J. Hyg. **54**: 335-341.

Joyner, L. P. & Kendall, S. B. The mode of action of a mixture of pyrimethamine and sulphadimidine on *Eimeria tenella*. Brit. J. Pharmacol. 11: 454.

Joyner, L. P. see Kendall, S. B.

Judd, J. M. see Edwards, E. E.

Jung, R. C. see Beaver, P. C.

Kabler, P. W. see Chang, S. L.

Kahler, F. (1). Eocängörolle in Jungtertiär und Diluvium Karntens. [Foraminifera.] Verh. Geol. Bundesanst. Wien 1949 [1951]: 173–180.

Kahler, F. (2). Entwicklungsräume und Wanderwege der Fusuliniden am eurasiatischen Kontinent. Geologie 4 1955: 178–188, figs.

Kakimi, T. see Minato, M.

Kamptner, E. Das kolkskelett von Coccolithus huxleyi (Lohm.) Kpt. und Gephyrocapsa oceanica Kpt. (Coccolithineae). Arch. Protistenk. 101: 171–203, figs.

Kane, J. North Atlantic planktonic foraminifera as Pleistocene temperature-indicators. Micropaleontology 2: 287–293, figs.

Kaneda, M. Intracellular patterns of oxidation and reduction shown by indicators in *Chlamydodon* (Ciliate). Zool. Mag. Tokyo 65: 340–346.

Kaneko, M. (1). [On rice powder in the cultivation of Entamoeba gingivalis.] Nisshin Igaku 43: 103–106. [Japanese with English summary.]

Kaneko, M. (2). [Ingestion of red blood cells by Entamoeba gingivalis in culture.] Nisshin Igaku 43: 229-233. [Japanese with English summary.]

Kaneko, M. (3). [Experimental infection of animals with Entamoeba gingivalis.] Nisshin Igaku 43: 269—275. [Japanese with English summary.]

Kaneko, M. (4). [Investigations on amylotic activity of several parasitio and free-living amoebae.] Kiseichugaku Zasshi 5: 88–91, figs. [Japanese with English summary.]

Kaneko, M. (5). [Investigations on the proteolytic activity of parasitio and free-living amoebae.] Kiseichugaku Zasshi 5: 92–95, figs. [Japanese with English summary.]

Kanmera, K. (1). Fusulinids from the Yazamadake limestone of the Hikawa Valley, Kumamoto Prefecture, Kyushu, Japan. Part 1. Fusulinids of the Upper Middle Carboniferous. Jap. J. Geol. Geogr. 25 1954: 117-144, figs.

Kanmera, K. (2). Fusulinids from the Upper Permian Kuma formation, Southern Kyushu, Japan—with special reference to the fusulinid zone in the Upper Permian of Japan. Mem. Fac. Sci. Kyushu Univ. D.4 1954: 1–38, figs.

Kantor, J. see Kantorova, V.

Kantor, S. The infraciliature in the Ophryoscolecidae and its morphogenetic and phylogenetic significance. J. Protozool. 3 Suppl.: 2.

Kantor, S. see Levine, N. D.

Kantorova, V. & Kantor, J. Prispevok k poznaniu markazitovéholožiska pri tepličanoch severne od Rošič. [Foraminifera.] Geol. šbornik. Slovensk. Akad. 6 1955: 81–103, fig. [German summary.]

Kaplan, J. R. see Baas-Becking, L. G. M.

Kaptarinko - Chernoussova, O. K. [Study of the systematic formation of species in Jurassic Epistominids.] Micropal. Stud. Akad. Nauk SSSR. Otdel. geol.-geog. 1: 49-61, figs. [In Russian.]

Karamchandani, S. J. Mortality of carp fry due to infection by a parasitic ciliate. Curr. Sci. 25: 126-127.

Karandikar, K. R. & Rodgi, S. G. (1). Ciliates and flagellates from the millipedes of Bombay-Karnatak. J. Univ. Bombay N.S. 24B: 1-11, figs.

Karandikar, K. R. & Rodgi, S.S. (2). Gregarines from the millipedes of Bombay-Karnatak. J. Univ. Bombay 24B: 11-37, figs.

Kasimova, G. K., Kutznetzova, Z. V. & Mikheeva, Z. F. [Microfauna of the Jurassic deposits in the cross-section of Ulluchaït (Central Dagestan).] C.R. Acad. Sci. Azerbaid. 12: 9–14. [In Russian.]

Kasimova, N. [On the stratigraphy of the Middle Jurassic in northwestern Azerbaidzhan.] [Foraminifera.] C.R. Acad. Sci. Azerbaid. 11 1955: 33-37. [In Russian.]

Kašták, V. [Vorläufige Mitteilung über das Auftreten von Fischparasiten in Gewässem der Slowakei]. Biológia, Brastislava 11: 624-635. [German summary.]

Kean, B. H. see Weld, J. T.

Kellough, G. R. Distribution of foraminifera around a submerged hill in the Gulf of Mexico. Trans. Gulf Assoc. geol. Soc. Texas 6: 205–216, figs.

Kenawy, A. see Said, R.

Kendall, S. B. & Joyner, L. P. The synergism between pyrimethamine and sulphadimethylpyrimidine in the control of *Eimeria tenella*. J. comp. Path. 66: 145-150, fig.

Kendall, S. B. see Joyner, L. P.

Kent, J. F. see Chaffee, E. F.

Kerner, M. W. see Loran, M. R.

Kerr, W. R. & Robertson, M. Partial immunological paralysis to *Trichomonas foetus* antigen in calves. J. Hyg. **54**: 415–418.

Kesling, R. V. News—East-Central United States. Micropaleontology 2: 310–312.

Kesling, R. V. see Copeland, M. J.

Khalilov, D. M. & Tairov, Ch. A. [Microfauna of the Turonian deposits in North-eastern Azerbaidzhan]. C.R. Acad. Sci. Azerbaid. 10 1954: 265–270, figs. [In Russian.]

Kicinski, F. M. Note on the occurrence of some Tertiary larger foraminifera on Bougainville Isl. [Solomon Islands]. Bur. Min. Res. Australia. Rept. 25: 76–77.

Kicinski, F. M. & Belford, D. J. Note on the Tertiary succession and foraminifera of Manus Island. Rept. Bur. Min. Res. Australia 25: 71-75.

[1956]

Kidder, G. W. & Dewey, V. C. Inhibition of *Tetrahymena* by a new tryptophan analog. Biochem. biophys. Acta 17 1955: 288.

Kikuchi, Y. see Iwasa, S.

Killick-Kendrick, R. see Ormerod, W. E.

Kimball, R. F. The role of oxygen in the production of various effects of X-rays on Paramecium aurelia. Carylologia 6 Suppl. Atti IX Congr. Internat. Genet. (2) 1954: 1099-1100.

Kimball, R. F. & Gaither, N. Behaviour of nuclei at conjugation in *Paramecium aurelia*. II. The effects of X-rays on diploid and haploid clones, with a discussion of dominant lethals. Genetics 41: 715–728, figs.

Kimball, R. F. see Bridgman, J.

Kimura, S. see Minato, M.

Kireeva, G. D. & Nesterenko, L. P. [On the occurrence and age of shingle in the sandy conglomerates of the Donetz Basin.] [Foraminifera,] Bull. Acad. Sci. U.R.S.S. geol. 3: 104-107. [In Russian.]

Kirk, R. (1). African leishmaniasis. Central Afr. J. Med. 2: 199–203.

Kirk, R. (2). Studies in leishmaniasis in the Anglo-Egyptian Sudan. XII. Attempts to find a reservoir host. Trans. R. Soc. trop. Med. Hyg. 50: 169–177.

Kitching, J. A. Effects of high hydrostatic pressure on a feeding suctorian. Protoplasma 46: 475–480, figs.

Kitching, J. A. see Borgers, J. A.

Klasz, Von I. de & Knipscheer, H. C. G. Die Foraminiferenart Reusella szajnochae (Gryzbowski): ihre systematische Stellung und regionalstratigraphische Verbreitung. Geol. Jb. 69 1955: 599-610, fig.

Klein, B. M. Form und Formänderung bei ciliaten Infusorien. Mikrokosmos 45: 203–208, figs.

Klultz, J. A. see Mackie, T. T.

Knipscheer, H. C. G. see Klasz, Von I de.

Kochansky-Devidé, V. & Ramovs, A. Die Neoschwagerinenschichten und ihre Fusulinidenfauna bei Bohingska Bela und Bled (Julische Alpen, Slovenien, N.W. Jugoslawien). Razpr. Akad. Ljubljana 3 1955: 359–424, figs.

Kopac, M. J. see Heller, I. M.

Kopeliovich, A. V. & Eventov, Y. S. [Permian deposits of Astrakhan.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 106: 320-323. [In Russian.]

Koppisch, E. see Areán, V. M.

Kormas, J. & Kormas, K. [New investigations on the sexual dimorphism of the *Prodiscophrya*.] Acta biol. Acad. Sci. hung. 7: 109–125, figs. [English summary: 124–5.]

Kormas, K. see Kormas, J.

Kovary, J. Thecamoebiens (Testacéas) des sediments du Pannonien inferieur de la Hongrie. Bull, Hung. geol. Soc. 86: 266-273, figs.

Kozar, Z. (1). [Entamoeba mosh-kovski as a suitable experimental object.] Wiad. Parazyt. 2: 33-36. [English summary.]

Kozar, Z. (2). [The problems of medical parasitology in the Georgian Republic of the Soviet Union.] Wiad. Parazyt. 2: 27-29. [English summary.]

Kozar, Z. (3). [Clinical course and diagnosis of Toxoplasmosis.] In: Toxoplasmosis, Moscow: 19-95. [In Russian.]

Kozar, Z. (4). [Übersicht anderer in Polen aktueller probleme der medizinischen parasitologie.] Wiad. Parazyt. 1 1955: 83–103. [German summary.]

Kozloff, E. N. (1). Experimental infection of the gray garden slug, Deroceras reticulatum (Müller), by the holotrichous ciliate Tetrahymena pyriformis (Ehrenberg). J. Protozool. 3: 17–19.

Kozloff, E. N. (2). A comparison of the parasitic phase of *Tetrahymena limacis* (Warren) with clones in culture, with particular reference to variability in the number of primary ciliary meridians. J. Protozool. 3: 20–28, figs.

Kozloff, E. N. (3). Tetrahymena limacis from the terrestrial pulmonate gastropods Monadenia fidelis and Prophysaon andersoni. J. Protozool. 3: 204-208.

Koraan, H. see Jong, C. de.

Kramptner, E. Das Kalkskelett von Coccolithus huxleyi (Lohm.) Kpt. und Gephryrocapsa oceanica Kpt. (Coccolithineae). Arch. Protistenk. 101: 171-203, fig.

Krascheninnikow, S. Some new data concerning the morphology and division of Balantidium coli and Balantidium caviae (?). J. Protozool. 3 Suppl.: 2.

Krasheninnikov, V. A. [Microstructure of the wall in some Kainozoic foraminifera and the methods of study in polarised light.] Micropal. Stud. Akad. Nauk SSSR. Otdel. geol.-geog. 1: 37–48, figs. [In Russian.]

Krau, L. see Oliveira, L. de.

Kremp, G. see Hiltermann, H.

Kruger, F. Über die Microsporidien-Infektion von Campanella umbellaria. Zool. Anz. 156: 125-129, figs.

Krümmel, H. Entökie einer Amöben-species im menschlichen Auge. Arch. Hyg. Berl. 140: 253– 263, fig. [English, French and German summaries.]

**Krupp,** I. M. Amebic invasion of the liver of guinea pigs infected with the larvae of a nematode, *Toxocara canis*. Exper. Parasit. 5: 421–426.

Kuenen, Ph. H. see Natland, M. L.

Kufferath, H. (1). Compléments à la liste des publications de Walter Conrad. Protistologie et Algologie. Bull. Inst. Sci. nat. Belg. 31 1955: 81.

Kufferath, H. (2). Organismes trouvés dans les Carottes de Sondages et les Vases prélevées au fond de lac Tanganyika. Expl. Hydro. Lac Tangan. IV: 1-74, figs. Kufferath, H. (3). Algues e protistes du fleuve Congo dans le Bas-Congo et de son estuaire. Première et deuxième partie. Rés. sci. Expéd. océangr. Belge Eaux Côtières Afr. Atlant. Sud. 5: 1-75, figs.

Kun, E., Bradin, J. L. Jr. & Dechary, J. M. Correlation between  $CO_2+H_2S$  production by *Endamoeba histolytica*. Biochim. biophys. Acta 19: 153-159.

Kunert, H. & Schmidtke, L. Zur Prage der dauerausschiedung bei Toxoplasmose. Z. Tropenmed. u. Parasit. 7: 87-92.

Kuntz, R. E. see Lawless, D. K.

Küpper, K. (1). Stratigraphische verbreitung der Foraminiferen in einem profil aus dem Becken von Gosau (Grenzbereich Salzburg-Oberösterreich). Geol. Jahrb. Wien 99: 273–320, figs.

Küpper, K. (2). Upper Cretaceous pelagic foraminifera from the "Antelope Shale", Glenn and Colusta Counties, California. Contr. Cush. Fdn. Foram. Res. 7: 40–47, figs.

Kuwano, Y. Invertebrate fauna of the intertidal zone of the Tokara Islands. XII. Foraminifera. Publ. Seto mar. biol. Lab. 5: 273–282, figs.

Kuznetzova, Z. V. see Kasimova, G. K.

Kuźnicki, L. see Grebecki, A.

Laarman, J. J. Transmission of experimental toxoplasmosis by *Stomoxys calcitrans*, Docum, Med. geogr. trop. 8: 293–298,

Lackey, J. B. see Odum, H. T.

Ladd, H. S. Thomas Wayland Vaughan. J. Wash. Acad. Sci. 42 1952: 207–208.

Ladd, H. S., Ingerson, E., Townsend, R. C., Russell, M., & Stephenson, H. K. Drilling on Eniwetok Atoll, Marshall Islands. [Foraminifera]. Bull. Amer. Ass. Petrol. Geol. 37 1953: 2257–2280.

Laffoon, J. L. A search for the natural vectors of avian malaria in Iowa, with notes on other mosquito parasites. Proc. Iowa Acad. Sci. 58 1951: 497–499.

Laiming, B., Thalmann, H. E. & Tunell, G. Memorial to Paul Pavel Goudkoff. (1880–1955). Proc. Geol. Soc. Amer. Ann. Rept. 1955 [1956]: 127–132.

Laing, A. B. G. Proguanil resistance—Extension to the gametocytes of *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. **50**: 496-504, figs.

Lainson, R. Toxoplasmosis in England. III. Toxoplasma in dogs: the incidence of complement-fixing antibodies among dogs in London. Ann. trop. Med. Parasit. 50: 172–186.

Lainson, R. see Garnham, P. C. C.

Laird, M. Intestinal flagellates from some New Zealand insects. Trans. roy. Soc. N.Z. 84: 297-308, figs.

Lamborn, W. A. The haematophagous fly as a possible vector of *Leishmania*. Bull. endemic Dis. Baghdad 1 1955: 239-249.

Lambrecht, F. L. see Chardome, M.

Lamy, L. (1). Phénomènes de phagotrophic abnormale chez une amibe parasite. C.R. Soc. Biol. Paris 150: 96-100, figs.

Lamy, L. (2). Mise au point concernant la recherche et l'identification des amibes dysentériques dans les produits pathologique. Bull. Soc. Path. exot. 49: 525-532.

Lamy, L. & Benex, J. Modification de technique de coproculture pour helminthes et protozoaires. Bull. Soo Path. exot. 49: 43-44, fig.

Lamy, L. & Molinari, V. (1). Etude de l'action in vivo de l'acétate de cortisone sur la phagocytose des amibes parasites. Comparaison avec les macrophages. C.R. Soc. Biol. Paris 150: 936-938.

Lamy, L. & Molinari, V. (2). Étude de l'action in vitro, de l'acétate de cortisone sur la phagocytose des amibes parasites. C.R. Acad. Sci. Paris 242: 2062-2064.

Landau, J. V., Zimmermann, A. M. & Marsland, D. A. Temperature-pressure experiments on Amoeba proteus; plasmagel structure in relation to form and movement. J. cell. comp. Physiol. 44 1954: 211-232, figs.

Lange, F. W. News-Brazil. Micropaleontology 2: 194.

Langiullon, J., Mouchet, J., Rivola, E. & Rateau, J. Contribution à l'étude de l'épidémiologie du paludisme dans la region forestiere du Cameroun. Paludometrie, especes plasmodiales, anophalisme, transmission. Méd. trop. 16: 347–378, maps.

Lapage, G. (1). Veterinary parasitology. London and Edinburgh (Oliver and Boyd), 964 pp., figs.

Lapage, G. (2). The parasite's point of view. Sci. News No. 41: 87—108, figs.

Lapierre, J. see Galliard, H.

Lapina, N. N. see Belov, N. A.

Larcher, C. see Tintant, H.

Lawless, D. K., Kuntz, R. E. & Strome, C. P. Intestinal parasites in an Egyptian village of the Nile Valley with emphasis on the Protozoa Amer. J. trop. Med. Hyg. 5: 1010–1014.

Lederer, E. see Barbier, M.

Lee, J. W. (1). The effect of pH on the velocity of ciliary movement in *Paramecium*. J. Protozool. 3 Suppl.: 9.

Lee, J. W. (2). Paper chromatographic analysis of certain patterns in *Paramecium*. Trans. Amer. micr. Soc. 75: 228-234, figs.

Leentvaar, P. De samenstellung van het plankton van de dinkel en enige zijbeken in 1956. Levende Nat. 59: 233–238, figs.

Le Gac, P., Giroud, P. & Roger, F. Hepatozoon chez Epimys rattus frugivorus du Haut-Oubangui (A.E.F.). Bull. Soc. Path. exot. 49: 39-40.

Lehmann, F. E., Manni, E. & Bairati, A. Der Feinbau von Plasmalemma und kontraktiler Vakuole bei Amoeba proteus in Schnitt-und Fragmentprapäraten. Rev. suisse Zool. 63: 246–255, figs. Lehmann, F. E. see Bairati, A. Leidl, W. see Hammond, D. M.

Lepsi, I. Modificarea faunci de protozoare terricole, prin irigatii agricole. Bul. sti. Acad. Repub. rom. Sect. Biol. 3 1951: 513-523, figs. [French summary.]

Lesser, E. Parasitism in Korea. J. Parasit. 42: 515.

Levaditi, J. see Fromentin, H.

Levin, H. L. see Nathan, H. A.

Levine, N. D. Society of Protozoologists. Science 121 1955: 123.

Levine, N. D. & Hanson, H. C. Blood parasites of the Canada goose, Branta canadensis interior. J. Wildlife Manag. 17 1953: 185-196, figs.

Levine, N. D. & Ivens, V. Coccidia of Arizona rodents. J. Protozool. 3 Suppl.: 1.

Levine, N. D., Marquardt, W. C. & Beamer, P. D. Failure of bacteriafree *Trichomonas* to cause atrophic rhinitis in young pigs. J. Amer. vet. med. Ass. 125 1954: 61-63.

Levine, N. D., Watrach, A. M., Kantor, S. & Hardenbrook, H. J. A case of bovine trypanosomiasis due to *Trypanosoma theileri* in Illinois. J. Parasit. **42**: 553.

Librovich, L. S. Faunistic subdivisions and correlation of the Lower Carboniferous of the U.S.S.R. (abstract). [Foraminifera.] 18th Int. geol. Congr. Gt. Brit. 1948. Proc. Sect. J. Rept. 10 1952: 43.

Lieb, F., Exner, H. & Anschau, M. Über die Beziehung der chemischen Analyse zu den vorgefundenen tierischen und pflanzlichen Mikroorganismen in Trink-und Nutzwässern. Arch. Hyg. Berl. 140: 466–482.

Liener, I. E. see Viswanatha, T.

Lilly, D. M. & Cevallos, W. H. Factors influencing growth in Protozoa. II. Chemical supplements promoting growth in carnivorous ciliates. Trans. N.Y. Acad. Sci. 18: 531-539.

Lilly, D. M., Cevallos, W. H. & Lucchesi, B. R. The use of Tetrahymena inactivated by ultraviolet radiation as food for carnivorous protozoa. J. Protozool. 3 Suppl.: 6.

Lilly, D. M. & Henry, S. M. Supplementary factors in the nutrition of *Euplotes*. J. Protozool. 3: 200-203.

Lilly, D. M. see Sterbenz, F. J.

Lingen, M. I. van der & Elsdon-Dew, R. Some aspects of the biochemistry of *Entamoeba histolytica*. S. Afr. J. Sci. 52: 138-140.

Linhartova, A. Experimentelle pneumocystose bei ratten. Zbl. Bakt. 167: 178–186, figs.

Lipina, O. A. [Foraminifera of the Tournaisian layer and the upper part of the Devonian of the Volga-Ural district and the western slope of the central Ural.] Trav. Inst. geol. SSSR. 163 1955: 1-96, figs.

Lips, M. & Rodhain, J. Quelques hématozoaires de petits mammifères du Haut-Katanga. Ann. Parasit. hum. comp. 31: 481–488, figs.

Liszka, S. [Foraminifera of the Lower Senonian in the vicinity of Cracow.] Ann. Soc. géol. Pologne 23 1955: 165–190, figs. [In Polish, Russian and English.]

Litman, R. see Wagtendonk, W. J. van.

Livingstone, F. B. see Miller, M. J.

Loeblich, A. R. jr. (1). Foraminiferal determinations in Miller, D. J.; Late Cenozoic marine glacial sediments and marine terraces of Middleton Island, Alaska. J. Geol. 61 1953: 17-40, figs.

Loeblich, A. R. jr. (2). News-Eastern United States. Micropaleontology 3: 98-101.

Loeblich, A. R. jr. (3). The types of Lamarck's genera of foraminifera as selected by J. G. Children in 1823. Micropaleontology 2: 303-304.

Loeblich, A. R. jr. & Tappan, H. Chiloguembelina, a new Tertiary genus of the Heterohelicidae (Foraminifera). J. Wash. Acad. Sci. 46: 340, fig.

Lom, J. (1). Beiträge zur Kenntnis der paratischen Ciliaten aus Evertebraten I. Arch. Protistenk. 101: 277–288, figs. Lom, J. (2). Beiträge zur Kenntis der parasitischen Ciliaten aus Evertebraten. II. Jirovecella hegemonis n.g. n. sp. Arch. Protistenk. 102: 229-240, figs.

[1956]

Lom, J. (3). Příspěvek k posnání výskytu cizopasných nálevníků v našich obojživelnících. Čas. nár. Mus. Odd. Přírod. No. 125: 68–72.

Long, P. L. see Horton-Smith, C.

Loran, M. R., Kerner, M. W. & Anderson, H. H. Dependence of Entamoeba histolytica upon associated streptobacillus for metabolism of glucose. Exp. Cell Res. 10: 241-245.

Lorenzo, A. P. see Matilla, V.

Lösch, F. Massenhafte Entwickelung von Amöben im Dickdarm. Arch. path. Anat. 65 1875: 196-211, figs. [Russian translation: see D. P. Svanidze.]

Lowenstam, H. A. see Epstein, S. Lucchesi, B. R. see Lilly, D. M.

Luczkowska, E. (1). Z zagadnién stratygrafi micropaleontologicznej w Polskim Miccenie. Prezeglad Geol. 3 1955: 104–109, figs.

Luczkowska, E. (2). [Tortonian foraminifera from the Chodenice and Grabowiec beds in the vicinity of Bochnia]. Ann. Soc. géol. Pologne 23 1955: 77-156, figs. [In Polish, Russian & English.]

Ludbrook, N. H. Microfossils from Pleistocene to recent deposits, Lake Eyre, South Australia. [Protozoa]. Trans. roy. Soc. S. Aust. 79: 37-45, fig.

Ludvik, J. Vergleichaude elektronenoptische Untersuchungen au Toxoplasma gondii und Sarcocystistenella. Zbl. Bakt. Abt. I. Orig. 166: 60-65, pls.

Lunde, M. N. see Mackie, T. T.

Lux, R. E. The chemotherapy of Eimeria tenella. I. Diaminopyrimidines and dihydrotriazines. Antibiot. & Chemother. 4 1954: 971-977.

Lynch, J. E., Bamforth, B. J. & Goeckeritz, D. The laboratory evaluation of antiamebic activity. The comparative results obtained by the use of in vitro and in vivo methods. Antibiot. & Chemother. 6: 330-336.

Lynch, J. E., English, A. R., Morrison, J. & Maven, I. Protective action of anisomycin in mice infected with *Trichomonas foetus*. Antibiot. & Chemother. 4 1954: 899-904, figs.

Lynch, J. E., Holley, E. C. & Margison, J. E. Studies on the use of the mouse as a laboratory animal for the evaluation of antitrichomonal agents. Antibiot. & Chemother. 5 1955: 508-514.

Lynch, J. E., Halley, E. C. & Salmirs, A. M. Effect of anisomycin on the growth of *Trichomonas vaginalis*. Antibiot. & Chemother. 5 1955: 300-304, figs.

Lynch, V. see Eugene, E.

Lys, M. Robulus incisus n. sp., phylum caractéristique en Afrique à la limite Crétacé-Eocène. Rev. Inst. Franç. Petrole & Ann. Combust. Lyn. 6 1951: 91-100, fig.

Lys, M. see Bourdon, M.

Lysenko, M. G. see Myers, W. M.

Mabille, J. see Thomas, R.

McArthur, W. H. Observations on the enteric Protozoa of Rana pipiens during larval development and metamorphosis. Proc. Iowa Acad. Sci. 62 1955: 640-651, figs.

McCallien, W. J. & Tokay, M. Sedimentation phenomena of the Cretaceous of the Black Sea region between Zonguldak and Eregli, Asia Minor. [Foraminifera]. 18th int. Geol. Congr. Gt. Britain 1948. Proc. Sect. M. 13 1952: 154-164, figs.

McCarthy, D. A. see Thompson, P. E.

McCashland, B. W. Adaption by Tetrahymena pyriformis to potassium cyanide. II. Adaption against respiratory inhibition. J. Protozool. 3: 131-135.

McCashland, B. W. & Marsh, W. R. The effect of short and long term exposure to cyanide upon growth in *Chilomonas paramecium*. J. Protozool. 3 Suppl.: 13.

McCaul, W. E. An experimental attempt to parasitize mammals with the free-living ciliate *Tetrahymena pyriformis*. J. Protozool. 3 Suppl.: 11.

McConn, J. M. see Morris, J. A.

McConnachie, E. W. Modification and elimination of the bacterial flora in cultures of *Entamoeba invadens* Rodhain, 1934. Parasitology **46**: 117–129.

MacConnachie, E. W. see Bishop, A.

Macfadyen, W. A. Foraminifera and other microfauna from Post-glacial clays from the Middle Bure Valley, Norfolk. R.G.S. Res. Ser. 2 1952: 58-62.

McGhee, R. B. (1). The reproductive habits of *Plasmodium cathemerium* in chick and duck embryos. J. Parasit. 42 Suppl.: 25.

McGhee, R. B. (2). A study of changes occurring in *Plasmodium lophurae* after three years continuous existence in mice. J. Protozool. 3: 122, figs.

McGuire, W. C. see Morehouse, N. F.

McKay, F. see Morehouse, N. F.

McKerrow, W. S. Notes on species and subspecies in paleontology. [Protozoa]. Geol. Mag. 89 1952: 148–151.

Mackie, J. W. see Mackie, T. T.

Mackie, T. T., Mackie, J. W., Vaughn, C. M., Gleason, N. N., Greenberg, B. G., Nenninger, E. S., Lunde, M. N., Moore, L. L. A., Kluttz, J. A. & Taliafero, M. O. (1). Intestinal parasitic infections in Forsyth County North Carolina. IV. Domestic environmental sanitation and the prevalence of Entamoeba histolytica. Amer. J. trop. Med. Hyg. 5: 29-39.

Mackie, T. T., Mackie, J. W., Vaughn, C. M., Gleason, N. N., Greenberg, B. G., Nenninger, E. S., Lunde, M. N., Moore, L. L. A., Kluttz, J. A. & Taliafero, M. O. (2). Intestinal parasitic infections in Forsyth County, North Carolina. V. Prevalences of individual parasites. Amer. J. trop. Med. Hyg. 5 1 1956: 40-52, figs.

McLaughlin, J. J. A. Physiology and nutritional requirements of some marine chrysomonads. J. Protozool. 3 Suppl.: 8. McLean, J. D. jr. (1). Summary of the guide fossil foraminifera of the Atlantic coastal plain between New Jersey and Georgia—a revision. Rept. McLean Foram. Lab. 1 1953: 1-6.

McLean, J. D. jr. (2). Some notes on the Vincentown Formation. Rept. McLean Foram. Lab. 2 1955: 22-29.

McLean, J. D. jr. (3). Two new species of foraminifera from Maryland. Rept. McLean Foram. Lab. 2 1955: 30.

MacVicar, D. G. jr. Thermal disintegration of sedimentary rock. [Foraminifera.] Amer. J. Sci. 250 1952: 271-274.

Maegraith, B. G. Some physiological and pathological problems of malaria. Ann. Soc. belge Med. trop. 36:623-630, fig.

Maegraith, B. G. see Deegan, T.

Magalhães, A. E. A., Rêgo, S. F. M. & Siqueira, A. F. Resultados de um inquérito sôbre enteroparasitoses em uma fazenda do município de Ribeirão Preto. Folia Clin. Biol., S. Paulo 23 1955: 133-148. [English summary.]

Magara, M., Yakouti, E., Senda, T. & Amino, E. The action of a new antibiotic, trichomycin, upon *Trichomonas vaginalis*, *Candida albican* and anaerobic bacteria. Antibiot. & Chemother. 4 1954: 433–438, fig.

Maghraby, A. M. el & Perkins, E. J. Additions to the marine fauna of Whitstable. Ann. Mag. nat. Hist. (12) 9: 481-496.

Magné, J. Microfaunés oligocènes dans la série "numidienne" de petite Kabylie (Algérie). Bull. Soc. Hist. nat. Afr. N. 46 1955: 269–274.

Magné, J. & Tempere, C. Micropaleontologie de deux bassins néogènes algériens: Le Chelif et le Hodna. [Foraminifera.] Rés. des Comm., 19th Congr. géol. Inter. Algér. 1952: 135.

Magné, J. see Ayme, A.

Magné, J. see Busson, G.

Magné, J. see Delga, M. D.

Magné, J. see Fallot, P.

Magraw, D. & Ramsbottom, W. H. C. A deep borehole for oil at Croxteth Park, near Liverpool. [Foraminifera.] Liverp. & Manchest. geol. Journ. 1: 512-535.

Maher, J. C. Pennsylvanian correlations in Crowley and Pueblo counties, Colorado. [Foraminifera]. Bull. amer. Ass. Petrol. Geol. 38 1954: 2045-2048, figs.

Majzon, L. (1). Contributions to the stratigraphy of the Dachstein limestone. [Foraminifera.] Acta geol. hung. 2 1953: 243-246, figs.

Majzon, L. (2). [Paleozoic foraminifera of the Bukk mountains.] Földt. Közl. 85 1955: 461-465, figs. [English summary: 465.]

Malakhova, N. P. [The more important phases in the development of the Lower Carboniferous foraminifera.] C.R. Acad. Sci. U.R.S.S. 106: 1076-1079. [In Russian.]

Malanga, C. M. see Cuckler, A. C.

Malatesta, A. & Torrente, A. Pliocene e Pleistocene a Caltagirone (Sicilia). [Foraminifera.] Boll. Uff. geol. Ital. 75 1954: 397-411, figs.

Malewitz, T. D. (1). Intestinal parasitism of some Mid-Western salamanders. Amer. midl. Nat. 55: 434–436.

Malewitz, T. D. (2). Studies on the pathology of experimentally produced blackhead in turkeys. J. Parasit. 42 Suppl.: 23.

Malewitz, T. D. see Hitchcock, D. J.

Mallory, V. S. (1). California Lower Tertiary foraminiferal sequence (abstr.). Bull. Amer. Ass. Petrol. Geol. 37 1953: 2781.

Mallory, V. S. (2). Some lower Eccene correlations on the Pacific coast. [Foraminifera.] Bull. geol. Soc. Amer. 64 1953: 1520.

Malossi, A. Osservazione sulla morfologia di un parasita (la *Pneumocystis carinii*) probabile agente etiologics di una particolare pneumopatia dell'immaturo. Boll. Soc. ital. Biol. sper. 31 1955: 587–590, figs.

Malzahn, E. Geologie und Erdölführung der russisschen Tafel und des Embagebietes. 2. Oelgeologische und stratigraphische Probleme im europäischen Teil der U.S.S.R. [Foraminifera.] Erdöl u. Kohle 5 1952: 438–442.

Mangin, J.-P. (1). Comparaison entre les faunes de Microforaminiféres de Biron et de Biarritz (Basses-Pyrénées). C.R. Acad. Sci. Paris 242: 795-796.

Mangin, J.-P. (2). Sur une faune de foraminifères du Kimmeridgien de Chablis (Yonne). Bull. sei. Bourgoyne 16: 61-65, figs.

Mangin, M. (3). Étude sur les associations de microforaminiféres de l'Éocene de Biarritz (Basses-Pyrénées). Bull. soi. Bourgoyne 16: 173-186, figs.

Manni, E. (1). Ricerche sulla struttura submicroscopica dell' Amoeba proteus. I. Plasmalemma, nucleo. Boll. Soc. ital. Biol. sper. 32: 113-115, figs.

Manni, E. (2). Ricerche sulla struttura submicroscopica dell' Amoeba proteus. II. Vacuoli, mitocondri, ioloplasma. Boll. Soc. ital. Biol. sper. 32: 115-116, figs.

Manni, E. see Lehmann, F. E.

Manning, F. J. Schizogregarines (Protozoa: Sporozoa) infesting Laemophloeus ferrugineus Steph. (Coleoptera: Cucujidae). Microscope 10 1954–1955: 73–75, 92–99, 129–135, figs.

Manton, I. see Parke, M.

Manwell, R. D. Blood protozoa of the English Sparrow (*Passer domesticus*), with certain biological implications. J. Protozool. 3 Suppl.:

Manwell, R. D. see Finlay, P.

Manwell, R. D. see Glenn, S.

Marche-Marchad, I. Présence de plancton rouge ("eaux rouges") sur les côtes du Sénégal et de la Mauritania. Bull. Inst. franç. Afr. noire 18A: 327-332.

Mărculescu, T. see Wasserman, L.

Marcuzzi, G. Fauna della Dolomiti. Mem. Ist. veneto Cl. Sci. mat. nat. 31: 1-595, figs.

Margison, J. E. see Lynch, J. E.

Margolin, P. An exception to mutual exclusion of the ciliary antigens in *Paramecium aurelia*. Genetica 41: 685-699, figs.

Marie, P. (1). Foraminifera: In G. Lecointre; Recherches sur le Néogène et le Quaternaire de la côte atlantique du Maroc. Notes et Mém. Serv. géol. Maroc. 99 1952: 1–17, figs.

Marie, P. (2). In Brunn, J. H., Chevalier, J. P., & Marie, P.: Quelques formes nouvelles de Polypiers et de Foraminifères de l'Oligocene et du Miocene du N. W. de la Grèce. Bull. Soc. géol. Fr. 5 1955; 193-205, figs.

Marie, P. see Deleau, P.

Markell, E. K. A comparison of three staining techniques for protozoan parasites as applied to PVApreserved fecal specimens. J. Parasit. 42: 478.

Markell, E. K. & Núñez, M. C. Infeciones por parasitismo intestinal entre los habitantes de una finca de cafe y de un ejido en Chiapas, Mexico. Rev. Inst. Salubr. Enferm. trop. Méx. 16: 43-49.

Marquardt, W. C. see Levine, N. D. Marsh, W. R. see McCashland, B. W.

Marshall, F. H. A. Physiology of reproduction 1; Longmans Green, London, 3rd Edition, 1956: xix+1-688, figs.

Marshall, J. M. jr. see Holter, H.

Marshall, N. see Odum, H. T.

Marshall, S. C. & Pillinger, R. The concentration of antigen for the complement-fixation test for toxoplasmosis. J. Clin. Path. 9: 76-77.

Marsland, D. A. see Landau, J. V. Martinez-Silva, R. see Mühlpfordt,

Martinis, B. see Conato, V.

Maryon, M. see Shute, P. G.

Matecki, J. (1). [Flabellanminopsis. New genus of agglutinated foraminifera from the Dogger in the vicinity of Cjestochova.] Ann. Soc. géol. Pologne 22 1953: 101-122, figs. [In Polish, Russian and English].

Matecki, J. (2). [New genera of agglutinated foraminifera from the Polish Miocene.] Ann. Soc. géol. Pologne 22 1953: 497-513, figs. [In Polish, Russian and English.]

Matilla, D. V. Problemática biológica y clinica de la tricomoniasis. An. Acad. nat. Med. Madrid 73: 247-267.

Matilla, V., Garrido, J. A., Lorenzo, A. P. & Nafria, A. F. Contribucion al estudio de la inmunidad en el paludisme experimental por *Plasmodium berghei*. Med. colon. 23 1954: 8-11.

Matsumoto, H. (1). [Experimental infection of Entamoeba histolytica in guinea-pigs with special reference to the effects of the alternation of associated bacterial flora upon the pathogenicity of the amoeba.] Nisshin Igaku 43: 28–34. [Japanese with English summary.]

Matsumoto, H. (2). [Experimental amoebic infection of the liver in hamsters with special reference to the influence of the alternation of associated bacterial flora upon the production of amoebic hepatitis.] Nisshin Igaku 43: 292–298. [Japanese with English summary.]

Matsunaga, T. Spirosigmoilinella, a new foraminiferal genus from the Miocene of Japan. Trans. paleont. Soc. Japan N.S. 18 1955: 49-50, figs.

Mattauer, M. see Glangeaud, L.

Matthes, D. Suctorienstudium VIII Thecacineta calix (Schröder, 1907) (Thecacinetidae nov. fam.) und ihre Fortpflanzung durch Vermoid-Schwärmer. Arch. Protistenk. 101: 477-528, figs.

Mauret, P. see Puytorac, P. de.

Maven, I. see Lynch, J. E.

Maxia, C. Geologia dei dintorni di Castiglione (Rieti). [Foraminifera.] Boll. Uff. geol. Ital. 73 1951: 229– 266, figs. Mayne, W. On the age of the Choffatella-bearing beds in Venezuela. Micropaleontology 2: 92, fig.

Mazia, D. & Prescott, D. M. The role of the nucleus in protein synthesis in Amoeba. Biochim. biophys. Acta 17 1955: 23-34.

Mazia, D. see Child, F. M.

Meglitsch, P. A. The myxosporidian fauna of some fresh water and marine fishes. Proc. Iowa Acad. Sci. 59 1952; 480–486.

Meier, M. Die Monocystideenfauna der Oligochäten von Erlangen und Umgebung. Arch. Protistenk. 101: 335–400, figs.

Meijer, W. see Graaf, F. do.

Mellon, G. B. & Wall, J. H. Geology of the McMurray Formation. Part 1. Foraminifera of the Upper McMurray and Basal Clearwater formations. Rep. Res. Counc. Alberta 72: 1–29, figs.

Menard, H. W. Pleistocene and Recent sediments from the floor of the north-western Pacific Ocean. [Foraminifera.] Bull. geol. Soc. Amer. 64 1953: 1279-1294, figs.

Mendenhall, G. W. Distribution of Crow Creek member of Pierre shale in northeastern Nebraska. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 333–335.

Mendoza, N. C. see Goudkoff, P. P.

Mercado, T. I. see Brand, T. von.

Mercier, P. see Pangalos, G. E.

Merla, G. Geologie dell'Appenino settentrionale. [Foraminifera.] Bull. Soc. geol. Ital. 70 1951: 95–382, figs.

Merveille, P. see Depoux, R.

Messina, A. R. see Ellis, B.F.

Meyers, W. M. & Lysenko, M. G. The effect of salicylate treatment on plasma proteins in rats infected with *Trypanosoma lewisi*. Exper. Parasit. 5: 1-21, figs.

Miacyzynski, T. Myxidium pfeifferi Auerbach i geneza cyst sporowcowych w nerkach ryb. Zool. Polon. 7: 121–126.

Middour, E. S. see Frizzell, D. L. Mikheeva, Z. F. see Kasimova, G. K. Miklukho-Maklai, A. D. [Biostratigraphical divisions of the Upper Palaeozoic of the Kara-Chatir Ridge, S. Fergana.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 108: 1152–1154. [In Russian.]

Miklukho-Maklai, A. D. see Vistolius, A. B.

Miklukho-Maklai, K. V. [New data on the stratigraphy of Permian deposits in North Western Caucasus.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 108: 530-532. [In Russian.]

Miller, C. A. & Wagtendonk, W. J. van. The essential metabolites of a strain of *Paramecium aurelia* (Stock 47–8) and a comparison of the growth rate of different strains of *Paramecium aurelia* in axenic culture. J. gen. Microbiol. **15**: 280–291, figs.

Miller, C. A. see Johnson, W. H.

Miller, J. G. The prevention and treatment of anaplasmosis. Ann. N.Y. Acad. Sci. 64: 49-55, figs.

Miller, L. T. see Feldman, H. A.

Miller. M. J., Neel, J. V. & Livingstone, F. B. Distribution of parasites in the red cells of sickle-cell trait carriers infected with *Plasmodium falciparum*. Trans. R. Soc. trop. Med. Hyg. **50**: 294–296.

Minato, M., Hashimoto, S., Suyama, K., Takeda, Y., Suzuki, Y., Kakimi, T., Yamada, K., Kimura, S., Ichikawa, T. & Suetomi, H. Zur Biostratigraphie der permischen Formation des Setamai-Geländes im Sud Kitakami Gebirge. J. geol. Soc. Japan 60 1954: 378–387. [German abstract.]

Minato, M. see Hayasaka, I.

Mitchell, O. G. Trypanosoma vespertilionis from some Southern Californian bats, J. Mammal. 37: 443-444.

Mitchell, R. C. Tertiary boulders in the Cretaceous of Puerto Rico. [Foraminifera.] Science 116 1952: 418-420, fig.

Mitzopoulos, M. see Renz, C.

Mjatliuk, E. V. In N. V. Dabagyan, E. V. Mjatliuk & L, S. Peshvanova: [New data on the Tertiary beds of Translatvia based on studies of foraminiferal faunas.] Geol. Sbornik. 1956: 220–236, figs. [In Russian.]

Moetsch, J. C. see Otto, G. F.

Mohan, K. & Chatterji, A. K. Stratigraphy of the Miocene beds of Kathiawar, western India. Micropaleontology 2: 349.

Moir, R. J. & Somers, M. A factor influencing the protozoal population in sheep. Nature, Lond. 178: 1472.

Moise, R. Studio sull' infezione naturale da *Plasmodium ovale*. Ann. Med. nav. trop. (Rome) **60** 1955: 630-657, figs. [English summary.]

Molinari, V. (1). Nouveaux essais d'action du froid sur les trophozoites de divers protozoaires parasites. Bull. Soc. Path. exot. 49: 254-260.

Molinari, V. (2). Sur le comportement d'Entamoeba dysenteriae et d' E. invadens en presence de temperatures de -79°C. (neige carbonique) et de -180°C. (azote liquide). Bull. Soc. Path. exot. 49: 532-540.

Molinari, V. & Montezin, G. (1). Sur le comportement de trypanososomes et de plasmodies soumis aux basses temperatures de la neige carbonique et de l'azote liquide. Bull. Soc. Path.-exot. 48: 445-450.

Molinari, V. & Montezin, G. (2). Variations de la virulence de *Trypa-nosoma congolense* chez la souris après action d'un froid de -180°C. Bull. Soc. Path. exot. **49**: 651-654.

Molinari, V. see Lamy, L.

Monica, Sister [see also Taylor, M.] Spores of the large free-living Amoebae. Nature, Lond. 178: 100.

Monsur, K. A. Alcoholic extracts of Kedrowsky's bacillus as antigen for complement fixation tests in Kala-azar. Trans. R. Soc. trop. Med.-Hyg. 50: 91-96.

Montezin, G. see Molinari, V.

Moore, L. L. A. see Mackie, T. T.

Moore, W. E. Geology of Jackson County, Florida [Foraminifera]. Geol. Bull. Fla. geol. Surv. 37 1955: 1–101, figs.

Moracová - Hassdentenfelová, V. Another rediscovery of commensal Vorticella upon Conochilus in Czechoslovakia. Hydrobiologia 8: 181–183, figs.

Morehouse, N. F. & McGuire, W. C. Morbidity and mortality among chickens infected with large numbers of the intestinal coccidium *Eimeria acervulina* Tyzzer, 1929. J. Parasit. 42, Suppl.: 24.

Morehouse, N. F. & McKay, F. On the chemotherapeutic action of 3-nitro-4-hydroxyphenyl-arsonic acid against the coccidium *Eimeria tenella* in chickens. Proc. Iowa Acad. Sci. 58 1951: 507-516.

Moriguchi, C. [A method to induce encystment of Entamoeba histolytica in vitro and on the effect of pH value of the medium upon the encystment.] Nisshin Igaku 43: 571–575. [Japanese with English summary.]

Morikawa, R. Fusulinids from Omagata, Kamiyoshida-mura, Northern part of Kanto mountainland. Sci. Rep. Saitama Univ. **2B**: 249–260, figs.

Morikawa, R. & Horiguchi, M. Parafusulina nakamigawai n. sp. from the Hdoyama formation in the neighbourhood of Kuzu City, Tochigi Prefecture. Sci. Rep. Saitama Univ. 2B: 261-264, fig.

Morishima, M. Deposits of foraminiferal tests in the Tokyo Bay, Japan. Mem. Coll. Sci. Kyoto 22B 1955: 213-222, fig.

Morkhoven, F. P. C. van see Grimsdale, T. F.

Mornet, P. Les hématozooses animales carence protidique des populations humaines. Rev. Élev. 8 1955: 277-283.

Morozova, V. G. [Plates for the selection and analysis of microfossils.] Micropal. Stud. Akad. Nauk SSSR. Otdel geol-geog. 1:69-78, fig. [In Russian.]

Møller, K. M. & Prescott, D. M. Observations on the cytochromes of Amoeba proteus, Chaos chaos and Tetrahymena geleii. Exp. Cell Res. 9 1955: 375–377.

[1956]

Morris, J. A., Aulisio, C. G. & McCown, J. M. Serological evidence of toxoplasmosis in animals. J. inf. Dis. 98: 52-54.

Morrison, J. see Lynch, J. E.

Mortelmans J. see Deom, J.

Moscovici, C. Ricerche immunologiche sui toxoplasmi e i sarcosporidi. R.C. Ist. sup. Sanit. 17 1954: 1002-1006.

Mossion, X. see Cavier, R.

Mouchet, J. see Languillon, J.

Moulton, J. E. & Christensen, J. F. The histochemical nature of Anaplasma marginale. Amer. J. vet. Res. 16 1955: 377-380, figs.

Mučibabić, S. Some aspects of the growth of single and mixed populations of flagellates and ciliates. The effect of temperature on the growth of *Chilomonas paramecium*. J. exp. Biol. 33: 627-644, figs.

Mudrow-Reichenow, L. Spontanes vorkommen von amöben und Ciliaten bei laboratoriumstieren. Z. Tropenmed. u. Parasit. 7: 198–216, fig.

Mügge, E. Die konjugation von Vorticella campanula (Ehrbg.). Arch. Protistenk. 102: 165–208.

Mühlpfordt, H. & Martinez-Silva, R. Die Wirkung von Isoconessin und Neoconessin im vergleich zu conessin und emetin auf Entamoeba histolytica in vitro. Z. Tropenmed. u. Parasiten. 7: 211-219.

Muldini, S. Mikropaläontologische Untersuchungen im Jungtertiär des Beckens von Tuzla (Nord-Bosnien). Verh. geol. Bundesanst. Wien 2 1955: 105–172, fig.

Müller-Liebenau, I. Die Besiedlung der Potamogeton-Zone ostholsteinischer Seen. Arch. Hydrobiol. 52: 470–606, figs. Münch, H. D. Zur Fauna des Küstengrundwassers der Insel Heiddensee. III Spirotriche und peritriche, Rotatorien und Archianneliden aus den Küstengrundwasser (Anhang. Oligochaeten und Copepoden). Wiss. Z. E. M. Arndt Univ. Greifewald Maths. Nat. R. 5: 433– 436.

Murand, J. see Galliard, H.

Muraour, P. see Glangeaud, L.

Murat, R. & Scolari. G. Présence et répartition stratigraphique de Pfenderina neocomiensis (Trochamminidae) dans le Jura et l'Autochtone Alpin. Arch. Sci. Genève 9: 97-101, figs.

Murray, G. E. Louis Joseph Wilbert jr. (1919–1953). J. Paleont. 27 1953: 619–622, figs.

Nadel, E. M. see Taylor, D. J.

Nafria, A. F. see Matilla, V.

Naidu, K. V. A new species of actinomyxid sporozoan parasitic in a fresh-water oligochaete. J. Protozool. 3: 209-210, fig.

Nairn, A. E. M. The Lower Carboniferous rocks between the Rivers Esk and Annan, Dumfriesshire. [Foraminifera.] Trans. geol. Soc. Glas. 22:80-94, figs.

Nakabayashi, T. see Inoki, S.

Nakamura, M. Amoebicidal action of azaserine. Nature, Lond. 178: 1119-1120.

Nakamura, M. & Baker, E. E. (1). Effect of antimetabilites on growth of *Endamoeba histolytica*. II. Pantetheine and coenzyme A antagonist. Proc. Soc. exp. Biol. Med. 92: 723-725.

Nakamura, M. & Baker, E. E. (2). Nutritional requirements of *Endamoeba histolytica*. Amer. J. Hyg. **64**: 12–22.

Nakamura, M. & Baker, E. E. (3). Inhibition of *Entamoeba histolytica* cultures by specific antibody. J. Protozool. 3 Suppl.: 2.

Nakamura, M. see Jonsson, S.

Nakata, A. Micronuclear behaviour during the conjugation of Paramecium calkinsi. Zool. Mag., Tokyo 65: 306-310. [English summary: 310.]

Nakazawa, K. & Shimizu, D. Discovery of Glytophiceras from Hyogo Prefecture, Japan. [Foraminifera.] Trans. palaeont. Soc. Japan N.S. 17 1955: 13–18, fig.

Nakkady, S. S. & Osman, A. The genus Globotruncana in Egypt, taxonomy and stratigraphic value (abstr.). Rés. des Comm. 19th Congr. géol. Inter. Algér. 1952: 119.

Nanney, D. L. Caryonidal inheritance and nuclear differentiation. Amer. Nat. 90: 291-307, figs.

Naquira, F. see Thiermann, E.

Nardone, R. M. Braungart, D. C., Hurley, M. P. & Gilson, M. E. The effect of surface-active agents on the permeability, survival and pseudopod formation of *Pelomyxa carolinensis*. J. Protozool. 3: 119-121, figs.

Nascimento, R. see Oliveira, L. de.

Nathan, H. A., Davis, R. J. & Sanders, M. On the mode of action of pyrimethamine. J. Protozool. 3 Suppl.: 8.

Nathan, H. A., Hutner, S. H. & Levin, H. L. Independent requirements for "crithidia factor" and folic acid in a trypanosomid flagellate. Nature, Lond. 178: 741-742, fig.

Nathan, H. A. see Hutner, S. H.

Natland, M. L. & Kuenen, Ph. H. Sedimentary history of the Ventura Basin, California, and the action of turbidity currents. [Foraminifera]. Soc. Econ. Pal. Min. Spec. Publ. 2 1951: 76-107.

Nauck, E. G. Problemas inmunitarios en el paludismo ? Med. colon. 23 1954: 384-404.

Neal, R. A. (1). Strain variation in Entamoeba histolytica III. The influence of the bacterial flora on virulence to rats. Parasitology 46: 183–191.

Neal, R. A. (2). Proteolytic enzymes in Entamoeba histolytica. Nature, Lond. 178: 599. Neal, R. A. & Vincent, P. Strain variation in *Entamoeba histolytica*. II. The effect of serial liver passage on the virulence. Parasitology **46**: 173-182.

Nebert, K. Sedimentologischstratigraphisch Untersuchungen im Jungtertiar sudwestlich von Hartberg (Oststeiermark). [Foraminifera.] Monat. Berg-Hüttenmänn Oesterreich 96 1951: 50-57.

Nectoux, P. Rhizopodes thecamoebiens des environs du Creusot. Bull. Féd. franç. Soc. Sci. nat. 5: 127-135.

Neel, J. V. see Miller, M. J.

Neghme, A., Silva, R. & Artigas, J. El laboratorio en el diagnostico de la amibiasis intestinal. Bol. chil. Parasit. 10: 66-71.

Neitz, W. O. (1). Classification, transmission, and biology of piroplasms of domestic animals. Ann. N.Y. Acad. Sci. 64: 56-111.

Neitz, W. O. (2). Corridor disease. A fatal form of bovine theileriosis encountered in Zululand. Bull. epizoot. Dis. Afr. 3 1955: 121–123.

Neitz, W. O. & Jansen, B. C. A discussion on the classification of the Theileridae. Onderstepoort. J. vet. Res. 27: 7-18.

Neitz, W. O. see Jansen, B. C.

Nelson, W. A. Mortality in the sheep ked, Melophagus ovinus (L.) caused by Trypanosoma melophagium Nature, Lond. 178: 750.

Nemkov, G. I. see Garetzki, R. G. Nenninger, E. S. see Mackie, T. T. Neri, I. see Corradetti, A.

Nesterenko, L. P. [Stratigraphy of the Permian deposits in the Donetz basin.] Bull. Acad. Sci. U.R.S.S. geol. 3: 33-48. [In Russian.]

Nesterenko, L. P. see Kireeva, G. D.

Neumann, M. (1). Sur un Cibicides nouveau du Lutétien supérieur d'Aquitaine: Cibicides daguerri n. sp. C.R. Soc. géol. Fr. 5 1954: 113-117, figs.

Neumann, M. (2). Formation des loges équatoriales chez les Orthophragmines incidence sur leur classification. C.R. Ass. franç. Av. Sci. 73 1955: 295–299, figs.

Neumann, M. (3). Étude des Orthophragmines contenues dans les marnes à *Xanthopsis dufourii* (Lutétien inf.) de la Chalosse de Montfort (Landes). Bull. Soc. géol. Fr. 5 1955: 125–134, figs.

Nevenić, V., Sibalić, S. & Cvetković, L. [Une contribution à la connaissance de la faune parasitaire des lapins de garenne de Vojvodine.] Acta Vet., Belgrade 4 1954: 53-62, figs. [French summary.]

Newberne, J. W. The pathology of *Leucocytozoon* infection in turkeys with a note on its tissue stages. Amer. J. vet. Res. **16** 1955: 593-597, figs.

Newton, B. A. A synthetic growth medium for the trypanosomid flagellate Strigomonas (Herpetomonas) oncopelti. Nature, Lond. 177: 279– 280.

Nicosia, M. L. Foraminiferi oligocenica delle "Argille Rosse" di Catenanuova ( $F^{\circ}$  269 "Paterno-Silicia). Boll. Uff. geol. Ital. **74** 1953: 391–405, figs.

Niemegeers, C. see Evens, F.

Nigrelli, R. F., Jakowska, S. & Padnos, M. Tetrahymena as pathogenic epibiont in fishes and urodeles. J. Protozool. 3 Suppl.: 10.

Nigrelli, R. F. see Jakowska, S.

Nipkow, F. Epistylis rotans Švec im Plankton des Zürichsees. Ein Beitrag zur Biologie dieses Planktoninfusoriums. Schw. Z. Hydrol. 18: 161-170, figs.

Noble, G. A. Cold culture. J. Parasit. 42: 581-584.

Nogueira, A. R. see Trinção, C.

Noirot-Timothée, C. (1). Les structures infraciliaires des Ophryoscolecidae (Infusoires Oligotriches). Étude du genre *Ophryoscolex* Stein. C.R. Acad. Sci. Paris 242: 2865–2867, figs.

Noirot-Timothée, C. (2). La structure de la cuticule chez les Ophryoscolecidae. Bull. Soc. zool. Fr. 81: 44—47, fig.

Noirot-Timothée, C. (3). La limite ectoplasme-endoplasme chez *Endi-plodinium medium* (Infusoires Ophryoscolecidae). Bull. Soc. zool. Fr. 81: 47-52, figs.

Nomura, H. [Histochemical studies on intestinal protozoa. I. Studies on the distribution of phosphotase in several species of trichomonads.] Keio Jgaku 33: 241-247, figs. [Japanese, with English summary.]

Núñez, M. C. see Markell, E. K.

Nutting, W. L. Reciprocal protozoan transfaunations between the Roach, Cryptocercus, and the termite, Zootermopsis. Biol. Bull. Woods Hole 110: 83–95, figs.

Nutting, W. L. see Cleveland, L. R.

Nyholm, K.-G. (1). Studies on Recent Allogromiidae (4). Phainogullmia aurata n. gen., n. sp. Zool. Bidr. Från Uppsala 30 1955: 465– 474, figs.

Nyholm, K.-G. (2). Observations on the monothalamous *Hippocrepinella alba* Heron-Allen & Earland. Zool. Bidr. Från Uppsala 30 1955: 475–484, figs.

Nyholm, K.-G. (3). On the life cycle and cytology of the foraminifera Nemogullmia longevariabilis. Zool. Bidr. Från Uppsala 31: 483-496, figs.

Obradovic, S. (1). Kurzer Rückblick auf die Schichter eines Teils der Bohrung Velika Greda 21 auf Grund mikropaläontologischer Unterchungen. [Foraminifera.] Zborn. Radova geol. Inst. Beograd 7 1954: 229–234, fig. [German summary: 232.]

Obradovic, S. (2). [Darstellung der Schichtenfolgen aus den Bohrungen in der Gegend von Sedlarica vom mikropaläontologicher Standpunkt.] Zborn. Radova geol. Inst. Beograd 7 1954: 235–245, fig. [German summary: 243.]

Odum, H. T., Lackey, J. B., Hynes, J. & Marshall, N. Some red tide characteristics during 1952-1954. Bull. mar. Sci. Gulf & Caribbean 5 1955: 247-258. Ogawa, K. see Ijiri, S.

Okada, T. A. Culture of Frontonia leucus. Zool. Mag. Tokyo 65: 207-209.

Okpala, I. The incidence of intestinal parasites among school children in Lagos (Nigeria). W. Afr. med.J. 5: 167-170.

Okropiridze, O. V. [On the problem of supplementary chambers in Globigerina.] C.R. Acad. Sci. U.R.S.S. 106: 338-341, figs. [In Russian.]

Oliveira, L. de, Nascimento, R. & Krau, L. Observações biogeográficas e hidrobiológicas sôbre a lagôa de Maricá. Mem. Inst. Osw. Cruz 53 1955: 171-262, figs. [English summary: 228-262.]

Ord, M. J. The site of damage in amoebae exposed to low concentrations of methyl di-  $(\beta$ -Chloroethyl)-amine (a 'Nitrogen Mustard'). Quart. J. micr. Sci. 97: 39-45, fig.

Ord, M. J. & Danielli, J. F. The site of damage in amoebae exposed to lethal concentrations of methyl di-(B-Chloroethyl)-amine (a 'nitrogen mustard'). Quart, J. micr. Sci. 97: 17-28, figs.

Orfila, J. see Fabiani, G.

Ormerod, W. E. & Killick-Kendrich, R. Developmental forms of Trypanosoma lewisi in the vasa necta of the kidney. Trans. R. Soc. trop. Med. Hyg. 50: 4.

Ormières, R. see Theodoridès, J.

Ormières, R. see Tuzet, O.

Orr, H. D. Quantitative studies of protozoan populations for two areas of Pymatuning Lake, Pennsylvania. Ecology 35 1954: 332–334.

Osaki, H. see Inoki, S.

Osborne, M. M. see Grayshon, J. E.

Osman, A. see Nakkady, S. S.

Oswald, D. H. The Carboniferous Rocks between the Ox Mountains and Donegal Bay. Quart. J. geol. Soc. London, 111 1955: 167-186, figs.

Ottmann, F. Sur la présence de Pliocene marin dans la région d'Ajaceio. [Foraminifera.] C.R. Acad. Sci. Paris 236 1953: 1589-1591. Otto, G. F., Moetsch, J. C. & Schock, R. U. Studies on the activity of bis-quinaldines against experimental trypanosomiasis. J. Parasit. 42 Suppl.: 21-22.

Oye, P. van (1). Rhizopoda Venezuelas mit besonderer Beruchsichtigung ihrer Biogeographie. Ergebn. Dtsch. Limnol. Venezuela Exped. 1952. Berlin 1 1956: 329–360, figs.

Oye, P. van (2). Overzicht van onze kennis der Rhizopodenfauna van België, Biol. Jaarb. 23: 283– 289.

Oye, P. van (3). On the Thecamoeban fauna of New Zealand with descriptions of four new species and biogeographical discussion. Hydrobiologia 8: 16–37, figs.

Packchanian, A. Chemotherapy of African sleeping sickness. II. Chemotherapy of experimental Trypanosoma gambiense and Trypanosoma rhodesiense in mice (Musmusculus) with a new antibiotic Amphomycin. Antibiot & Chemoth. 6: 684-691.

Padmavathi, P. B. "Fission zone" in Spirostomum ambiguum. Experientia 12: 382–383, figs.

Padmavathi, P. B. see Seshachar, B. R.

Padnos, M. see Nigrelli, R. F.

Palencia, L. see Varela, G.

Palmer, B. M. F. A comparative study of the incidence of intestinal parasites of children in Des Moines, Iowa. Proc. Iowa Acad. Sci. 59 1952: 487-491, fig.

Pan, C. see Ritchie, L. S.

Panetsos, A. see Terlatzis, C.

Pangalos, G. E., Pavlatos, M. & Mercier, P. The Sabin-Feldman dyetest. Trans. R. Soc. trop. Med. Hyg. 50: 583-586.

Papp, A. (1). Miogypsinidae aus dem Oligozan von Zagorje (Slovenien, Jugoslavien). Geol. Rozp. Poročila 2 1954: 168–178, figs. [Slav Resumé.] Papp, A. (2). [Über das Vorkommen von Orbitoiden im Maastricht der Fruška-Gora (Jugoslavien).] Ann. géol. Pén. balkan 22 1954: 81–85, figs. [German summary: 86.]

Papp, A. (3). Morphologischgenetische Untersuchungen an Foraminiferen. Paläont. Z. 29 1955: 74-78, fig.

Papp, A. & Grill, R. Foraminifera. In Beck-Mannagetta, P., Zur Geologie und Paläontologie des Tertiärs des unteren Lavanttales. Die Geologie des Tertiärbeckens. Jahrb. Geol. Bundesanst. Wien 95 1952: 43–102.

Pappas, G. D. Helical structures in the nucleus of *Amoeba proteus*. J. biophys. & biochem. Cytol. 2: 221-222, fig.

Paraskevaidis, I. Bemerkungen über die stratigraphie Greichenlands. [Foraminifera.] Eel. geol. helv. 47 1954: 114–117.

Párducz, B. (1). Reizphysiologische Untersuchungen an Ziliaten. IV. Über das Empfindungs-bzw. Reaktionsvermögen von Paramecium. Acta biol. Acad. Sei. Hungar VI: 289–316, figs. [English summary: 316.]

Párducz, B. (2). [Studies on the reactions to stimuli in the ciliate Infusoria. V. On the physiological mechanism of the avoiding reaction and of the orientation in space.] Acta biol. Acad. Sci. Hung. 7: 73-99, figs. [English summary: 98-9.]

Parke, M., Manton, I. & Clarke, B. Studies on marine flagellates. II. Three further species of *Chrysochromulina*. J. mar. biol. Ass. U.K. **35**: 387–414, figs.

Parker, F. L. Distribution of planktonic foraminifera in some Mediterranean sediments. Deep-Sea Res. 3 Suppl. 1955: 204-211, fig.

Parker, F. L. see Phleger, F. B.

Parker, H. see Jellison, W. L.

Pashkevich, E. J. see Pistrak, R. M.

Pastacaldi, V. see Sautet, J.

Patrascanu, V. see Wasserman, L.

Pattilo, W. H. see Becker, E. R.

Paul, J. & Schlanstedt, R. Antikörperbildung nach Toxoplasma-Antizenzufuhr bei Kindern. Z. Immun, Forsch. 113: 1-14.

Pavlatos, M. see Pangalos, G. E.

Payne, E. H., Gonzales-Mugabura, L. & Schleicher, E. M. An intestinal parasitic survey in the High Cordilleras of Pem. I. Amer. J. trop. Med. Hyg. 5: 696-698.

Pecora, P. see Hirshfield, H. I.

Peel, E. see Chardome, M.

Peirson, J. F. see Phleger, F. B.

Penndorf, H. see Görges, J.

Penner, L. R. Studies on renal coccidiosis of wild ducks from Long Island Sound. J. Protozool. 3 Suppl.

Perconig, E. (1). La stratigrafia del sondaggio No. 1 di Morrovalle eseguito dall A.G.I.P. nelle Marche. [Foraminifera.] Boll. Uff. geol. Ital. 74 1953: 137–153, fig.

Perconig, E. (2). Due nuove specie di *Uvigerina* del Neogene dell Planura Padana. Boll. Uff. geol. Ital. 77 1955: 181-198, figs.

Perconig, E. (3). Ricerche stratigrafiche e micropaleontologiche nella regione Marchigiana (Foglia Fermo). [Foraminifera.] Boll. Uff. geol. Ital. 77 1955: 199-269, figs.

Pereira, A. see Soeiro, A.

Pereira, M. see Soeiro, A.

Perez-Reyes, R. Tratamiento curativo de ratones blancos infectados con *Plasmodium berghei*, utilizando la asociacion aralen-neo-quipenyl. Acta zool. Mexicana 1 1955: 1-5.

Perez Reyes, R. see Soberon y Parra, G.

Perin, G. Studio micropaleontologico dei terreni miocenici del Friuli Occidentale. [Foraminifera.] Mem. Accad. Patavina Cl. Sci. Math. e Nat. 68: 1-13, figs.

Perkins, E. J. (1). Notes on the incidence of parasitic Protozoa in Herefordshire. Trans. Woolhope Nat. Fld. Cl. 35: 53-57.

Perkins, E. J. (2). Notes on the fauna of the River Lugg at Shelwick July-August 1953. Trans. Woolhope Nat. Fld. Cl. 35: 57-61.

Perkins, E. J. see Maghraby, A. M. el.

Perman, J. [Über die ökologische Valenz der Gattung Euglena Ehrenb. (Schönauge).] Biológia, Bratislava 11: 672-677.

Petersen, J. B. & Hansen, J. B. On the scales of some Synura species. Biol. Medd. 23: 1-28, figs.

Petersen, I. C. see Berg, K.

Petri, S. Foraminiferos Físseis da Bacia di Marajo. Bol. Fac. Filos Ciénc. S. Paulo 176 1954: 1-170, figs.

Petrović, Z. [Recherches expérimentelles de la biologie des Trichomonas chez l'hôte in vitro.] Acta Vet., Belgrade 4 1954: 77-84. [French summary.]

Petrovitch, Z. see Simitch, T.

Petrů, M. & Vojtěchovska, M. (1),-[Experimental trypanosomiasis (*Trypanosoma gambiense*) in dogs inoculated into the cerebrospinal fluid.] Českoslov. Parasit. 3: 81-88. [In Czech.]

Petrů, M. & Vojtěchovska, M. (2). [Effect of trypanocidal drugs during barbiturate narcosis of mice.] Českoslov. Parasit. 3: 89–107. figs. [Czech with Russian summary.]

Petrusheveski, G. K. [Contributions to the problem of parasito-coenosis in fish]. Trav. Inst. Zool. Acad. Sci. U.R.S.S. 21: 44-50. [In Russian.]

Petters, V. News-Colombia. Micropaleontology 2: 95-96.

Petters, V. & Sarmiento, R. Oligocene and Lower Miocene biostratigraphy of the Carmen-Zambrano area, Colombia. Micropaleontology 2: 7-36, figs.

Petzold, H.-G. Zur Fauna des Küstengrundwassers der Insel Hiddensee. II. Holotriche ciliaten, Nematoden und Gastrotrichen aus dem Küstengrundwasser. Wiss. Z. E. M. Arndt. Univ. Griefswald Math. Nat. R. 5: 429-433. Pfeiffer, H. H. Über die Heranzucht "reiner Linien" von Paramecium caudatum. Mikrokosmos 45: 143.

Phleger, F. B. (1). Ecology of foraminifera and associated microorganisms from Mississippi Sound and environs. Bull. amer. Ass. Petrol. Geol. 38 1954; 584-647, figs.

Phleger, F. B. (2). For a miniferal faunas in cores of shore from the Mississippi Delta. Deep-Sea Res. 3 Suppl. 1955: 45-57, figs.

Phleger, F. B. (3). Significance of living foraminiferal populations along the Central Texas coast. Contr. Cush. Fdn. Foram. Res. 7: 106-151, figs.

Phleger, F. B., Parker, F. L. & Peirson, J. F. North Atlantic core Foraminifera collected by Swedish deep-sea expedition (abstr.). Bull. Amer. Ass. Petrol. Geol. 37 1953: 188.

Pick, F. see Deschiens, R.

Piercy, P. L. Transmission of anaplasmosis. Ann. N.Y. Acad. Sci. 64: 40-48.

Pillau, S. see Barwick, R. E.

Pillinger, R. see Marshall, S. C.

Pinto, J. de S. Radiolários do planeton marinho de Angola. An. Jta Inv. Ultramar, Lisbon 8: 127–151, figs.

Pistrak, R. M., Semikhatova, S. V., Pashkevich, E. I. & Vereiskaya, K. N. [On the stratigraphy and lithology of the Lower Carboniferous of Belorussia.] Bull. Acad. Sci. U.R.S.S. geol. 4: 59-73. [In Russian.]

Pitelka, D. R. (1). Fine structure of the flagellar apparatus and associated organelles in *Trichonympha*. J. Protozool. 3 Suppl.: 4.

Pitelka, D. R. (2). An electron microscope study of cortical structures of *Opalina obtrigonoidia*. J. biophys. & biochem. Cytol. 2: 423–432, figs.

Pizzi, P. T. & Chemke, S. J. Accion de la cortisona sobre la infeccion experimental de la rata por *Trypanosoma cruzi*. Biologica, Santiago No. 21, 1955: 31-48, figs.

Pizzi, T. (1). Observaciones sobre fagocitosis de eritrocitos por *Entamoeba moshkovskii* Tshalaia, 1941. Bol. Chileno Parasit. 11: 7-9, fig.

Pizzi, T. (2). Comprobación de Pneumocystis carinii en casos de neumonía intersticial plasmocitaria. Comunicación preliminar. Bol. Chileno Parasit. 11: 16-17, fig.

Plant, W. & Rustad, R. C. Uptake of adenine—8<sup>14</sup>C by whole and fractional amoebae. Nature, Lond. 177: 89-90, fig.

Plant, W. see Rabinovitch, M.

Poluszyński, G. [Übersicht anderer arbeiten aus dem gebiete der veterinären. Fischerei-und allgemeinen Parasitologie.] Wiad. Parazyt. 1 1955: 117–140. [German summary.]

Poncet, A. see Sergent, E.

Porter, A. & Vinall, H. F. A protozoan parasite (*Ichthyosporidium* sp.) of the neon fish *Hypdessobrycon innesi*. Proc. zool. Soc. Lond. **126**: 397–402, figs.

Porter, E. D. Observations on stomatogenesis in *Paramecium aurelia*. J. Protozool. 3 Suppl.: 9.

Post, R. J. see Cushman, J. A.

Potts, W. H. see Thomas, W. E.

Powelson, E. E. Differences in the silver-line system and various measurements in individuals, stocks and varieties of *Paramecium aurelia*. J. Protozool. 3 Suppl.: 9.

Powers, E. L. see Ehret, C. F.

Plumley, W. J. & Graves, R. W. jr. Virgilian reefs of the Sacramento Mountains, New Mexico. [Foraminifera]. J. Geol. 62 1953: 1-16, figs.

Pokorny, V. [On some paleo-ecological and micro-biostratigraphical problems of the Tertiary of Moravia.] [Foraminifera.] Sborn. geol. Úst. ésl. 20 1953: 169–187. [Russian and English summaries.]

Prescott, D. M. (1). Relation between cell growth and cell division. II. The effect of cell size on cell growth rate and generation time in Amoeba proteus. Exp. Cell Res. 11:86-94, figs.

Prescott, D. M. (2). Relation between cell growth and cell division. III. Changes in nuclear volume and growth rate and prevention of cell division in *Amoeba proteus* resulting from cytoplasmic amputations. Exp. Cell Res. 11: 94–98, fig.

Prescott, D. M. (3), Mass and clone culturing of Amoeba proteus and Chaos chaos. C.R. Lab. Carlsberg, ser. chim. 30: 1-12, fig.

Prescott, D. M. (4). Relations between cell growth and cell division.

I. Reduced weight, cell volume, protein content, and nuclear volume of Amoeba proteus from division to division. Exp. Cell Res. 9 1955: 328–337, figs.

Prescott, D. M. & James, J. W. Culturing of Amoeba proteus on Tetrahymena. Exp. Cell Res. 8 1955; 256-258, figs.

Prescott, D. M. see Mazia, D.

Prescott, D. M. see Møller, K. M.

Prey, S. Der obersenone Muntigler Flysch als Äquivalent der Mürbsandstein-führenden Oberkreide. [Foraminifera]. Verh. Geol. Bundesanst. Wien 1952: 92–101.

Pringle, C. R. Antigenic variation in Paramecium aurelia, variety 9. Z. indukt.-Abstamm.-u. Vererb Lehre 87: 421–430, figs.

Prost, E. [Parasitic invasions of cattle in Poland.] Acta Parasit. Polon. 3: 217–231. [English summary.]

Pryzbylkiewicz. Z. see Dolezal, M.

Puri, H. S. Contribution to the study of the Miocene of the Florida Panhandle. [Foraminifera.] Geol. Bull. Fla. geol. Surv. 36 1953: 69–151, figs.

Puytorac, P. de & Mauret, P. Détermination de certaines des conditions écologiques propres aux différentes ciliés parasites du tube digestif d'Allolobophora savignyi G. et H. (Oligochète). Bull. biol. 90: 122-141, figs.

Raabe, Z. [Investigations on the parasitofauna of freshwater molluses in the brackish waters.] Acta Parasit. polon. 4: 375–406, figs. [English summary.

Rabello, E. X. Incidência da Trichomonas foctus Recdmüller, 1928, em touras usadas para inseminação artificial no Estado de São Paulo. Rev. Fac. Med. Vet. S. Paulo 5: 539-550, figs. [English summary.]

Rabinovitch, M. & Plant, W. Cytochemical and autoradiographic observations on nuclear ribonucleic acid in *Amoeba proteus*. Exp. Cell Res. **10**: 120–124, figs.

Raggatt, H. G. Markings on joint surfaces in Anglesea member of Demon's Bluff Formation, Anglesea, Victoria. [Foraminifera.] Bull. amer. Ass, Petrol. Geol. 38 1954: 1808–1810.

Raïkov, I. B. see Bukhman, M. P. Ramalho, A. C. R. see J. X. Cotrim.

Rama Rao, R. & Sirsi, M. Rauwolfia alkaloids in avian malaria (P. gallinaceum). Curr. Sci. 25: 357.

Ramovs, A. (1). [Upper Palaeozoic strata on Konjiška Gora-Mountain and south of Žiče (Eastern Karavanke).] [Foraminifera.] Geol. Rozp. Poročila 2 1954: 221–224. [English summary.]

Ramovš, A. (2). Die Neoschwagerinenschichten in den Julischen Alpen, Neues Jb, Geol. Paläont. B 10 1955: 455–457.

Ramovs, A. see Kochansky-Devidé, V.

Ramsay, G. W. see Barwick, R. E. Ramsbottom, W. H. C. see Magraw, D.

Ramsine, S. see Simitch, T.

Randall, J. T. Fine structure of some ciliate Protozoa. Nature, Lond. 178: 9-14, figs.

Ranque, J. & Faure, A. Sensibilité de Sciuris vulgaris à la leishmaniose viscérale. Bull. Soc. Path. exot. 49: 40-43.

Rao, M. V. N. see Ganapati, P. N.

Rao, S. R. N. News-India. Micropaleontology 2: 196-197.

Rat, P. Observations sur les faciès saumâtres et marins de la base du Wealdien dans l'Est de la province de Santander (Espagne). [Foraminifera.] C.R. Acad. Sci. Paris 239 1954: 1820–1822.

Rat, P. see Ciry, R.

Rateau, J. see Languillon, J.

Rau, W. W. Foraminifera from the McIntosh Fermation (Eccene) at McIntosh Lake, Washington. Contr. Cush. Fdn. Foram. Res. 7: 69-78, figs.

Rauser - Chernoussova, D. M. (1). [On the ontogenesis of some Palaeozoie foraminifera.] Trudy Akad. Nauk. SSSR. Paleont. Inst. 20 1949: 339-351, figs.

Rauser - Chernoussova, D. M. (2). [On the primary taxonomic unity and systematics of foraminifera.] Micropal. Stud. Akad. Nauk SSSR. Otdel. geol.-geog. 1: 5-22. [In Russian.]

Ravikovich, A. I. [The characteristic fauna of the Upper Peleozoic of the basin of the Upper Pechora (River Unya).] Bull. Soc. Nat. Moscow gool. 31: 37-59, figs. [In Russian.]

Ray, A. P. & Sharma, G. K. Acquired resistance to chloroquine diphosphate in *P. gallinaceum* in chicks. Nature, Lond. 178: 1291.

Ray, C. (1). Meiosis and nuclear behavior in *Tetrahymena pyriformis*, J. Protozool. 3: 88-96, figs.

Ray, C. (2). Nuclear aberrations associated with lethal conjugation in *Tetrahymena pyriformis*. J. Protozool. 3 Suppl.: 2.

Raznitzin, V. A. [On the correlation of the Etroeungt Zone in the Russian Platform and the Urals.] [Foraminifera.] C.R. Acad. Sci. U.R.S.S. 106: 893–896. [In Russian.]

Read, C. P. Adaptation to carbohydrate substrates and "direct" utilization of maltose by *Trichomonas*. J. Parasit. **42** Suppl. : 23.

Read, T. R. see Beaver, P. C.

Regnéll, G. Leiosphaera (Hystrichosph.) aus unterordovizischen Kalkstein in SO-Schonen, Schweden. Geol. Fören. Stockh. Förh. 77: 546-556, figs.

Rego, S. & Garnham, P. C. C. The "Y" strain of Trypanosoma cruzi: leishmanial development in the spleen of mice. Trans. R. Soc. trop. Med. Hyg. 50: 299-300.

Rego, S. F. M. see Magahaes, A. E. A.

Řeháčková, V. [Well-water organisms of Prague.] Rozpr. české Akad. 63 1953: 1-35, figs. [English summary.]

Reichel, M. Sur une Trocholine du Valanginien d'Arzier. Eclog. geol. Helvet. 48 1955 : 396-408, figs.

Reichenbach-Klinke, H. H. Trichodina dohrai n. sp. eine neue fischpathogene Ciliatenart aus dem Golf von Neapel. Z. Parasit. 17: 365-370, figs. [English summary.]

Reichenow, E. Das Tierreich. I. Einzeller, Protozoen. (Sammlung Göschen, Bd. 444) Berlin: 115, figs.

Reinertson, J. W. see Thompson, P. E.

Reisner, A. see Wagtendonk, W. J. van.

Reiss, Z. News-Israel. Micropaleontology 2: 410-411.

Reitlinger, E. A. Lasiodiscidae fam. nov. Micropal. Stud. Akad. Nauk SSSR. Otdel geol.-geog. 1: 69-78, figs. [In Russian.]

Renz, C. & Mitzopoulos, M. Kreideforaminiferen aus dem Kalkhügel von Eleusis (Attika). Ann. géol. hellen. 3 1951: 1–6.

Repal, S. N. la (1). Le bassin néogène du Chelif. [Foraminifera.] 19th Congr. internat. Géol. Algér. Monogr. Région 1, Algérie 16 1952: 1-55.

Repal, S. N. la (2). Régions sudtelliennes et l'Atlas saharien. [Foraminifera.] 19th Congr. géol. Inter. Algér. Monogr. Région (1) Algérie 20 1952: 1–39, figs.

Reshetniak, V. V. [Vertical distribution of Radiolaria in Kurilian-Kamchatka depression.] Trav. Inst. zool. Acad. Sci. U.R.S.S. 21: 94-100, figs. [In Russian.]

Reshchetnyak, V. V. see Dogely, V. A.

Resseler, R. Un nouveau plasmodium de rat en Belgique: Plasmodium inopinatum n. sp. Ann. Soc. belge Med. trop. 36: 259-263, fig.

Reusse, U. Konservierung einiger tierpathogener Protozoen durch Aufbewahrung bei tiefen Temperaturen. Z. Tropenmed. u. Parasit. 7: 99-109.

Rey, M. (1), Comparaison des microfaunes du Nummulitique nordmarocain et du Nummulitique du Golfe du Mexique et de la mer des Caribes (abstr.). Rés. des Comm., 19th Congr. géol. Inter. Algér. 1952: 163.

Rey, M. (2). Description de quelques espèces nouvelles de Foraminifères dans le Nummulitique nord-marocain. Bull. Soc. geol. Fr. (6) 4 1954: 209-211, fig.

Rey, M. (3). News-North Africa. Micropaleontology 2: 198-199.

Reynoldson, T. B. The population dynamics of host specificity in *Urceolaria mitra* (Peritricha) epizoic on fresh-water Triclads. J. Anim. Ecol. 25: 127-143, figs.

Ribkin, M. L. see Chekhovich, V. D.

Ricci, M. (1). Ricerch parassitologiche nell' Isola d'Ischia. 3. Il parassitismo intestinale nella popolazione infantile. R.C. Ist. sup. Sanit. 17 1954: 200–212.

Ricci, M. (2). Riccrch parassitologiche nell' Isola d'Ischia. 4. Nota sul parassitismo intestinale nella popolazione adulta. R.C. Ist. sup. Sanit. 17 1954: 213-217.

Richards, H. G. Subsurface Triassic in eastern North Carolina. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 38 1954: 2564–2565.

Richey, D. J. & Ware, R. E. Schizonts of *Leucocytozoon smithi* in artificially infected turkeys. Cornell Vet. **45** 1955: 642-643, fig.

Rickwood, F. K. The geology of the western highlands of New Guinea. [Foraminifera.] J. geol. Soc. Aust. 2 1955: 63-82, figs.

Ridley, D. S. & Hawgood, B. C. The value of formol-ether concentration of faecal cysts and ova. J. clin. Path. 9: 74-76.

Riedel, W. R. & Schlocker, J. Radiolaria from the Franciscan group, Belmont, California. Micropaleontology 2: 357-360, figs.

Rios, J. Ma. see Almela, A.

Ritchie, L. S., Hunter, G. W. III., Yokogawa, M. & Pan, C. Parasitological studies in the Far East. X. An epidemiologic survey of Hokkaido, Japan. Jap. J. med. Sci. & Biol. 7 1954: 523-537, map.

Rivola, E. see Languillon, J.

Robertson, M. see Kerr, W. R.

Robertson, M. Some aspects of trypanosomiasis with particular reference to the works of Sir David Bruce. J. trop. Med. Hyg. 59: 69-77.

Robinson, C. V. see Andresen, N.

Robinson, E. S. see Barwick, R. E.

Robinson, T. A. see Beaver, P. C.

Roby, T. O. see Gates, D. W.

Roch, E. see Varela, G.

Rocha, A. T. News-Portugal Overseas. Micropaleontology 2: 412-413.

Rocha, A. T. see Ferreira, J. M.

Rocha, A. T. & Ferreira, J. M. (1). Foraminiferos fósseis do túnel de Rossio. An. Asoc. esp. Progr. Cienc. 19 1954: 345–348, fig.

Rocha, A. T. & Ferriera, J. M. (2). Estudo dos foraminiferos fósseis das "Argilas azuis com Nonionella atlantica Cushman" de cabo Ruivo (Portugal). An. Asoc. esp. Progr. Cienc. 20 1955: 129–146, figs.

Rodgi, S. G. see Karandikar, K. R.

Rodhain, J. (1). Un cas de sarcosporidiose chez un psittacide Eupsitulla auricapillus Licht. Ann. Parasit. hum. comp. 31: 5-10, figs.

Rodhain, J. (2). Absence d'immunité croisée entre Plasmodium berghei et Plasmodium vinckei dans les infections chez les jeunes rats. C.R. Soc. Biol. Paris 148 1954: 1519–1521.

Rodhain, J. (3). Les formes préérythrocytaines du *Plasmodium vivax* chez le chimpanzé. Ann. Soc. belge Méd. trop. **36**: 99–103, figs.

Rodhain, J. (4). Paradoxical behaviour of *Plasmodium vivax* in the chimpanzee, Trans. R. Soctrop. Med. Hyg. 50: 287-293, figs.

Rodhain, J. see Lips, M.

Roever-Bonnet, H. de. De epidemiologie van de toxoplasmose. Ann. Soc. belge Méd. trop. 36: 373-393, figs.

Roger, F. L'isolement de la souche reste le seul critère indiscutable d'identification du *Toxoplasma* lorsque le diagnostic doit être posé sur des pièces d'autopsie. Bull. Soc. Path. exot. 49: 239-241.

Roger, F. see Le Gac, P.

Romaña, C. Acerca del ciclo evolutivo del *Trypanosoma* (Schizotrypanum) cruzi Chagas 1909, en sus fases tisular y hematica. Mem. Inst. Osw. Cruz **54**: 255-269, figs.

Ronchetti, C. R. I foraminiferi del deposito elveziano di Dogliani (Cuneo). Riv. ital. Paleont. **61** 1955: 171–180, figs.

Roque, M. (1). La stomatogénèse pendant l'autogamie, la conjugaison et la division chez *Paramecium aurelia*. C.R. Acad. Sci. Paris **243**: 1564–1565.

Roque, M. (2). L'évolution de la ciliature buccale pendant l'autogamie et les conjugaison chez Paramecium aurelia. C.R. Acad. Sci. Paris 242: 2592-2595, figs.

Rosa, K. [Mikroflora und Mikrofauna schwelender Halden bei Sokolov.] Biológica, Bratislava 11:541–547, figs. [German summary, p. 546.]

Ross, G. I. M. see Hutner, S. H.

Roth, J. S. Studies on the function of intracellular ribonucleases. I. The action of cobalt and nickel on *Tetrahymena pyriformis* W. Exp. Cell Res. 10: 146–154.

Roth, L. E. Further electron microscope studies of *Euplotes patella*. J. Protozool. 3 Suppl.: 5.

Rotner, M. see Doolan, J. J.

Rouiller, C., Fauré-Fremiet, E. & Gauchery, M. (1). Origine ciliaire des fibrilles scléro-proteiques pédonuculaires chez les ciliés peritriches. Etude au microscope electronique. Exp. Cell. Res. 11: 527-541, figs.

Rouiller, C., Fauré-Fremiet, E. & Gauchery, M. (2). Les tentacules d'Ephelota; etude au microscope electronique. J. Protozool. 3: 194-200, figs.

Rouiller, C. R., Fauré-Fremiet, E. & Gauchery, M. (3). Fibres soléroproteiques, d'origine ciliaire chez les Infusoires péritriches. C.R. Acad. Sci. Paris 242: 180-182.

Rouiller, C. see Fauré-Fremiet, E.

Rubin, R. see Diamond, L. S.

Rubio, M. (1). Estudio de la enfermedad de chagas experimental del batracio. I. Factores que intervienen en la inmunidad natural. Bol. chileno Parasit. 11: 28–32.

Rubio, M. (2). Actividad lítica de sueros normales sobre formas de cultivo y sanguineas de *Tryponosoma cruzi*. Bol. chileno Parasit. 1: 62–69, figs.

Rubio, M. (3). Mitosis en celulas parasitadas por *Trypanosoma cruzi*. Estudio en animales de laboratorio. Biologica, Santiago No. 22: 51-56, figs.

Rubio D., M. (1). Influencia del acetato de cortisona sobre la virulencia y localizacion tisular de una nueva cepa de *Trypanosoma cruzi*. Estudio de la persistencia de los cambios observadas. Biologica, Santiago No. 21 1955: 75–89, figs.

Rubio D., M. (2). Estudio de una cepa de *Trypanosoma cruzi* aislada de triatorinideos de una localidad del sur del Peru. Biologica, Santiago No. 21 1955: 59–72, figs.

Rudzinska, M. A. The occurrence of hemixis in *Tokophrya infusionum*. J. Protozool. 3 Suppl.: 3.

Rudzinska, M. A. & Trager, W. An electron microscope study of *Plasmodium lophurae*. J. Parasit. **42** Suppl.: 36.

Rüegg, W. see Stainforth, R. M.

Ruffie, J. see Bouisset, L.

Ruffie, J. see Harant, H.

Ruiz de Gaona, M. & Colom, G. Estudios sobre las sinecias de los foraminiferos eocenicos de la vertiente meridional del Pirines (Cataliña-Vizcaya). Inst. Investig. Geol. "Lucas Mallada" Estudios Geol. 12 1950: 293-434.

Rusconi, C. Mares y organismos extinguidos de Mendoza. Rev. Mus. Hist. nat. Mendoza 9: 2–88, figs.

Russell, M. see Ladd, H. S.

Russell, P. F. World-wide malaria distribution, prevalence, and control. Amer. J. trop. Med. Hyg. 5: 937-965.

Rustad, R. C. see Plant, W.

Růžička, B. & Beneš, K. [A contribution to the knowledge of the Tortonian of Ostrava.] Sborn. geol. Úst. čsl. 20 1953: 25–83, figs. [Russian and English summaries.]

Růžička, B. & Beneš, S. K. [Micropaleontological research in the Torton of Svinov.] Přírod. Sborn. Ostravsk. Kraje 13 1952: 32–35, figs. [English summary: 35.]

Ryley, J. F. Studies on the metabolism of the protozoa. 7. Comparative carbohydrate metabolism of eleven species of trypanosome. Biochem. J. 62 (2): 215–222, figs.

Ryšavý, B. & Erhardová, B. Reservoire parasitärer krankheiten der haustiere in der freien natur. Natürliche Infektionsherde [Symposium], p. 360. Slovak. Acad. Sci., Bratislava. [With German and Russian summaries.]

Ryther, J. H. Interrelation between photosynthesis and respiration. in the marine flagellate, *Dunaliella euchlora*. Nature, Lond. 178: 861-863, fig.

Sachs, I. B. The chemical nature of the cyst membrane of *Pelomyxa illinoisensis*. Trans. Amer. micr. Soc. 75: 307-313, figs.

Saegusa, S. (1). [Studies on the viability of Dientamoeba fragilis in saline solution of various concentrations and pH values and also in the artificial gastric juice.] Nisshin Igaku 43: 315-320. [Japanese with English summary.]

Saegusa, S. (2). [Distribution of nucleic acids in *Dientamoeba fragilis* during nuclear division.] Nisshin Igaku 43: 401–405, figs. [Japanese with English summary.]

Said, R. News-Egypt. Micropaleontology 2: 96-97.

Said, R. & Kenaway, A. Upper Cretaceous and Lower Tertiary foraminifera from northern Sinai, Egypt. Micropaleontology 2: 105-173, figs.

Salmirs, A. M. see Lynch, J. E.

Saltman, P. see Wirtschafter, S.

Salvatori, U. II. Diagnosi di forme nuove *Tritaxilina maxima* n. sp. Riv. ital. Paleont. **61** 1955: 36, fig.

Sandar, G. see Fromentin, H.

Sandar, M. see Fromentin, H.

Sanders, M. see Nathan, H. A.

Sande, M. van. Influence du paludisme sur les protéines sériques étudiées par micro-électrophorèse sur papier. Ann. Soc. belge Med. trop. 36: 335–343.

Sanger, V. L. & Cole, C. R. Toxoplasmosis—VI. Isolation of toxoplasma from milk, placentas, and newborn pigs of asymptomatic earrier sows. Amer. J. vet. Res. 16 1955: 536-539, fig.

Sangiorgi, G., Caputi, F. & Chimicuti, N. Reperti sulla microfauna del liquami luridi di Bari. Boll. Soc. ital. Biol. sper. 29 1953: 146-147.

Sarauw, U. see Deschiens, R.

Sarmiento, R. see Petters, V.

Sato, R. [Immunological studies on Entamoeba histolytica. I. Immunological reactions with serums of guinea pigs which were intraperitoneally injected with living amoebae.] Kiseichu-gaku Zasshi 5: 462–467, fig. [Japanese with English summary.]

Sauchery, M. see Fauré-Fremiet, E.

Saurin, E. L'âge des calcaires de Sagada (Luçon, Philippines). [Foraminifera]. C.R. Soc. géol. Fr. 13 1954: 290-292. Sautet, J. & Caporali, J. Influence chez la souris blanche de divers régimes sur l'évolution de *Plasmo*dium berghei. Méd. trop. **15** 1955 : 222-228.

Sautet, J., Pastacaldi, V. & Vuillet, J. Action de l'alcoolisme sur l'évolution de l'infection a *Plasmodium berghei* chez la souris. Bull. Soc. Path. exot. **49**: 640-647.

Sawai, K. Preliminary report on deposits of foraminiferal tests in Seto-naikai, Japan (Hiuchi-nada). Mem. Coll. Sci. Kyoto 22B 1955: 261-262.

Saxe, L. H. see Anderson, E.

Schaden, H. (1). Das Augentierchen Euglena viridis. Mikrokosmos 45: 140-142, figs.

Schaden, H. (2). Das Glockentierchen Vorticella. Mikrokosmos 46: 42-43, fig.

Schatz M. F. [Parasites of the goose in Solzy district (Leningrad region).] Trav. Soc. Nat. St. Petersb. (Leningr.) 69 1947: 202–222. [English summary.]

Scher, S. & Frank, O. Direct and coupled utilization of substrates by Euglena gracilis z. J. Protozool. 3 Suppl.: 7.

Scherbaum, O. Cell growth in normal and synchronously dividing moss cultures of *Tetrahymena pyriformis*. Exp. Cell Res. 11: 464-476, fig.

Scherbaum, O. & Zeuthen, E. Temperature - induced synchronous divisions in the ciliate protozoon *Tetrahymena pyriformis* growing in synthetic and proteose-peptone media. Exp. Cell Res. Suppl. 3 1955: 312–325, figs.

Schiller, J. (1). Untersuchungen an dem planktischen Protophyten. des Neusiedlersees 1950-54. I. Teil Wiss. Arb. Burgenland 9 1955: 1-66, figs.

Schiller, J. (2). Untersuchungen an den planktischen Protophyten des Neusiedler Sees 1950–1954. III. Teil. Euglena. S.B. öst. Akad. Wiss. (I) 165: 547–583, figs. Schinazi, L. A. & Ball, G. H. Changes in infectivity of *Plasmodium relictum* for avian hosts. Exper. Parasit. 5: 541-550, figs.

Schindewolf, O. H. Kleinforaminiferen und paläontologische Chronologie. Neues Jb. Geol. Paläont. B. 2 1955: 82–84.

Schlanstedt, R. see Paul, J.

Schleicher, E. M. see Payne, E. H.

Schlocker, J. see Riedel, W. R.

Schmidt, H. Studien au darmbewohnenden Flagellaten der Termiten. II. Mitteilung Holsteilchen als Zelleinschlüsse und Nahrung bei Trichonympha und Joenia. Z. Parasitenk. 17: 269–275, figs.

Schmidtke, L. Zur übertragung der Toxoplasmose durch verfülterung von parasitenholtigem gewebe. Z. Tropenmed. u. Parasit. 7: 80–86.

Schmidtke, L. see Kunert, H.

Schneller, M. V. see Sonneborn, T. M.

Schock, R. U. see Otto, G. F.

Schoenborn, H. W. (1). Spontaneous changes in Astasia longa cells causing altered growth characteristics in a complete medium. J. Protozool. 3 Suppl.: 7.

Schoenborn, H. W. (2). Protection against lethal damage induced by ultraviolet radiation. J. Protozool. 3: 97-99.

Schoenherr, K. E. Serologische Untersuchungen über Trichomonaden. Z. Immun. Forsch. 113: 83-94.

Schoenherr, K. E. see Uhlenhuth, P.

Schofield, F. D. see Woodruff, A. W.

Scholtyseck, E. Untersuchungen über-die coccidieninfektion bei Vögeln Zbl. Bakt. 165: 275–289, figs. [English summary.]

Scholtyseck, E. & Weissenfels, N. Elektronenmikroskopische Untersuchungen von Sporozoen. I. Die Oocystenmembran des Hühnercoccids Eimeria tenella. Arch. Protistenk. 101: 215–222, figs.

Schwalb, H. see Collinson, C.

Schwartz, B. Parasites common to animals and man. Rep. U.S. nat. Mus. 1955 [1956]: 419-431, figs.

Schwartz, E. see Frizzell, D. L.

Schwartz, V. (1). Nukleolenformwechsel und Zyklen der Ribosenukleinsäure in der vegetativen Entwicklung von Paramecium bursaria. Biol. Zbl. 75: 1-16, figs.

Schwartz, V. (2). Mitotische Spindelfasern bei *Paramecium bursaria*. Naturwissenschaften **43**: 501, figs.

Schwartz, W. see Siebert, G.

Schwetz, J., Baumann, H. & Fort, M. Sur quelques parasite sanguicoles trouvés dans divers rats sauvages et domestiques de l'Est du Congo Belge. Ann. Soc. belge Med. trop. 36: 589-594.

Scolari, G. see Murat, R.

Scorza, J. V. & Dagert, B. y C. Plasmodium pifanoi nov. sp. parásite de Ameiva ameiva ameiva de Venezuela. Nov. Cient. Cont. Ocas. Mus. Hist. Nat. la Salle, ser. zool. 20: 3-7, figs.

Scorza, J. V., Dagert, B. C. & Arocha, L. I. Estudo sôbre hemoparasitos de *Bufo marinus* L. da Venezuela. Mem. Inst. Osw. Cruz **54**: 373-391, figs.

Seaman, G. R. Succinate metabolism of hemoflagellates. Exper. Parasit. 5: 138-148.

Seibold, E. & Seibold, I. Revision der Foraminiferen - Bearbeitung C. W. Gumbels (1862) aus dem Streitberger Schwamm-Mergeln (Oberfranken, Unterer Malm). Neues Jb. Geol. Min. Paläont. 101 1955: 91–134, figs.

Seibold, I. see Seibold, E.

Selander, R. K. The occurrence of the parasite *Sarcocystis* in Mexican birds. Amer. Midl. Nat. **54** 1955: 252-253.

Semikhatova, S. V. see Pistrak, R. M.

Senda, T. see Magara, M.

Seneca, H. & Bergendahl, E. Effect of oxysteroids on the inhibitory action of antibiotics on cultures of bacteria and *Endamoeba histolytica*. Antibiot. & Chemother. 6:41-50.

Sergent, E. Sur des formes schizogoniques d'un type particulier présentées par *Plasmodium berghei*, agent d'un paludisme de rongeurs du Congo. C.R. Acad. Sci. Paris 242: 1941–1943.

Sergent, E. & Poncet, A. (1). Étude expérimentale du paludisme des rongeurs à *Plasmodium berghei*. IV. Résistance acquise. Arch. Inst. Pasteur Alger. 34: 1–51.

Sergent, E. & Poncet, A. (2). Étude expérimentelle du paludisme des rongeurs à *Plasmodium berghei*. V. Morphologie du parasite. Arch. Inst. Pasteur Alger. 34: 139-180, figs.

Sergent, E. & Poncet, A. (3). Étude expérimentale du paludisme des rongeurs à *Plasmodium berghei*. VI. Cycle evolutif schizogonique de la plasmodie. Arch. Inst. Pasteur Alger. **34**: 287-345, figs.

Sergent, E. & Poncet, A. (4). Note sur la resistance innée à *Plas*modium berghei de gerbilles de l'Afrique du nord. Arch. Inst. Pasteur. Alger. **34**: 494–495.

Sergent, E. & Sergent, E. Historique du concept de l'immunité "relative" on "prémunition", corrélativé d'une infection latente. Arch. Inst. Pasteur Alger 34: 52-89.

Seshachar, B. R. & Padmavathi, P. B. (1). Synchronous micronuclear divisions in multimicronucleate ciliates. Curr. Sci. 25: 281–282, figs.

Seshachar, B. R. & Padmavathi, P. B. (2). Chromatographic analysis of the asexual and conjugation stages of a ciliate *Blepharisma undulans* (Stein). Naturwissenschaften 43: 450-451.

Seshachar, B. R. & Padmavathi, P. B. (3). The cytology of a new species of *Spirostomum*. J. Protozool 3: 145-150.

Setlow, R. & Doyle, B. The action of ultraviolet light on paramecin and the chemical nature of paramecin. Biochim. biophys. Acta 22: 15-20, figs.

Setterington, D. T. Oilfield fossils of the Paleocene System. [Foraminifera]. Petroleum (London) 13 1950: 66-67.

Shaffer, J. G. & Ansfield, J. The effect of rabbit antisers on the ability of *Entamoeba histolytica* to phagocytose red blood cells. Amer. J. trop. Med. Hyg. 5: 53-6.

Sharma, G. K. see Ray, A. P.

Shehedrina, Z. G. (1). Foraminifera. (22-31). In P. V. Ushakov, Atlas of the Invertebrates of the Far Eastern Seas of the U.S.S.R. Inst. Zool. Acad. Sci. Leningrad 1955. [In Russian.]

Shchedrina, Z. G. (2). [Earlier faunal studies on the marine foraminifera in the U.S.S.R.] Micropal. Stud. Akad. Nauk SSSR. Otdel, geol.-geog. 1: 23-36.

Shchedrina, Z. G. (3). [New species of Foraminifera from Far Eastern seas.] Trav. Inst. zool. Acad. Sci. U.R.S.S. 21: 79-93, figs. [In Russian.]

Shepard, D. C. see Brandt, C. L.

Shephard, F. P. (1). Sand and gravel in deep-water deposits. [Foraminifera]. World Oil 132 1951: 61-68.

Shephard, F. P. (2). Methods of recognizing shallow-water marine environments (abstr.). Bull. geol. Soc. Amer. 64 1953: 1472-1473.

Sherman, H. J. see Beaver, P. C.

Shimizu, D. see Nakazawa, K.

Shulman, S. S. & Shulman-Albora, R. E. [Parasites of fishes of the White Sea.] Moscow, 1953, 200, 22 figs. [In Russian.]

Shulman-Albora, R. E. see Shulman, S. S.

Shumard, R. F. The coccidiostatic activity of soluble furacin against *Eimeria necatrix*. J. Parasit. **42** Suppl.: 24.

Shute, P. G. Special diagnosis of malaria. Brit. med. J. 2: 1171-1172.

Shute, P. G. & Maryon, M. Is the malaria parasite within or upon the red blood corpuscles? With particular reference to the significance of stippling and other morphological changes observed in the host cells. Trans. R. Soc. trop. Med. Hyg. 50: 139-149. figs.

Shute, P. G. see Field, J. W.

Shutskaya, E. K. [Stratigraphy of the lower Palaeogene of the Central pre-Caucasus, based on foraminifera.] Trud. Inst. Geol. Nauk SSSR. 164 geol. ser. 71: 3-114, figs. [In Russian.]

Sibalié, S. see Nevenié, J.

Sidó, M. [Mikropaläontologische Daten aus den Miozän-Sedimenten von Salka (Ipolyszalka).] [Foraminifera.] Földt. Kozl. 85 1955: 211–214, fig. [German summary: 215.]

Siebert, G. & Schwartz, W. Untersuchungen über das Vorkommen von Mikroorganismen in entstehenden Sedimenten. Arch. Hydrobiol. 52: 321–366, figs.

Siegel, R. W. Mating types in Oxytricha and the significance of mating type systems in ciliates. Biol. Bull. Woods Hole 110: 352–357.

Sigal, J. Date of erection of the genus Kilianina Pfender. Contr. Cush. Fdn. Foram. Res. 7: 25.

Sigal, J. see Busson, G.

Silva, P. C. Evaluation of the Protista as a group of living organisms. Micropaleontology 2: 294—295.

Silva, R. see Neghme, A.

Silva Carmo, E. da see Botafago Gonçalves, N.

Silva Ramos, A. da & Albuquerque Lima, H. M. de. Nota sobre o achado ocasional do *Trypanosoma* cruzi em exames hemoscopicos. Folia Clin. Biol. S. Paulo 23 1955: 149–150.

Simitch, T., Petrovitch, Z. & Bordjochki, A. (1). Citellus citellus animal de choise pour l'étude biologique et isolement de Toxoplasma gondii. Arch. Inst. Pasteur Alger 34: 93-99.

Simitch, T., Petrovitch, Z. & Bordjochki, A. (2). L'effect du sommeil hibernal sur Toxoplasma gondii chez des Citellus citellus infectes expérimentalement. Arch. Inst. Pasteur, Alger 34: 355–359.

Simitch, T., Ramsine, S., Petrovitch, Z., Chibalitch, D. & Jankov, L. Action de l'eau chlorée, du chlorune de Chaux, de la chloramine et de l'iode sur la vitalité des kystes d'*Entamoeba dysenteriae*. Arch. Inst. Pasteur Alger. **34**: 205–217.

Simonsen, D. H. & Wagtendonk, W. J. van. The succinoxidase system of killer and sensitive stocks of *Paramecium aurelia* Variety 4. J. gen. Microbiol. 15: 39-46.

Singer, I. & Trager, W. Coenzyme A changes – liver, spleen and kidney of rats with infections of *Plasmodium berghei*. Proc. Soc. exp. Biol. Med. 91: 315–318.

Singh Grewal, M. (1). Life cycle of the rabbit trypanosome, Trypanosoma nabiosi Raillet, 1895. Trans. R. Soc. trop. Med. Hyg. 50: 2.

Singh Grewal, M. (2). Trypanosoma rangeli Tejera 1920, in its vertebrate and invertebrate hosts. Trans. R. Soc. trop. Med. Hyg. 50: 301-302.

Siqueira, A. F. see Magalhaes, A. E. A.

Sirsi, M. see Rama Rao, R.

Skaar, P. D. Past history and pattern of serotype transformation in *Paramecium aurelia*. Exp. Cell Res. 10: 646–656.

**Škreb-Guilcher,** Y. (1). Quelques remarques sur un protozoaire cilié, le tentaculifère *Stylocometes digitalis* Stein. Bull. Micr. appl. **5** 1955: 118–121, figs.

**Škreb-Guilcher,** Y. (2). Evolution de la respiration chez un Cilié Apostome: *Polyspira delagei* Mink. C.R. Soc. Biol. Paris **150**: 121-123.

**Škreb-Guilcher**, Y. (3). Influence de la ribonucléase sur la teneur en adénosintriphosphate (ATP) et la consommation d'oxygen des amibes vivantes. Biochim. biophys. Acta 17 1955: 599-600.

Smedley, S. R. A method of freeing cultures of *Entamoeba histolytica* from contamination with blastocystis, Trans. R. Soc. trop. Med. Hyg. **50**: 232–233.

Smirnova, L. I. [On phytoplankton from the north-western part of the Pacific.] C.R. Acad. Sci. U.R.S.S. 109: 649-652, figs. [In Russian.]

Smith, C. S. see Gibson, C. L.

Smith, R. J. Geology of the Los Teques-Cua region, Venezuela. [Foraminifera.] Bull. geol. Soc. Amer. 64 1953: 41-64, figs.

Smitter, Y. H. Chitinosaccus, a new foraminiferal genus of the Allogromiidae from Santa Lucia Bay, Zululand. S. Afr. J. Sci. 52: 258-259, fig.

Smout, A. H. Three new Cretaceous genera of foraminifera related to the Ceratobuliminidae. Micropaleontology 2: 335-348, figs.

Soberon y Parra, G. & Perez Reyes, R. The activity of primaquin-pyrimethamine (Daraprim) combinations against *Plasmodium relictum* in pigeons. J. Protozool. 3: 43–45.

Soeiro, A. A malária em Moçambique com especial referencia à campanha antimalárica numa região predominantemente urbana (Lourenço Marques) e uma região predominantemente rural (Vale do Limpops). An. Inst. Med. trop. Lisbon 13: 615-634, maps.

Soeiro, A., Pereira, M. & Pereira, A. A luta ante-malárico em Lourenço Marques. An. Inst. Med. trop. Lisbon 13: 635-669, figs. [English summary.]

Sokurenko, A. E. [Biological aspects of the epidemiology of giardiasis.] Trav. Inst. Zool. Parasit. Kirgiz Acad. Sci. 3 1955: 225–232.

Soler Durall, C. & Vilardell Viñas, F. Encuesta sanitaria sobre sensibilidad a la toxoplasmina en la poblacion de Barcelona. Med. colon. 26 1955: 197–211, figs.

Solovyeva, M. N. see Chekhovich, V. D.

Somers, M. see Moir, R. J.

Sonneborn, T. M. (1). Some current problems of genetics in the light of investigations on *Chlamydomonas* and *Paramecium*. Cold Spr. Harb. Symp.-quart. Biol. 16 1951; 483-503.

Sonneborn, T. M. (2). An exceptional autogamous clone in variety 4 of *Paramecium aurelia* and its interpretation. J. Protozool. 3 Suppl.: 8.

Sonneborn, T. M. & Dippell, R. V. Giant Paramencium aurelia (?). J. Protozool. 3 Suppl.: 9.

Sonneborn, T. M., Schneller, M. V. & Craig, M. F. The basis of variation in phenotype of gene-controlled traits in heterozygotes of *Paramecium aurelia*. J. Protozool. 3 Suppl.: 8.

Sorouri, P. The nuclear cytology of *Leishmania tropica*. J. Morph. 97 1955: 393-413, figs.

Sotero Cabral, A. Notas sôbre o Pneumocystis carinii. Raridade atual dêste parasito em animais de laboratorio. Mem. Inst. Osw. Cruz 54: 87-91, fig.

Sousa e Silva, E. de (1). "Red water" por Exuviella baltica Lohm. com simultânea mortandade de peixes nas águas litorais de Angola. An. Ita Ino. Ultramar, Lisbon 8:73-84, figs.

Sousa e Silva, E. de (2). Contribution à l'ètude du microplaneton de Dakar et des régions maritimes voisines. Bull. Inst. franç. Afr. N. 18A: 335-371, figs.

Sowah, E. M. A. see Colbourne, M. J.

Speigler, W. see Hellbrugge, T.

Sperrazza, J. T. Distribution of the Foraminifera: in N. D. NEWELL Geological reconnaissance of Raroia (Kon Tiki) Atoll, Tuamotu Archipelago. Bull. Amer. Mus. nat. Hist. 109: 363-369.

Splitter, E. J., Twichaas, M. J. & Castro, E. R. Anaplasmosis in sheep in the United States. J. Amer. vet. med. Ass. 127 1955: 244-245.

Spooner, D. F. see Fulton, J. D. Squire, F. A. see Edwards, E. E.

Šrámek-Hušek, R. (1). [Vorläufiges Verseichnis der in Böhmen, Mähren und Schlesien bis zum Jahre 1950 gefundenen Ciliatenarten.] Čas. nár. Mus. 122 1953: 76–88. [German summary.]

Šrámek-Hušek, R. (2). Zur biologischen Charakteristik der höheren Saprobitätsstufen. Arch. Hydrobiol. 51: 376–390.

Stabler, R. M. Furazolidone as a therapeutic agent in pigeon trichomoniasis. J. Parasit. 42, Suppl.: 23.

Stainforth, R. M. (1). News-North-Central United States. Micropaleontology 2: 103-104.

Stainforth, R. M. (2). News-United States-Rocky Mountain region. Micropaleontology 2:413-414.

Stainforth, R. M. & Rüegg, W. Mid-Oligocene transgression in southern Peru. [Foraminifera]. Bull. Amer. Ass. Petrol. Geol. 37 1953: 568-569.

Stam, A. B. & Thiel, P. H. van. The amoebicidal action in vitro of 1,2,3,4-tetrahydro-9-fluorenone (T. H. F.). Docum. Med. geogr. trop. 8: 171-174.

Starodubtzeva, A. S. see Chekhovich, V. D.

Starzyk, J. see Dolezal, M.

Stauber, L. A. see Franchino, E. M.

Stefani, R. (1). L'autoinfestazione per ferita di una gregarina parassita dell'embiottero *Haploembia solieri* Ramb. R.C. Accad. Lincei 21: 124– 127.

Stefani, R. (2). Un ciclo endogeno celomatico sussequente al normale ciclo biologica in *Diplocystis clerci* Leg. (Eugregarina-Diplocystidae). Riv. Parassit. 17: 143–164, figs.

Stefani, T. de. Su alcune manifestazioni di idrocarburi in provincia di Palermo e descrizione di Foraminiferi nuovi. Plinia 3 (4) 1950 [1951]: 1–12, figs.

Steinart, M. see Boné, G. J.

Steinart, M. & Boné, G. J. Induced change from culture form, to blood-stream form in *Trypanosoma mega*. Nature, Lond. 178: 362, fig.

Stephenson, H. K. see Ladd, H. S.

Sterbenz, F. J. (1). The axenic culture of Paramecium caudatum. J. Protozool. 3 Suppl.: 13.

Sterbenz, F. J. (2). A demonstration of the need for thioctic acid for the growth of *Paramecium caudatum* in axenic culture. J. Protozool. 3 Suppl.: 14.

Sterbenz, F. J. & Lilly, D. M. Factors influencing growth in Protozoa. I. Factors influencing abnormal growth in Suctorian Protozoa. Trans. N.Y. Acad. Sci. 18: 522-530.

Stevens. G. R. see Barwick, R. E.

Stone, S. W. Some ecologic data relating to pelagic foraminifera. Micropaleontology 2: 361-370, figs.

Stout, J. D. (1). Saprophilus muscorum Kahl, a tetrahymenal ciliate. J. Protozool. 3: 28-30, figs.

Stout, J. D. (2). Excystment of Frontonia depressa (Stokes) Penard. J. Protozool. 3: 31-32, fig.

Streble, H. Gregarinen. Mikrokosmos 45: 224–227, figs.

Strelkov, A. A. Heterotricha (39-44). In P. V. Ushakov, Atlas of the Invertebrates of the Far Eastern Seas of the U.S.S.R. Inst. Zool. Acad. Sci. Leningrad 1955. [In Russian.]

Strickland, J. W. see Wengerd, S. A.

Strome, C. P. see Lawless, D. K.

Strong, M. W. Marine iron bacteria as rock-forming organisms. [Protozoa]. Advanc. Sci. 12: 582-5.

Strümer, W. Zur Technik an Graptolithen und Radiolarien in Main-Kiesel-schiefern. Senckenbergiana 32 1952: 351–355, figs.

Stubbs, R. K. see Volini, M.

Stukova, K. V. see Chekhovich, V. D.

Stunz, D. I. see Harwood, P. D.

Suetomi, H. see Minato, M.

Sukharevich, P. M. [On the stratigraphy and lithology of the Jurassic deposits of the south-western part of the adjacent Black Sea Depression.] [Foraminifera.] Bull. Acad. Sci. U.S.S.R. geol. **3**: 72–80. [In Russian.]

Sullwold, H. H. jr. Geology of, West Edison oil field, Kern County. California. [Foraminifera.] Bull. Amer. Ass. Petrol. Geol. 37 1953: 797–820, figs.

Supperer, R. see Bôhm, L. K.

Sussman, M. On the relation between growth and morphogenesis in the slime mold Dictyostelium discoideum. Biol. Bull. Woods Hole 110: 91-95, figs.

Sussman, M. see Bradley, S. G.

Suyama, K. see Minato, M.

Suzuki, Y. see Minato, M.

Svanbaev, S. K. [Materials on the fauna of coccidia in wild mammals of Western Kazakstan.] Trans. Inst. Zool., Acad. Sci. Kazakh SSR. 5: 180–191 figs. [In Russian.]

Svanidze, D. P. [History of the study of amoebiasis and its control in U.S.S.R.] Moscow, 1955: 132 pp. figs. [In Russian.]

Svensson, R. (1). Intestinal parasites in Himalayan Regions. Amer. J. Hyg. 64: 158–169.

Svensson, R. (2). Intestinal parasites in Kathmandu, Nepal. J. Parasit. 42: 94-95.

Swader, L. L. & Baker, E. G. S. Some relationships between individual size and growth conditions in *Tetrahymena pyriformis*. J. Protozool. 3 Suppl.: 4.

Swellengrebel, N. H. Parasitology, a chapter of ecology. Docum. Med. geogr. trop. 8: 274-280.

Swerdlow, M. A. see Burrows, R. B.

Switzer, G. S. & Bouçot, A. J. Mineralogy of some microfossils (abstr.). Bull. geol. Soc. Amer. 64 1953: 1481-2.

Szenk, B. J. News-Venezuela. Micropaleontology 2: 414-415.

Tahmisian, T. N. see Beams, H. W.

Tai, Y. (1). Miocene foraminifera from the Syôbara Basin, Hiroshima Prefecture. J. Sci. Hiroshima Univ. C. 1 1953: 1-9, figs. Tai, Y. (2). Miocene smaller foraminifera from the Tsuyama Basin, Okayama Prefecture, Japan. J. Sci. Hiroshima Univ. C1 1954: 1-24, figs.

Tai, Y. (3). Micropaleontological study of the Furue formation. Part 3 of Geology of the Tertiary system in Shimana Peninsula, Japan. [Foraminifera.] J. geol. Soc. Japan 61 1955: 407-419, figs.

Tairov, Ch. A. [On two new genera of Foraminifera belonging to the family Verneuilinidae and Ammodiscidae.] C.R. Acad. Sci. Azerbaid. 12: 113-116, figs. [In Russian.]

Tairov, Ch. A. see Khalilov, D. M.

Takagi, K. Responses of adrenal cortex under the experimental parasitic invasion. Gunma J. med. Sci. 5: 190–208, figs.

Takasawa, M. see Ijiri, S.

Takayanagi, Y. Distribution of the recent Foraminifera from adjacent seas of Japan (I). Rec. oceanogr Wks. Japan N.S. 1 1953: 78–85.

Takeda, Y. see Minato, M.

Taliafero, M. O. see Mackie, T. T.

Taltasse, P. Recherches géologiques et hydrogéologique dans le Bassin lacustre de Les Meknès. [Foraminifera.] Notes Serv. Min. Maroc. 115 1953: 46–88.

Tappan, H. see Loeblich, A. R. jr.

Tarlatzis, C., Panetsos, A. & Dragonas, P. Furacin in the treatment of ovine and caprine coccidiosis. J. Amer. vet. med. Ass. 126 1955: 391-392.

Tartar, V. (1). Equivalence of macronuclear nodes in *Stentor coeruleus* and *Condylostoma magnum*. J. Protozool. 3 Suppl.: 9.

Tartar, V. (2). Morphogenetic determination of the oral primordium of Stentor coeruleus. J. Protozool. 3 Suppl.: 9.

Tartar, V. (3). Grafting experiments concerning primordium formation in *Stentor coeruleus*. J. exp. Zool. 131: 75-122, figs.

Tatum, A. L. see Hughes, F. W.

Taub, J. Effect of normal human serum on *Leishmania*. Bull. res. Counc. Israel, **6E**: 55-57.

Tavares, B. M. see Botafogo Gonçalves, N.

Tayeb, G. see Delga, M. D.

Taylor, A. E. R. On the influence of ethionine on infections of *Plasmodium berghei* in white mice. Trans. R. Soc. trop. Med. Hyg. **50**: 418.

Taylor, A. E. R., Terry, R. J. & Godfrey, D. G. The action of some trypenocidal and antimalarial compounds on Babesia rodhaini (Piroplasmidae). Brit. J. Pharmacol. 11: 71.

Taylor, D. J. see Greenberg, J.

Taylor, D. J., Greenberg, J., Josephson, E. S. & Nadel, E. M. Histochemical sudanophilia and cholesterol concentration in the adrenal glands of chicks parasitized with Plasmodium gallinaceum. Acta Endocrinology 22: 173-178, figs.

Taylor, M. [see also Sister Monica.] Recent advances in *Amoeba* lore. School Sci. Rev. **34** 1952: 98-108, figs.

Tchakhotine, S. T. & Benedicenti, A. Azione di alcuni farmaci sugli esseri unicellulari, R.C. Accad. Lincei 20: 19-23.

Tempere, C. see Magné, J.

Terriere, R. T. see Bergenback, R. E.

Terry, R. J. Transmission of antimalarial immunity (*Plasmodium berghei*) from mother rats to their young during lactation. Trans. R. Soc. trop. Med. Hyg. **50**: 41–46, figs.

Terry, R. J. see Taylor, A. E. R.

Terzian, L. A. The comparative morphological and physiological effects of various drugs on the sporogenous cycle of Plasmodium gallinaceum in Aedes aegypti. J. cell. comp. Physiol. 46 1955: 279–290, figs.

Tewari, B. S. The genus Spiroclypeus from Kutch, Western India. Curr. Sci. 25: 319-320, figs. Thalmann, H. E. (1). Practical value of some microfossils. Bull. amer. Ass. Petrol. Geol. 39 1955: 1196-1201.

Thalmann, H. E. (2). News— United States West Coast. Micropaleontology 2: 199–200.

Thalmann, H. E. see Laiming, B.

Theleznov, V. M. see Chekhovich, V. D.

Thélin, L. Deux Myxosporidies parasites de la Perche du lac Léman. Rev. suisse Zool. 63: 163-181, figs.

Théodoridès, J. (1). Contribution à l'étude des parasites et phoretiques de Coléopteres terrestries. Vie et Milieu, 1955 [received 1956] Suppl. no. 4: 310 pp., figs.

Théodoridès, J. (2). A propos des grégarines d'Hyménoptères Apoidea. Ann. Parasit. hum. comp. 31: 315–316.

Théodoridès, J. & Ormières, R. Sur un cas teratologique chez Didymophyes guttiformis Cordua et remarques sur la position systematique du genre Didymophyes Stein (Eugregarina, Didymophyidae). Ann. Parasit. hum. comp. 31: 177-181, fig.

Thiel, P. H. van (1). Constant morphological feature in the trophozoite stage of *Entamoeba histolytica*. Trans. R. Soc. trop. Med. Hyg. 50: 615.

Thiel, P. H. van (2). The persistance of *Toxoplasma* strains in albino rats. Leeuwenhoek ned. Tijdschr. 22: 243–247.

Thiel, P. H. van (3). The taxonomic status of *Toxoplasma gondii*. Leeuwenhoek ned. Tijdschr. 22: 248-256, figs.

Thiel, P. H. van & Waaij, D. van der. The significance of pseudocysts in the oral infection of man and animals with *Toxoplasma gondii*. Docum. Med. geogr. trop. 8:392-396.

Thiel, P. H. van see Stam, A. B.

Thiermann, E. & Náquira, F. Contribución al diagnostico parasito-lógico de la toxoplasmosis. Demostracion del *Toxoplasma gondi* en 5 cosos. Bol. chileno Parasit. 11:13-16.

Thomas, A. N. Facies variations in the Asmari limestone. Rept. 18th inter. Congr. Geol. Gt. Britain 1948. Sect. J. 10 [1952]: 74-82, fig.

Thomas, R. & Mabille, J. Rhizopodes thécamoebiens observés dans le Département de l'Aisne. Cahiers Nat. N.S. 12: 26-32, figs.

Thomas, R. see Bonnet, L.

Thomas, W. E., Davey, T. H. & Potts, W. H. Report of the commission of inquiry on human and animal trypanosomiasis in Southern Rhodesia. (C. Fed. 24). Salisbury 1955. [Issued 1956.]

Thompson, J. C. Observations on the buccal ciliature of *Tetrahymena*. J. Protozool. 3 Suppl.: 4.

Thompson, P. E. The evaluation of antiamebic drugs in experimental animals. Antibiot. Med. 1 1955; 603-610.

Thompson, P. E., McCarthy, D. A., Bayles, H., Reinertson, J. W. & Cook, A. R. Comparative effects of various antibiotics against *Endamoeba histolytica* in vitro and in experimental animals. Antibiot. & Chemother. 6: 337–350.

Thompson, P. E., Reinertson, J. W. McCarthy, D. M., Bayles, A. & Cook, A. R. Biallylamicol, a new amebicide: Chemotherapeutic studies in intestinal and hepatic amebiasis in animals. Antibiot. & Chemother. 5 1955: 433-444.

Thoms, R. K. see Eugene, E.

Thorpe, W. H. Learning and instinct in animals. London (Methuen) 1956, pp. viii+493, figs.

Thursch, H. Die Gliederung des Unteren Rupeltons im Mainzer Becken auf Grund seiner Foraminiferen-Fauna. Notizbl. hess. Landesant. Bodenforsch. 84: 216–231, figs.

Tijn, B. van see Wagtendonk, W. J. van.

Tintant, H. & Larcher, C. Nouvelles observations sur l'Oxfordien aux environs de Dijon. Bull. sei. Bourgoyne 16: 165-171, fig.

Tiratsoo, E. N. Petroleum Geology. McGraw Hill, New York, 1952: 1-449, figs. [Foraminifera.] Tobie, E. J. & Highman, B. Influence of the amino nucleoside of puromycin on the course and pathology of trypanosome infections in rabbits and mice. Amer. J. trop. Med. Hyg. 5: 504-515, figs.

Todd, I. N. see Barwick, R. E.

Todd, R. (1). Recent literature. Contr. Cush. Fdn. Foram. Res. 7: 31-33.

Todd, R. (2). Recent literature. Contr. Cush. Fdn. Foram. Res. 7: 67-68.

Todd, R. (3). Recent literature. Contr. Cush. Fdn. Foram. Res. 7: 102-104.

Todd, R. (4). Recent literature on the foraminifera. Contr. Cush. Fdn. Foram. Res. 7: 152-153.

Todd, R. (5). Smaller foraminifera [Geology of Saipan, Mariana Islands]. U.S. Geol. Surv. Prof. Paper 280-H: 265-320, figs.

Todd, R. see Cushman, J. A.

Todorović, K. Kala azar und Hautleishmaniosen in Jugoslawien. Zbl. Bakt. 167: 390–395.

Tokay, M. see McCallion, W. J.

Tomić-Džodžo, R. Microfauna from well-drilling CEI—Šumećani. [Foraminifera.] Zborn. Radova geol. Inst. Beograd 7 1954: 201–227, figs.

Toomey, D. F. Addendum to a Bibliography of the Family Fusulinidae. J. Paleont. 30: 1360-1366.

Toriyama, R. Geology of Akiyoshi. II. Stratigraphy of the non-calcareous group developed around the Akiyoshi Limestone group. Mem. Fac. Sci. Kyushu Univ. **D5** 1954: 1–46, figs.

Torrente, A. (1). Contributo alla conoscenza della stratigrafia del Calabriano e del Pliceene Superiore e medio della Pianura Pontina. [Foraminifera.] Boll. Uff. geol. Ital. 74 1953: 419-430.

Torrente, A. (2). Studio di una microfauna miccenica Racchiusa in una formazione tufacea della Sardegna sud-occidentale. Boll. Uff. geol. Ital. 75 1954: 451-466, figs.

Torrente, A. see Malatesta, A.

Torricelli, G. Oberkreideforaminiferen im Bündnerschiefer von Rashvella bei Strada (Unterengadin). Jber. naturf. Ges. Graubünden N.F. 86: 77-79, figs.

Torroella, J. see Varela, G.

Townsend, R. C. see Ladd, H. S.

Trager, W. (1). The intracellular position of malarial parasites. Trans. R. Soc. trop. Med. Hyg. 50: 419-420.

Trager, W. (2). Nutritional requirements of the leptomonads of a hemoflagellate from lizards (*Leishmania tarentolae*). J. Protozool. 3 Suppl.: 6.

Trager, W. see Rudzinska, M. A.

Trager, W. see Singer, I.

Travis, R. B. La Brea-Pariñas oilfield, northwestern Peru. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 37 1953: 2093–2118, figs.

Trinção, C., Nogueira, A. R. & Almeida Franco, L. T. de. Acção da puromicina (estilomicina) sobre do culturas "in vitro" do *Trypanosoma gambiense*. Ann. Inst. Med. trop., Lisboa 13: 429-431. [English summary.]

Trinção, C., Nogueira, A. & Franco, A. Puromycin studies in experimental Trypanosoma gambiense and Trypanosoma rhodesiense infections in mice. Antibiot. & Chemother. 5 1955: 505-507.

Trinção, C., Nogueira, H. A. R. & Franco, T. A. Quelques essais sur l'activité thérapeutique de la stilomycine (ex "achromycine" et "puromycine") dans la trypanosomiase expérimentale chez la souris (T. gambiense et rhodesiense). C.R. Soc. Biol. Paris 149 1955: 1815-1817.

Troelsen, J. C. Studies on Ceratobuliminidae (Foraminifera). Medd. dansk geol. Foren. 12 1954: 448–472, figs.

Tschopp, H. J. Oil explorations in the Oriente of Ecuador 1938–1950. [Foraminifera.] Bull. amer. Ass. Petrol. Geol. 37 1953: 2303–2347. Tuffrau, M. Note sur Legendrea pes pelicani Penard 1922. Bull. Soc. zool. Fr. 81: 72-74, figs.

Tunell, G. see Laiming, B.

Turnovsky, K. Notiz uber Peneroplidenvorkommen im Ostanatolien. Bull. geol. Soc. Turkey 6 (1) 1955: 160-161, fig.

Tuzet, O. & Ormières, R. Sur quelques grégarines de la région de Sète. Ann. Parasit. hum. comp. 31: 317-330, figs.

Tuzet, O. & Vogeli, M. (1). Deuxième contribution à l'étude des Monocystidae parasites de Oligochètes africains Millsonia anomala Omodeo 1954 et Dichogaster baeri Sciacchitano Oligochètes de Gagnoa (A.O.F.). Bull. Inst. franç. Afr. N. 18A: 410-417, figs.

Tuzet, O. & Vogeli, M. (2). Dirhynchocystis eudrilii n. sp., et Monocystis eudrilii n. sp., grégarines parasites d'Eudrilus eugeniae Kinberg, oligochète de Côte d'Ivoire et leurs parasites. Bull. Inst. franç. Afr. N. 18: 720-731, figs.

Twichaas, M. J. see Splitter, E. J.

Uéno, M. [Zooplankton of the Ozegahara Moor waters]. Scient. Res. Ozegahara Moor 1954: 690-701. [English summary: 700].

Uhlenhuth, P. & Schoenherr, K. E. Untersuchungen über die Übertragungsmoglichkeiten verschieden trichomonadenarten auf kleine Versuchstiere. Z. Immun. Forsch. 112 1955: 48–56.

Ujiié, H. (1). Pseudocibicidoides, n. gen., from the sea coast of Katase, Kanagawa Prefecture, Japan. Sci. Rep. Tokyo Kyoiku Daig, 4C: 263– 265, fig.

Ujiié, H. (2). The internal structure of some Elphidiidae. Sci. Rep. Tokyo Kyoiku Daig. 4C: 267–282, figs.

Umrath, K. Elektrische Messungen und Reizversuche an Amoeba proteus. Protoplasma 47: 347–358.

Urahe, K. [Intraperitoneal and subcutaneous injection of mice and rats with Balantidium coli with special reference to the effect of gastrio

mucin.] Kiseichu-gaku Zasshi **5**: 65–72. [Japanese with English summary.]

Urmanov, H. H. see Chekhovich, V. D.

Vakheniya, E. K. [On the stratigraphical position of the Tarkhamsk horizon in Western Gruzia.] C.R. Acad. Sci. U.R.S.S. 106: 701-702. [In Russian.]

Valensi, L. Sur quelques microorganismes des silex crétacés du Magdalénien de Saint-Amand (Cher.) Buil. Soc. géol. Fr. 5 1955: 35-40, figs.

Valenti, I. Studio dei foraminiferi di due giacimenti pliocenioi della Provincia di Imperia. Mem. Accad. patavina Cl. Sci. math. e nat. 67 1954-5 [1955]: 1-6.

Varela, G., Roch, E. & Palencia, L. Encuesta serologica de toxoplasmosis practicoda entre los indios Guambias de Colombia. Rev. Inst. Salubr. Enferm. trop. 16: 51-55, map.

Varela, G., Roch, E. & Torroella, J. Estudio de toxoplasmosis ocular. Rev. Inst. Salubr. Enferm. trop., Méx. 16:17-19. [English summary.]

Varela, G., Vasquez, A. & Torroella, J. Probable existencia de la dietilamida del acido d'lisergico en la infeccion por Toxoplasma gondii. Rev. Inst. Salubr. Enferm. trop. Méx. 16: 29-32, fig. [English summary.]

Vargues, R. & Filliatre, M. le. La fiche reticulo-endothéliale de Sandor dans les trypanosomoses expérimentales à *Trypanosoma equiperdum*. Bull. Soc. Path. exot. **49**:713-724.

Vašiček, M. [Changes in the ratio of sinistral and dextral individuals of the foraminifer Globorotalia scitula (Brady), and their use in stratigraphy.] Sborn. geol. Úst. čsl. 20 1953: 345–420, fig. [Russian and English summaries.]

Vaughn, C. M. see Mackie, J. T.

Vávra, J. (1). The action of streptomycin on the flagellate Euglena gracilis Klebs. Folia Biol., Praha 2: 351–355.

Vávra, J. (2). Ist der Protoreceptor eine unabhängige Organelle der Eugleniden? Arch. Mikrobiol. 25: 223–225.

Vazquez, A. see Varela, G.

Veber, J. [Plistophora aporiae n. sp., ein parasit des baumweisslinges Aporia crataegi.] Českoslov. Parasit. 3:181-185 figs. [Czech with German summary.]

Veillon, M. & Vigneaux, M. Observations paléontologiques sur l'Eccène superieur girondin. [Foraminifera.] C.R. Soc. géol. Fr. 16 1954: 414-415.

Veljković-Zajec, K. [A contribution to the knowledge of microfauna from the village of Zubetinac (East Serbia).] Zborn. Radova geol. Inst. Beograd 7 1954: 247-257, figs. [English summary: 255.]

Verain, A. & Verain, A. (1). Influence des ultrasons sur *Plasmodium berghei*. C.R. Soc. Biol. Paris **150**: 1189–1190.

Verain, A. & Verain, A. (2). Premiers essais d'enregistrement de la température au cours de l'affection due au *Plasmodium berghei*. C.R. Soc. Biol., Paris 149 1955: 2174–2176.

Verain, A. & Verain, A. & Filliartre, M. Le. Influence des ultrasons sur Trypanosoma equiperdum. C.R. Soc. Biol. Paris 150: 1529-1530.

Verëiskaya, K.-N. see Pistrak, R. M.

Verheye, H. Contribution à l'étude des infections à *Trichomonas vaginalis* en rapport avec le pH vaginal chez la congolaise. Ann. Soc. belge Med. trop. **36**: 499-514.

Vermeil, C. (1). Contribution à l'étude immunologique des toxoplasma. Arch. Inst. Pasteur Tunis 33: 181-187.

Vermeil, C. (2). Chronique des leishmanioses en Tunisie. Arch. Inst. Pasteur, Tunis 33: 195–201, fig.

Vermeil, C. (3). Limites de l'association symbiotiqué Toxoplasma gondii, ultravirus de la chorioméningite lymphocytaire. Bull. Soc. Path. exot. 49: 35–39.

Verniory, R. (1). La création du genre Lombardia Bronnimann est-elle justifiée? Arch. Sci. Genève 9:85-92, figs.

Verniory, R. (2). Observations sur le Jurassique supérieur et le Crétacé inférieur des Monts Euganéens, Padova (Saccocomas et Tintinnoidiens). Arch. Sci. Genève 9: 123-126.

Viaud, G. & Bonaventure, N. Recherches expérimentales sur la galvanotropisme des paramécies. Bull. biol. 90: 287-319, figs.

Vigneaux, M. (1). L'anomalie tectonique profonde de Carcans (Gironde). [Foraminifera]. C.R. Acad. Sci. Paris 236 1953: 950-951.

Vigneaux, M. (2). Découverte d'un nouvel accident anticlinal aux environs de Bordeaux. [Foraminifera]. C.R. Acad. Sci. Paris 238 1954: 2010-2012.

Vigneaux, M. see Veillon, M.

Vilardell, F. see Durall, C. S.

Vilardell Vinãs, F. see Soler Durall, C.

Villa, F. (1). Sull' existenza del Pliocene sottosuolo di Venegono inferiore (Varese). Riv. ital. Paleont. 61 1955: 27-34, fig.

Villa, F. (2). Studi stratigrafici sul terziario subalpino lombardo. Nota IV. Gli affioramenti terziari a sud del lago di Varese. [Foraminifera.] Riv. ital. Paleont. 61 1955: 67–92, figs.

Villiers, A. see Dekeyser, P. L.

Vinall, H. F. see Porter, A.

Vincent, P. see Neal, R. A.

Vistelius, A. B. & Miklukho-Maklai, A. D. [The middle part of the productive layer of the Apsheron peninsula and the problem of its genesis.] [Foraminifera.] Bull. Acad. Sci. U.R.S.S. geol. 4: 77-94. [In Russian.]

Viswanatha, T. & Liener, J. E. Isolation and properties of a proteinase from *Tetrahymena pyriformis* W. Arch. Biochem. & Biophys. **61**: 410-421, figs.

Vivier, É. (1). Types sexuels chez Paramecium caudatum; obtention de souches non conjugantes aux dépens de souches conjugantes. C.R. Acad. Sci. Paris 242: 3118-3121.

Vivier, É. (2). Induction de la conjugaison dans des souches non conjugantes de Paramecium cauda-umt. C.R. Acad. Sci. Paris 243: 179-181.

Vogel, F. S. see Fremming, B. D.

Vogeli, M. see Tuzet, O.

Vojtěchovska, M. see Petrů, M.

Volini, M., Stubbs, R. K. & Ercoli, N. Trypanocidal, antibacterial, and antifungal effectiveness of monothiouronium derivatives. Antibiot. & Chemother. 6: 603-606.

Voorthuysen, J. H. van (1). The quantitative distribution of the Holocene foraminifera in the N.W. Polder. Proc. Third. Int. Congr. Sediment. Groningen-Wageningen Nethlds. 1951: 267–272, figs.

Voorthuysen, J. H. van (2). Lagena- X again. Micropaleontology 2: 91, figs.

Voorthuysen, J. H. van (3). News-Benelux. Micropaleontology 2:93-95.

Voorthuysen, J. H. van (4). News-Benelux. Micropaleontology 2: 408-410.

Vörösváry, B. Die Ciliaten des "Kalános"-Baches, Ann. Biol. Univ. szeged 1 1950: 343-387, figs.

Vuillet, J. see Sautet, J.

Waaij, D. van der see Thiel, P. H. van.

Wada, M. see Ijiri, S.

Wagtendonk, W. J. van, Tijn, B. van, Litman, R., Reisner, A. & Young, M. L. The surface antigens of Paramecium aurelia. J. gen. Microbiol. 15: 617-619.

Wagtendonk, W. J. van see Miller, C. A.

Wagtendonk, W. J. van see Simonsen, D. H.

Walker, L. M. see Austin, M. L.

Wall, J. H. see Mellon, G. B.

Wallace, F. G. Cultivation of *Trypanosoma ranarum* on a liquid medium. J. Protozool. 3: 47-49.

Wallace, W. S. see Hewitt, R. I.

Walters, J. H. & Bruce-Chwatt, L. J. Sickle-cell anaemia and falciparum malaria. Trans. R. Soc. trop. Med. Hyg. 50: 511-514.

Walton, B. C., Bauman, P. M. & Herman, C. M. Trypanosoma cruzi in raccoons from Maryland, J. Parasit. 42 Suppl.: 20.

Ware, R. E. see Richey, D. J.

Warren, J. see Cutchins, E. C.

Wasserman, L., Gavrilita, L., Mărculescu, T., Chipail, A. & Pătrăscanu, V. Contributions anatomocliniques à l'étude de la toxoplasmose congénitale humaine. Stud. Cercet. Inframicrobiol. Acad. Repub. rom. 7: 203–219, figs. [French summary.]

Watkins, T. I. & Woolfe, G. Prophylaxis of trypanosome infections in cattle. Nature, Lond. 178: 368.

Watrach, A. M. see Levine, N. D.

Webb, J. E. & Elgood, J. H. Animal classification, Ibadan Univ. Press, 1955, ix+1-161, fig.

Webb, M. G. An ecological study of brackish-water ciliates. J. Anim. Ecol. 25: 148-169.

Weigand, W. Kritische Beobachtungen zum Toxoplasma-Antigen nach Westphal. Z. Immun. Forsch. 112 1955: 220–227.

Weinbach, E. C. see Agosin, M.

Weiser, J. (1). [Parasitologie in Dienste der Landwirtschaft.] Wiad. Parazyt. 1 1955: 186–191. [German summary.]

Weiser, J. (2). [Nosema steinhausi n. sp., eine neue mikrosporidie aus Tyrophagus noxius (Acarina, Tyroglyphidae).] Českoslov. Parasit. 3: 187–192, figs. [Czech with German summary.]

Weiser, J. (3). [Studien über mikrosporidien in süsswasserinsekten II.] Českoslov. Parasit. 3: 193–202, figs. [Czech with German summary.] Weiser, J. (4). [Zur kenntniss der krankheiten der schädlinge der eiche in Südmahren.] Českoslov. Parasit. 3: 203-209, figs. [Czech with German summary.]

Weiss, C. see Appuhn, E.

Weissenfels, N. see Scholtyseck, E.

Weisz, P. B. (1). Chemical inhibition of regeneration in *Stentor coeruleus*. J. cell. comp. Physiol. **46** 1955; 517–527, fig.

Weisz, P. B. (2). Experiments on the initiation of division in *Stentor* coeruleus. J. exp. Zool. 131: 137– 162, figs.

Weld, J. T. & Kean, B. H. Experimental ocular trichomoniasis. Amer. J. Path. 32: 1135-1145, figs.

Weller, J. M. Protista: non-plants, non-animals? J. Paleont. 29 1955: 707-710.

Wells, W. H. A cursory survey of human intestinal parasites in the nomadic people of Southern Turkey. J. Parasit. 42: 535.

Wells, W. H. & Blagg, W. A survey of human intestinal parasites in a fishing village of Northern Egypt. Amer. J. trop. Med. Hyg. 5: 266-268.

Wengerd, S. A. & Strickland, J. W. Pennsylvanian stratigraphy of Paradox Salt Basin, Four Corners region, Colorado and Utah. Bull. Amer. Ass. Petrol. Geol. 38 1954: 2157–2199, figs.

Wenrich, D. H. Some American pioneers in Protozoology. J. Protozool. 3: 1-7.

Wenzel, F. Über eine Artentstehung innerhalb der Ciliatengattung Spathidium. Verh. dtsch. zool. Ges. 19: 215.

Werner, H. (1). Zur frage des placentaren übergungs von *Plasmodium berghei* (congenitale Malaria). Z. Tropenmed. u. Parasit. 7: 64-79, figs.

Werner, H. (2). Über den einfluss der Plasmodium berghei infektion auf placentation und embryonalentwicklung bei Swiss-mäusen und goldhamstern und deren neugeborenen. Z. Tropenmed, u. Parasit. 7: 177–197, figs.

Wery, P. La theileriose au Congo Belge et au Ruanda-Urundi. Bull. epizoot. Dis. Afr. 2 1954: 47.

Wetzel, O. Resumé of microfossils from Upper Cretaceous flints and chalks of Europe. J. Paleont. 27 1953: 800-804, figs.

Wetzel, W. (1). Die Dan-Scholle vom Katharinenhof (Fehmarn) und ihr Gehalt an Planktonen, Neues Jb. Geol. Paläont. B. 1 1955: 30—46, figs

Wetzel, W. (2). Bildungsstätte und Entstehung der grünberindeten Flintgerölle. [Foraminifera.] Schr. naturw. Ver. Schl.-Holst. 28: 65–68, figs.

Weynschenck, R. (1). Some rare Jurassic index foraminifera. Micropaleontology 2: 283-286, figs.

Weynschenk, R. (2). Aulotortus, a new genus of Foraminifera from the Jurassic of Tyrol, Austria. Contr. Cush. Fdn. Foram. Res. 7: 26-28, figs.

Whitby, J. L. see Brown, J. A. H.

Wichmann, R. W. & Bankowski, R. A. A report on *Trichomonas gallinarum* infection in Chukar partridges (*Alectoris graeca*). Cornell Vet. 46: 367-369.

Widmayer, D. see Austin, M.L.

Wigand, R. (1). A complement-fixation reaction with *Haemobartonella muris* and *Eperythrozoon coccoides*. Nature, Lond. 178: 1288-1289, figs.

Wigand, R. (2). Serologische reaktionen an Haemobartonella muris und Eperythrozoon coccoides. Z. Tropenmed. u. Parasit. 7: 322–341, figs.

Willett, K. C. (1). Zoonoses in East Africa. Nature, Lond. 177: 948.

Willett, K. C. (2). The problem of Trypanosoma rhodesiense, its history and distribution, and its relationships to T. gambiense and T. brucei. E. Afr. med. J. 33: 473-479.

Willett, K. C. (3). An experiment on dosage in human trypanosomiasis. Ann. trop. Med. Parasit. 50: 75–80.

Williams, J. H. see Hewitt, R. I.

Williamson, J. & Desowitz, R. S. Prophylactic activity of suramin complexes in animal trypanosomiasis. Nature, Lond. 177: 1074–1075.

Willmer, E. N. Factors which influence the acquisition of flagella by the amoeba, *Naegleria gruberi*. J. exp. Biol. 33: 583-603, figs.

Wilson, B. W. & Danforth, W. F. The oxidation and assimilation of acetate and ethanol by *Euglena*. J. Protozool. 3 Suppl.: 6.

Wilson, G. I. Some parasites of the English Sparrow in Maryland. J. Parasit. 42 Suppl.: 40.

Winter, K. B. see Honess, R. F.

Winter, W. D. Jr. & Foley, G. E. Chemical and biologic studies on 1, 2-dihydro-s-triazines. XII. Treatment of experimental murine toxoplasmosis, with a note on mutation. Antibiot. & Chemother. 6: 444-449, figs.

Wirtschafter, S. & Jahn, T. L. The metabolism of *Trichomonas* vaginalis: The glycolytic pathway. J. Protozool. 3: 83-85.

Wirtschafter, S., Saltman, P. & Jahn, T. L. The metabolism of *Trichomonas vaginalis*: the oxidative pathway. J. Protozool. 3: 86-88, figs.

Wirtschafter, S. K. see Gross, J. A.

Wiseman, J. D. E. The rates of accumulation of nitrogen and calcium carbonate on the Equatorial Atlantic floor. [Protozoa.] Advanc. Sci. 12: 579-582, figs.

Wiśniewski, W. L. [Biocenologische probleme in der Parasitologie.] Wiad, Parazyt. 1 1955: 7-41. [German summary.]

Wissink, A. J. Heterostegines du Miocene de l'Angola. Proc. Akad. Wet. Amst. 59B: 386-388.

Wohlfarth-Bottermann, K. E. Protistenstudien VII. Die Feinstruktur der Mitochondrien von Paramecium caudatum. Z. Naturf. 11B: 578-581, figs.

Wolfgang, R. W. see Horwood, P. D.

Wolken, J. J. A molecular morphology of Euglena gracilis var. bacillaris. J. Protozool. 3: 211-221, figs.

Wollin, G. see Ericson, D. B.

Wood, S. F. Sylvatic Trypanosoma cruzi in Triatoma from Southern Utah. Bull. S. Calif. Acad. Sci. 55: 180.

Woodruff, A. W., Bell, S. & Schofield, F. D. Symposium on the treatment of human amoebiasis. II. The treatment of intestinal amoebiasis with emetine bismuth iodide, glaucarubin, dichloracet - hydroxymethylanilide, camoform and various antibiotics. Trans. R. Soc. trop. Med. Hyg. 50: 114-138.

Woohsmann, H. Die Fällungsmetachromasie der Chromotropen Substanzen der Ciliaten und Flagellaten. Protoplasma 47: 37–66, figs.

Woolfe, G. Trypanocidal action of phenanthridine compounds. Brit. J. Pharmacol. 11: 334.

Woolfe, G. see Watkins, T. I.

Wright, F. N. see Colbourne, M. J.

Wright, W. H. Current status of parasitic diseases. Public Hlth. Rep., Wash. 70 1955: 966-975.

Wu, C. & Hogg, J. F. Free and nonprotein amino acids of *Tetrahymena pyriformis*. Arch. Biochem. & Biophys. **62**: 70–77.

Yakouti, E. see Magara, M.

Yamada, K. see Minato, M.

Yamamoto, K. [Rotatoria and Rhizopoda of Ozegahara and its neighbourhood.] Scient. Res. Ozegahara Moor. 1954: 831-840, figs. [Japanese with English summary.]

Yancey, P. H. see Doolan, J. J.

Yartsheva, M. V. see Brazhnikova, H. E.

Yenne, K. A. see Heek, W. A.

Yoeli, M. Some aspects of concomitant infection of plasmodia and schistosomes. I. The effect of Schistosoma mansoni on the course of infection of Plasmodium berghei in the field vole (Microtus guenthers). Amer. J. trop. Med. Hyg. 5: 988-999, figs.

Yokogawa, M. see Ritchie, L. S.

Young, M. D. see Jeffrey, G. M.

Young, M. L. see Wagtendonk, W. J. van.

Young, R. J. see Fremming, B. D.

Youssef, M. I., Hassan, M. Y. & Abdru, H. F. A faunule with Nummulites deserti from the Kosseir area. Bull. Inst. Desert Egypt 3 1953: 123-124.

Zago Filho, H. & Barretto, M. P. Sôbre flagelados intestinalis da cuica Lutreolina crassicaudata com descrição de uma nova espécie de Hexamita (Flagellata Diplomonadida, Hexamitidae). Folia Clin. Biol. S. Paulo 23 1955: 81–86, figs.

Zasukhin, D. N. [Aetiology, epidemiology and control of Toxoplasmosis.] In: Toxoplasmosis, Moscow: 5-17. [In Russian.]

Zeil, W. Die Kreidetransgression in den Bayerischen Kalkalpen zwischen Iller und Traun. [Foraminifera.] Neues Jb. Min. Geol. Paläont. 101 1955: 141–226.

Zeil, W. see Hagn, H.

Zeuthen, E. see Scherbaum, O.

Zimmermann, A. M. see Landau, J. V.

Zimmermann, W. J. Field studies on Eimeria species in chickens on two Central Iowa farms. Iowa St. Coll. J. Sci. 30: 460–462.

Zimmerman, W. J. see Becker, E. R.

Zuckerman, A. Blood loss and replacement in rats infected with Plasmodium berghei. Bull. res. Counc. Israel 6E: 79.

### II.—SUBJECT INDEX

References to the "Titles" are by the name(s) of the Author(s) printed in Clarendon type.

#### GENERAL

Text-books. — Protozoology, E. Reichenow; Protozoology, K. G. Grell (3); Parasitic protozoa, general account, T. W. M. Cameron; Systematic account of parasitic protozoa of veterinary interest and their

host-parasite relationship, G. Lapage (1); Learning and instinct in animals, W. H. Thorpe; Systematic account of the Rhizopoda, M. W. Jepps; Physiology of reproduction, F. H. A. Marshall; Protozoan physiology, W. van Buddenbrock.

History.-Society of Protozoologists, N. D. Levine; Knowledge of parasites up to the 17th century, R. Hoeppli; History of human parasite infections in S.E. United States. E. C. Faust (1); History of the study of amoebiasis in Russia, D. P. Svanidze: Historical essay on premunition, E. Sergent & E. Sergent: Discovery of stippling in *Plasmodium* malariae, G. Covell (2); Types of Lamarck's genera of foraminifera as selected by J. G. Children in 1823, A. R. Loeblich jr. (3); Recent foraminiferal research in Brazil, F. W. Lange; Venezuelan foraminiferal research, B. J. Szenck; Foraminiferal research in the Rocky Mountain region, U.S.A., R. M. Stainforth (2); Revision of C. W. Gumbels (1862) study of foraminifera, E. Siebold & I. Siebold; Early studies on Russian marine foraminifera, Z. G. Shchedrina (2); Foraminiferal research in Portuguese colonies, A. T. Rocha; Current foraminiferal research in North Africa M. Rey (3); Recent Australian foraminiferal research, I. Crespin (4); Current Spanish foraminiferal research, G. Colom (7); Current Argentinian foraminiferal research, E. Boltovskoy (3); Modern Japanese foraminiferal research, K. Asano; Current foraminiferal research in New Zealand, N. de B. Hornibrook; Current foraminiferal research in Austria. R. Grill (1); Recent foraminiferal research in Eastern United States, A. R. Loeblich, jr. (2); Recent foraminiferal research in Benelux, J. H. van Voorthuysen (3); Recent Portuguese foraminiferal research, J. M. Ferreira; Foraminiferal research in North-Central United States, R. M. Stainforth (1); Foraminiferal research in Egypt, R. Said; Foraminiferal research in the mid-continent of United States, D. J. Echols; Micropaleontological research in the Middle East. M. Chatton; Recent palaeontological research in Colombia, V. Petters: Micropaleontological research in the east-central U.S.A., R. V. Kesling; Modern micropaleontological work in the Benelux countries, J. H. van Voorthuysen (4); Recent micropaleontological research in the West Coast, U.S.A., H. E. Thalmann (2): Current Indian micropaleontology, S. R. N. Rao; Current French research on fossil Protozoa, J. Cuvillier (2); Recent British micropaleonto-logical research, T. Barnard (2); Peruvian micropalaeontology, E. J. Ashworth; Micropaleontological laboratory in Modena, E. M. Gallittelli (1): Current protozoan palaeontology in Germany, H. Hiltermann (2); Recent fossil protozoan research in Israel, Z. Reiss.

Biography; Obituary.—American pioneers in Protozoology, D. H. Wenrich; List of Gulf Coast micropaleontologists, D. K. Cameron; Work of J. Le Calvez, Z. M. Arnold (2); E. Fossa-Mancini: A. H. Ducloux; P. P. Goudkoff (1880–1955): B. Laiming, H. E. Thalmann, & G. Tunell; D. W. Gravell: Anon (6); C. Mathis, A, D. (3); Helen J. Plummer: M. G. Adkins; J. Rodhain, A. D. (1); J. A. Sinton, A, D. (2); I. P. Tolmachoff: H. Johnson; T. W. Vaughan: H. S. Ladd; L. J. Wilbert: G. E. Murray.

Bibliography; Reviews.—Publications of Walter Conrad, H. Kufferath (1); Bibliography of P. P. Goudkoff, B. Laiming, H. E. Thalmann & G. Tunell; Recent foraminiferal literature, R. Todd (1), (2), (3), (4); Bibliography of Upper Carboniferous foraminifera, H. Hiltermann & G. Kremp; Bibliography of German micropaleontology, H. Hiltermann (4); Catalogue of Foraminifera, B. F. Ellis & A. R. Messina; Revision of guide fossil foraminifera of Atlantic coastal plains, J. D. McLean jr. (1); Comment on "Nodosinella Brady 1876, and associated Upper Palaeozoic genera". J. E. Conkin; Addendum to Fusulinid bibliography, D. F. Toomey.

Taxonomy; Nomenclature.—Nomenclature and grammar, C. Emiliani; Bacterial names that are homonyms of protozoan genera, Anon (1); Intraspecific categories in

pathogenic protozoa, C. A. Hoare (1); Determination of gender of protozoan names, Anon. (5); Concept of Protista, J. M. Weller; Protozoan taxonomy, J. E. Webb & J. H. Elgood; Taxonomy of the Protista, P. C. Silva; Speciation in paleontology, W. S. McKerrow; Position of the Thecamorebae, L. Decloitre (2); Types of Lamarck's foraminiferal genera, A. R. Loeblich (3); Taxonomy of Discocyclinids, M. Neumann (2); Taxonomy of the Ceratobuliminidae, J. C. Troelsen; Revision of C. W. Gumbels (1862) study of foraminifera, E. Siebold & I. Seibold; Taxonomic unity in foraminifera, D. M. Rauser-Chernoussova (2); Upper Paleozoic species of Textularia, R. H. Cummings (2); Upper Paleozoic species of Bigenerina, R. Cummings (2); Taxonomy of Eoflabellina and Flabellamminopsis, H. Bartenstein: Nomenclature of the Foraminifera, J. Hofker (5): Ten rules of foraminiferal nomenclature, H. Hiltermann (3); Taxonomy of Nummulites, B. T. Goler; Revision of the Heterohelicidae, E. M. Gallitelli (6); 1933 as date of erection of Kilianina Pfender, J. Sigal; Species delineation within Spathidium, F. Wenzel; Taxonomy of Trypanosoma evansi, C. A. Hoare (2); Taxonomy of the Sporozoa, E. M. Heissin: Babesia as generic name in bacteriology, Anon. (2); Taxonomy of monocystids, M. Meier; Taxonomy of Toxoplasma, P. H. van Thiel (3); Systematics of ciliated Protozoa, J. O. Corliss (2, 3); Taxonomy of marine ciliates, P. Fjeld (1); Validation of Stentor, Oken 1815, Anon. (4).

Technique. — Thermal disintegration of sediments, D. J. Macvicar jr.; Photography of protozoan microfossils, G. Fournier; Techniques with radiolarian fossils, W. Strümer; Selection and analysis of microfossils, V. G. Morogova; Sectioning protozoan fossils, C. O. Dunbar; Preparation of microfossils for photography, R. H. Cummings (3); Micropaleontological technique, R. H. Cummings (1); Comparison of stool examination techniques for protozoa, V. M. Bailey (2); Formol - ether concentration method for protozoan cysts in faeces. D. S. Ridley & B. C. Hawgood;

Methods of examination for intestinal protozoa, E. Gutierrez Ballesteros & L. Garcia; New Romanovsky stain for protozoa, J. X. Cotrim & A. C. R. Ramalho: Comparison of three stain techniques for protozoan parasites, E. K. Markell; New cutter for re-generation studies, N. A. Dial & J. O. Staining techniques, H. Corliss: Woohsmann; Gyratory sieving and straining, R. H. Cummings (4); Use of some histological fixatives in ultrawiolet microscopy, M. P. Bukhman & I. B. Raikov; Vital staining of Protozoa, F. T. de Castro & A. Conceiro; Technique for study of mucus particles in Euglenids, A. Diskus (2); Monochromatic microscopy, of Euglenia, I. A. Cooks. scopy of Euglena, J. A. Gross, S. K. Wirtschafter, etc.; Entamoeba moshkovskii as a suitable organism for research, Z. Kozar (1); Electrical measurement of stimuli on Amoeba proteus, K. Umrath; Autoradiography of Chaos chaos, N. Andresen, C. Chapman-Andresen, H. Holter, & C. V. Robinson; Technicon mounting medium for observation of cilia, F. T. Etgers; Isolation of the parts of ciliates, F. M. Child & D. Mazia; Paper chromatographic analysis in Paramecium, J. W. Lee (2); Arresting Paramecium, C. Ellenby; A temporary stain for Paramecium, etc., R. V. Dippell (2): Immobilizing and precipitating antigens of Paramecium, I. Finger; Isolation of proteinase from Tetrahymena, I. Viswanatha & I. E. Liener; Fixation and staining of Vorticella, H. Schaclen (2); The dye-test for Toxoplasma, G. E. Pangolos, M. Pavlatos & P. Mercier.

### STRUCTURE

Morphology. — General works; Textbooks. — Protozoology, E. Reichenow; Protozoan morphology, R. Srámek-Hušek (2); Morphology of protozoa, K. G. Grell (3); Morphology of protozoan breeding structures, F. H. A. Marshall; Biogeochemistry of strontium, J. M. Bowen.

Rhizopoda.—Structure of contractile vacuole in Amoeba proteus, A. Bairati & F. E. Lehmann; Plasmalemma and contractile vacuole of Amoeba proteus, F. E. Lehmann, E.

Manni & A. Bairati; Structure of Chaos chaos, N. Andresen; Morphology of Flamella citrensis n. sp., E. C. Bovee (3): Morphology of new marine amoeba Vexillifera telmathalossa, E. C. Bovee (2); Morphology, general account of Entamoeba histolytica, R. S. J. Hawes; Polarity in Enta-moeba histolytica, P. H. van Thiel (1); The tail of Entamoeba histolytica, R. G. Bird: New Entamoeba from the eve, H. Krümmel: Glycogen vacuoles in Iodamoeba, G. Barghini; Morphology of Difflugia leidyi, M. Ertl (3); Morphology of Labyrinthula, M. Chadefaud; Foraminiferal morphology, K. G. Grell (5); Foraminiferal morphology, Z. M. Arnold (1); Wall structure in foraminifera, V. A. Krashininnikov; Test coiling in Globorotalia, M. Vašiček; Damage to foraminiferal tests by predators, A. Earland; Chalcedony in foraminiferal tests, A. K. Bogdanovich & R. G. Dmitrieva; Morphology of Orbitoids, A. Papp (3); Supplementary chambers in Globigerina, O. V. Okropiridze; Morphology of Hippocrepinella, K.-G. Nyholm (2); Morphology of *Phaino-gullmia*, K.-G. Nyholm (1); Equatorial chambers of Orthophragminids, M. Neumann (2); Internal structure of Elphidiidae, H. Ujiié (2); Morphology of the Ceratobuliminidae, J. C. Troelsen; Structure of Spiroclypeus, B. S. Tewari; Structure of Eorupertia, H. W. Anisgard; Fusulinid test-wall structure, H. Igō; Structure of Globorotalia, J. Hofker (3); Morphology of Eorupertia cristata, H. Hagn (6).

Mastigophora. — Morphology of Euglena, J. A. Gross, S. K. Wirtschafter, etc.; Structure of Euglena, L. P. Johnson; Morphology of Euglena viridis, H. Schaden (1); The photoreceptor in Euglenids, J. Vávra (2); Morphology of Pyxidium, F. Biczok (2); Skeletal structure of Coccolithus huxleyi and Gephryrocapsa oceanica, E. Kramptner; Morphology of Dinobryon crenulatum, B. Asmund; Morphology of Synura, K. Harris & D. E. Bradley; Parabasal apparatus n Proteromonas, J. Georgévitch; Studies on Leishmania donovani with the electron microscope, P. C. H. Chang; New Trypanosoma from rodents, M. Lips & J. Rodhain; Mor-

phology of Trypanosoma equiperdum by electron microscope, E. Anderson, L. H. Saxe & H. W. Beams; Structure of Trypanosoma avium, J. R. Baker (1); Morphology of Trypanosoma evansi, C. A. Hoare (2); Description of Trichomonas from swine, B. W. Buttrey; Structure of Trichomonas fonsecai, H. Zago Filho & M. P. Barreto; Structure of new Hexamita, H. Zago Filho & M. P. Barreto; Morphology of Giardia, M. H. Haiba; Morphology of Giardia, M. Laird; Sexual cycle of Macrospironympha, L. R. Cleveland (1).

Sporozoa. - Morphology of Gregarinids, H. Streble; Morphology of gregarines, O. Tuzet & R. Ormières: Morphology of gregarines from beetles, J. Théodorides (1); Morphology of monocystids from Oligo-chaetes, M. Meier; Morphology of new gregarines from Indian millipedes, K. R. Karandikar & S. S. Rodgi: Sexual dimorphism in gregarines, A. Filipponi; Structure of new gregarines, O. Tuzet & M. Vogeli (2); Electron microscopy of Gregarina, H. W. Beams, T. N. Tahmisian, E. Anderson & R. L. Devine; Abnormal structure of Didymorphyes J. Théodoridès & R. Ormières: Morphology of schizogregarine, Coelo-gregarina, F. J. Manning; Endo-genous cycle of Diplocystis clerci, R. Stefani (2); Structure of new Eimeria, G. Agostinucci & E. Bronzini; Morphology of new Eimeria, L. S. Hiregaudar (1); Morphology of new Eimeria from Sorex, Z. Černa & M. Daniel: New spp. of Eimeria and Isospora from mammals of Kazakhstan, S. K. Svanbaev; Oocyst size in chicken Eimeria spp., E. R. Becker (1); Identification of Plasmodium, P. G. Shute; Morphology of malarial parasites, J. W. Field & P. G. Shute; Relationship between the erythrocyte and *Plasmodium* spp., J. D. Fulton & J. H. Flewett; Intracellular position of Plasmodium spp., W. Trager (1); Morphology of Plasmodium spp. in chimpanzee, P. C. C. Garnham, R. Lainson & A. E. Gunders; Morphology of Plasmodium reichenowi, R. S. Bray; Electron microscope study of Plasmodium lophurae, M. A. Rudzinska & W.

Trager; Morphology of Plasmodium berghei, E. Sergent & A. Poncet (2); Schizogony in *Plasmodium berghei*, E. Sergent & A. Poncet (3); Morphology of erythrocytes parasitized by Plasmodium spp., P. Shute & M. Maryon: Morphological changes in drug-treated oocysts of Plasmodium gallinaceum, L. A. Terzian; Morphology of Plasmodium inopinatum, R. Resseleler; Structure of Plasmodium ovale, R. Moise; Morphology phology of new piroplasm Babesio-soma, S. Jakowska & R. F. Nigrelli; Structure of Toxoplasma, L. Jacobs: Structure of two myxosporidian parasites of perch, L. Thélin; Morphology of Myxidium pfeifferi Auerbach, T. Miaczýnski: Structure of microsporidia, J. Weiser (3); Structure of new microsporidia from caterpillars, J. Weiser (4); Structure of new Nosema, J. Weiser (2); Structure of new Plistophora, J. Veber; Morphology of Ichthyosporidium, A. Porter & H. F. Vinall.

Ciliophora. - New ciliates from Czechoslovakian invertebrates, J. Lom (1): Structure of new soil ciliates, J. Horváth; Form of ciliates, B. M. Klein; Morphological details of some ciliates, J. T. Randall; Detailed morphology of ciliates, E. Fauré-Fremiet, C. Rouiller & M. Gauchery (4); Detailed ciliate morphology, E. Fauré-Fremiet (2); Morphology of Tetra-hymena setifera n. sp., G. G. Holz & J. O. Corliss; Morphology of the parasitic phase of Tetrahymena limacis, E. N. Kozloff (2); Morphology of Tetrahymena limacis, E. N. Kozloff (3); Mitochondria of Paramecium caudatum, K. E. Wohlfarth-Bottermann; Morphology of Legendrea pes pelicani, M. Tuffrau; Structure of Saprophilus muscorum, J. D. Stout (1); Morphology of new ciliate, Jirovecella hegemonis, J. Lom (2); Ciliary structures in Ophryoscole-cidae, C. Noirot-Timothée (1); Morphology of Ophryoscolex, C. Noirot-Timothée (1); Structure of Spirobutschiella clignyi, P. Fjeld (2); Morphology of Spirostomum sp., B. R. Seshachar & P. B. Padmavathi (3); Euplotes sp. from the Amazon, E. C. Bovee (1); Fibrillar systems of

Balantidium, D. Fernandez-Galiano (1); Morphology of Balantidium coli and B. caviae, S. Krascheninnikow; Structure of the peduncle of Chilodochona, E. Fauré-Fremiet, C. Rouiller & M. Gauchery (1); Skeletal apparatus of the Urceolariidae, E. Fauré-Fremiet, C. Rouiller & M. Gauchery (3); Morphology of new Trichodina, H. H. Reichenbach-Klinke; Structure of Vorticella, H. Schaden (2); Silver line system and cytoplasmic inclusions in Vorticella microstoma, K. Hashimoto (1); Structure of Thecacineta calix, D. Matthes; Electron-microscope study of Ephelota, C. Rouiller, E. Fauré-Fremiet, & M. Gauchery (2).

Protista incertae sedis.—Morphology of Pneumocystis, M. Malossi.

Cytology.— Cytology of Allogromia laticoelaris, Z. M. Arnold (1); Cytology of Nemogullmia, K.-G. Nyholm (3); Cytology of Phainogullmia, K.-G. Nyholm (1); Cytology of Amoeba proteus, I. M. Heller & M. J. Kopac (2); Aspects of ciliate cytology, E. Fauré-Fremiet (2).

Ectoplasm, membranes, etc.—Plasmalemma and nucleus of Amoeba proteus, E. Manni (1) Plasmagel structure in Amoeba proteus, J. V. Landau, A. M. Zimmermann D. A. Marshland; Cyst membrane of Pelomyxa, I. B. Sachs: Submicroscopic structure of the surface membrane of Endamoeba blattae, G. Hajóssi & F. Suba: Cortical structures of Opalina obtrigonoidia, D. R. Pitelka (2); Electron microscopy of Eimeria oocyst wall, E. Scholtyseck & N. Weissenfels; Ectoplasm-endo-plasm junction in Ophryoscolecidae, C. Noirot-Timothée (3); Cuticle of Ophryoscolecidae, C. Noirot-Timothée (2); Development of the "clear line" in Paramecium caudatum, H. H. Pfeiffer.

Organellae of attachment.—Structure of peduncle in peritrich ciliates, C. Rouiller, E. Fauré-Fremiet & M. Gauchery (1).

Organellae of locomotion.—Acquisition of flagella in Naegleria gruberi, E. N. Willmer; Locomotor apparatus

in Euglena, L. P. Johnson; Electronmicroscope studies of flagella of Trichonympha, D. R. Pitelka (1); Ciliary origin in peritrichids, C. R. Rouiller, E. Fauré-Fremiet & M. Gauchery (3); Fibrillar systems of Balantidium, D. Fernandez-Galiano (1); Primary organelles in Paramecium, C. F. Ehret & E. L. Powers (2); Buccal ciliature of Tetrahymena, J. C. Thompson; Neuromotor apparatus of Eudiplodinium maggii; D. Fernandez-Galiano (2).

Nucleus and cytoplasm.—Equivalence of Golgi apparatus and parabasal apparatus, P.-P. Grassé; Cyto-plasma structure of Amoeba proteus, E. Manni (2); Nuclear ribonucleic acid in Amoeba proteus, M. Rabinovitch & W. Plant; Helical structures in nucleus of Amoeba proteus, G. D. Pappas; Nucleus of Glabratella sulcata, K. G. Grell (4); Structure of Euglena viridis, H. Schaden: Mucus particles in euglenids, A. Diskus (2); Nuclear structure of Leishmania, P. Sorouri; Nucleus and cytoplasm of Gregarinids, H. Streble; Chromosomal constitution in Paramecium aurelia, R. V. Dippell (1); Nuclear aberrations in Tetrahymena pyriformis, C. Ray (2); Nucleoproteins of Tetrahymena, M. Alfert & N. O. Goldstein: Macronucleus of Stylocomotes digitalis, Y. Skreb-Guilcher (1): Electron microscope studies of Euplotes patella, L. E. Roth; Hemixis in Tokophrya infusionum, M. A. Rudzinska.

Nuclear division.—Cell growth and cell division in Amoeba proteus, D. M. Prescott (4); Fission in Amoeba, M. Taylor; Nuclear division in forami-nifera, Z. M. Arnold (1); Elimination of somatic nucleus in heterokaryotic foraminifera, K. G. Grell (5); Fission in Hippocrepinella alba, K.-G. Nyholm (2); Nuclear division of Allogromia laticoelaris, Z. M. Arnold (1); Mitosis of Trypanosoma cruzi, M. Rubio (3); Nuclear division in Leishmania, P. Sorouri; Mioisis and fertilization in Macrospironympha, L. R. Cleveland (1); Micronuclear divisions in ciliates, B. R. Seshachar & P. B. Padmavathi (1); Structures of nuclear division in ciliates, E. Fauré-Fremiet, C. Rouiller & M. Gauchery (2); Macronuclear reorganisation in Diophrys, P. N. Ganapati & M. V. N. Raō; Mutation and killer characters in Paramecium, E. D. Hanson; Initiation of nuclear activation in Paramecium, K. Hiwatashi (1); Mitotic spindle-thread in Paramecium bursaria, V. Schwartz (2); Behaviour of nuclei at conjugation in Paramecium aurelia, R. F. Kimball & N. Gaither; Meiosis in Tetrahymena pyriformis, C. Ray (1); Nuclear differentiation in Tetrahymena, D. L. Nanney; Nuclear division in Spirostomum sp., B. R. Seshachar & P. B. Padmavathi (3); Initiation of division in Stentor coeruleus, P. B. Weisz (2).

Various internal structures.—
Structure of the contractile vacuole of Amoeba proteus, A. Bairati & F. E. Lehmann; Plasmalemma and contractile vacuole of Amoeba proteus, F. E. Lehmann, E. Manni & A. Bairati; Structure of the photoreceptors of Euglena gracilis, J. J. Wolken; Skeleton of Coccolithus huxleyi and Gephyrocapsa oceanica, E. Kamptner; Stomatogenesis in Paramecium, E. D. Porter; Differences in silver line system in Paramecium, E. E. Powelson; Oral primordium of Stentor, V. Tartar (2); Electron microscope studies of Toxoplasma, J. Ludvik.

Cysts; spores.—Spores of Amoeba, M. Taylor; Spores of amoebids, Sister Monica; Spores of monocystids, M. Meier; Electron microscopy of Eimeria oocyst wall, E. Scholtyseck & N. Weissenfels.

#### PHYSIOLOGY

General. — Protozoan physiology, W. van Buddenbrock; Protozoan physiology, K. G. Grell (3); Physiology of Difflugia leidyi Wailes, M. Ertl (3); Physiology of Pyxidium, F. Bicżok (2); Physiology of Gregarinids, H. Streble; Changing forms in ciliates, B. M. Klein; Resistance of Paramecium caudatum to natural chemical changes, A. Grebecki & L. Kuźnicki; Histochemistry of Anaplasma, J. E. Moulton & J. F. Christensen; Relationship between mitochondria and symbiotic bacteria, E. Fauré-Frémiet (1).

Nutrition: metabolism. — Vitamin B<sub>12</sub> metabolism in protozoa, S. H. Hutner, A. Aaronson, H. Baker & H. A. Nathan; Nutrition of protozoa, W. H. Johnson; Cytochromes in protozoa, K. M. Møller & D. M. Prescott; Hydrolysis of starch by amoebae, M. Kaneko (4); Proteclytic activity of amoebae. Kaneko (5); Chemical properties of contractile vacuole of Amoeba proteus, A. Bairati & F. E. Lehmann: Effect of starvation on Amoeba proteus, I. M. Heller & M. J. Kopac (2); Pinocytosis in Amoebids, H. Holter & J. M. Marshall jr.; Metabolism of Amoeba proteus, I. M. Heller & M. J. Kopac (1); Effect of enucleation on DPN level of Amoeba, A. J. Cohen; Uptake of adenine-8.14C in amoebids, W. Plant & R. C. Rustad; Influence of ribonuclease on respiration of Amoeba, Y. Skreb-Guilcher (3); Incorporation of S35-methionine into proteins by Amoeba proteus, D. Mazia & D. M. Prescott; Distribution of minerals in Amoeba proteus, I. M. Heller & M. J. Kopac (3); Metabolism of nucleated and anucleated Amoeba, J. Brachet (1); Ingestion of C14 glucose by Chaos chaos, C. Chapman-Andresen & H. Holter; Nutrition of Entamoeba histolytica, M. Nakamura & E. E. Baker (2) Proteolytic enzymes in Entamoeba histolytica, R. A. Neal (2); Anaerobic respiration of Entamoeba histolytica, E. Kun, J. L. Bradin & J. M. Dechary; Metabolism of glucose by Entamoeba histolytica, M. R. Loran, M. W. Kerner & H. H. Anderson; Biochemistry of *Entamoeba histolytica* M. I. van der Lingen & R. Elsdon Dew; Glucosamine and culture of Entamoeba histolytica, J. Greenberg, D. J. Taylor & H. W. Bond: Phagocytosis of erythrocytes by Entamoeba moshkovskii, T. Pizzi (1): Red blood cell ingestion by Entamoeba gingivalis, M. Kaneko (2); Ingestion of unusual food by Entamoeba invadens, L. Lamy (1); Nutrition in foraminifera, M. Bacescu & F. E. Caraion; Food of Hippo-crepinella alba, K.-G. Nyholm (2); Physiology of chrysomonads, J. J. A. McLaughlin; Pigment "mutants" of Cyanidium, E. C. Dougherty & M. B. Allen; Respiration in Dunaliella euchlora, J. H. Ryther; Utilisation of

acetate and ethanol by Euglena, B. W. Wilson & W. F. Danforth; Metabolic pathways in Euglena gracilis 2, S. Scher & O. Frank: Vitamin depletion of Euglena, J. J. Corbett (1): Oxidation metabolism of Euglena, W. Danforth; Carbon sources for euglenids, N. P. Anagnostakos; Induced enzyme synthesis in Polytoma, V. P. Cirillo; Nitrogen requirements of Astasia chattoni, R. W. Hanson; Nutrition of Crithidia spp., W. B. Cosgrove; Growth factors for Crithidia fasciculata, H. A. Nathan, S. H. Hutner & H. L. Levin; Aerobic metabolism of Crithidia, F. Hunter and W. B. Cosgrove: Succinate metabolism of haemo-flagellates. G. R. Seaman; Nutrition of Leishmania tarentolae, W. Trager (2); Analogies between the metabolism of trypanosomes and their zoological classification, T. von Brand; Carbohydrate metabolism in trypanosomes, J. F. Ryley; Respiration-inhibition by thiols in *Trypanosoma*, J. D. Fulton & D. F. Spooner (1); Antibody and respiration of Trypanosoma, R. S. Desowitz (1); Metabolism of Trypanosoma vivax, R. S. Desowitz (2); Oxidative metabolism in Trypanosoma rhodesiense, A. R. Jenkins & E. B. Grainge; Isocitric dehydrogenase from Trypanosoma cruzi, M. Agosin & E. C. Weinbach; Nucleic acid synthesis in Trypanosoma mega, G. J. Boné & M. Steinart; Aerobic metabolism of Trichomonas D. J. Doran (1); Aerobic fermentation of Trichomonas, D. J. Doran (2): Carbohydrate metabolism of Trichomonas, C. P. Read; Distribution of phosphotase in trichomonads, H. Nomura; Ion exchange resin on growth of Trichomonas vaginalis, E. Eugene, V. Lynch & R. K.
Thoms (2); The oxidative pathway
in Trichomonas vaginalis, S. Wirtschafter, P. Saltman & T. L. Jahn;
Glycolytic pathway in Trichomonas vaginalis, S. Wirtschafter & T. L. Jahn; Physiology of Trichomonas vaginalis, K. Asami; Ingestion of wood by termite flagellates, H. Schmidt; Metabolism of Trichonympha, J. Gutierrez; Metabolism of Heliophrya erhardi, J. Dragesco, R. Blanc-Brude & M. Gauchery; Sulphur requirements in some forms of Plasmodium, J. D. Fulton &

P. T. Grant (2): Carbohydrate metabolism of Plasmodium berghei, J. D. Fulton & D. F. Spooner (2); Biochemistry of malarial pigment, T. Deegan; Pigment of Plasmodium falciparum and P. malariae, T. Deegan & B. G. Maegraith (2); Pigment of Plasmodium knowlesi and P. cynomolgi, T. Deegan & B. G. Maegraith (1); Nutrition of hymenstome ciliates, G. G. Holz; Tissue-feeding ciliates, W. J. Harman & J. O. Corliss; Nutrition of Paramecium, W. H. Johnson & C. A. Miller (1) (2); Metabolism of Paramecium, C. A. Miller & W. J. van Wagtendonk; Nutrition of Paramecium bursaria, V. Schwartz (1): Succinoxidase system of Paramecium aurelia variety 4, D. H. Simonsen & W. J. van Wagtendonk; Surface antigens of Paramecium aurelia, W. J. van Wagtendonk, B. van Tijn. etc.; Respiration of cyanide-adapted pyriformis, B. W. Inactivated Tetrahy-Tetrahymena McCashland: mena as food for protozoa, D. M. Lilly, W. H. Cevallos & B. R. Lucchesi; Requirements of pyridoxime for Tetrahymena, A. M. Elliot & G. M. Clark (2); Oxidation of succinic acid by Tetrahymena, H. J. Eichel; Free and nonprotein amino acids in Tetrahymena, C. Wu & J. F. Hogg; Pigments of Stentor niger, M. Barbier, E. Fauré-Fremiet & E. Lederer; Nutrition of Dasytricha, J. Gutierrez & R. E. Hungate; Intracellular oxidation and reduction patterns in Chlamydodon, M. Kaneda; Respira-tion in Polyspira delagei, Y. Skreb-Guilcher (2); Effect of nutritional state on photoreversal to ultraviolet injuries in Didinium nasutum, C. L. Brandt, D. C. Shephard & A. C. Giese; Nutrition of Euplotes, D. M. Lilly & S. M. Henny.

Properties of nucleus and cytoplasm.—Effect of nucleus transfer in amoebae on antibody formation, J. F. Danielli; Nuclear ribonucleic acid in Amoeba proteus, M. Rabinovitch & W. Plant; Enzymes associated with mitochondria of Chaos chaos, H. Holter; Presence of nucleic acids in Dientamoeba fragilis during nuclear division, S. Saegusa (2); Nucleus of Glabratella sulcata, K. Grell (4): Nucleus of Allogromia

laticoelaris, Z. M. Arnold (1); Desoxyribonucleic acid in Trypanosoma cruzi, M. D. Alcayaga; Intracellular pH of parasite ciliates, D. N. Ganguly & S. K. Banerjee; Micronuclear behaviour in conjugation of Paramecium, A. Nakata; Exclusion of ciliary antigens in Paramecium aurelia, P. Margolin; Ciliary antigens of Paramecium aurelia, variety 1, G. H. Beale; Nuclear development in Paramecium bursaria, C. F. Ehret & E. L. Powers (1); Nuclear differentiation in Tetrahymena, D. L. Nanney; Neuromotor apparatus of Eudiplodinium maggii, D. Fernandez-Galiano (2).

Secretion; Excretion. — Group decomposing enzyme from Trichomonas, T. Ikeda; Ultraviolet light on paramecin, R. Setlow & B. Doyle;

Growth; Weight.-Effect of cell size on growth of Amoeba proteus, D. M. Prescott (1); Effect of cytoplasmic amputations on growth of Amoeba proteus, D. M. Prescott (2); Cell growth and cell division in Amoeba proteus, D. M. Prescott (4); Temperature and shell growth, S. Epstein & H. A. Lowenstam: Growth in Dictyostelium discoideum, M. Sussman; Volume of Euglena, J. J. Corbett (2); Growth of bleached Euglena, J. A. Gross & T. L. Jahn (1); Growth of Chlamydomonas, E. O. Bernstein & T. L. Jahn; Growth of Chilomonas paramecium, S. Mučibabić; Changes in growth curves of Astasia longa, H. W. Schoenborn (1); Growth of Paramecium in axenic culture, C. A. Miller & W. J. van Wagtendonk; Cell size in synchronous cultures of Tetrahymena, O. Scherbaum; Synchronous divisions of Tetrahymena in culture, O. Scherbaum & E. Zeuthen; Growth of Tetrahymena pyriformis, L. L. Swader & E. G. S. Baker; "Fission zone" of Spirostomum ambiguum, P. B. Padmavathi.

Reproduction. — Reproduction in Protozoa, F. H. A. Marshall; Fertilization in protozoans, M. Hartmann; Reproduction in foraminifera, Z. M. Arnold (1); Autogomy in Paramecium, T. M. Sonneborn (2); Cilia arrangement in Paramecium in con-

jugation, M. Roque (2): Micronuclear behaviour during conjugation of Paramecium, A. Nakata: Giant Paramecium aurelia T. M. Sonneborn & R. V. Dippell: Stomatogenesis in Paramecium aurelia, M. Roque (1): Conjugation in Paramecium caudatum, É. Vivier (2); Nature of conjugation in Paramecium caudatum. K. Hiwatashi (2); Mating Tetrahymena reaction in formis, H. S. Ducoff (2); "Fission zone" of Spirostomum ambiguum, P. B. Padmayathi: Reproduction in Blepharisma undulans (Stein), B. R. Seshachar & P. B. Padmavathi (2); Reproduction of Podophyra collini, R. W. Hull; Conjugation in Stylo-cometes digitalis, Y. Skreb-Guilcher (1).

Vitality. — Viability of Dientamoeba, S. Saegusa (1); Viability of dried Strigomonas, D. I. Annear; Longevity of Trichomonas spp. in culture with bacteria, I. de Carneri (2).

Regeneration; Degeneration.—Inhibition of regeneration in Stentor coeruleus, P. B. Weisz (1); Regeneration in Stentor and Condylostoma, V. Tartar (1).

Locomotion; Movement. — Movement of Amoeba, A. C. Ballard; Orientation in space by ciliates, B. Párducz (2); Ciliate avoiding reactions, B. Párducz (2); pH on movement in Paramecium, J. W. Lee (1); Geotropism in Paramecium caudatum, B. Fedecka.

Sexuality.—Sexual cycle in flagellates of Cryptocercus, L. R. Cleveland (2); Hormone-induced sexual cycles of flagellates, L. R. Cleveland (4); Antigenic variation in Paramecium aurelia, variety 9, C. R. Pringle; Conjugation in Paramecium aurelia, M. Roque (1); Sexual types in Paramecium caudatum, É. Vivier (1); Conjugation in Paramecium caudatum, K. Hiwatashi (1); Mating types in Oxytricha, R. W. Siegel; Sexual dimorphism in Prodiscophrya, J. Kormas & K. Kormas.

Effects of physical factors.—Preservation of protozoa at low tem-

perature, U. Reusse; Effect of low temperature on protozoa, V. Molinari (1): Low temperature on trypanosomes and Plasmodium, V. Molinari & G. Montezin (1): Development of oocysts and flagellates in vitro, L. Lamy & J. Benex; Effect DPN enucleation on DPN level of Amoeba, A. F. Cohen; Damage in amoebae due to low concentrations of methyl di- (β-Chloroethyl)-amine, M. J. Ord; Electrical stimuli on Amoeba proteus, K. Umrath: Temperature-pressure experiments on Amoeba proteus, J. V. Landau, A. M. Zimmermann & D. A. Marshland; Low temperature on Entamoeba, V. Molinari (2); Factors influencing acquisition of flagella in Naegleria gruberi, E. N. Willmer; Temperature tolerance of Euglena, J. A. Gross & T. L. Jahn (2): Effect of temperature on growth of Chilomonas paramecium, S. Mučibabić; Effect of ultraviolet on Astasia longa, H. W. Schoenborn (2): Ultrasonic vibrations on Trypanosoma equiperdum, A. Verain, A. Verain & M. le Filliartre; Freezing Trichomonas foetus to -79°C., L. P. Joyner & G. H. Bennett; Oxygen toxicity for the protozoan fauna of Cryptocercus, L. R. Cleveland & A. W. Burke; Effect of high altitude on fowl malaria T. Freyvogel (1); High altitude on incidence of human malaria, T. Freyvogel (2); Light stimuli and Paramecium caudatum, Dabrowska: Factors affecting emergence of gametocytes of Plasmo. dium gallinaceum and exflagellation. A. Bishop & E. W. McConnachie; Ultrasonic vibrations on Plasmodium berghei, A. Verain & A. Verain (1); Effects of freezing on Toxoplasma D. E. Eyles, N. Coleman & D. J. Cavanaugh; X-rays on division-rate of ciliates, J. Bridgman & R. F. Kimball; Light stimuli and Stentor coeruleus, Spirostomum ambiguum, etc., J. Dabrowska; Effect of X-rays on nucleus of Paramecium, R. F. Kimball & N. Gaither; Oxygen and effect of X-rays on Paramecium aurelia, R. F. Kimball; Response to stimuli in Paramecium, B. Párducz (1); Electrical stimulations on Paramecium, G. Viaud & N. Bonaventure: Effect of electrical stimuli on Paramecium caudatum, N. Bonaventure; Geotropism in Paramecium caudatum, B. Fedecka; Temperature on inhibition of Tetrahymena by anti-biotics, J. A. Gross; Effect of X-rays on synchronized cultures of Tetrahymena, H. S. Ducoff (1); Effect of grafting in Stentor, V. Tartar (3); Effects of high hydrostatic pressure on a feeding suctorian, J. A. Kitching.

Effects of chemicals.—Action of trichomycin on protozoa, S. Hosoya; Effect of gonadotrophic hormones on encystation of frog protozoa, G. Čehović: Mode of action of pyrimethamine, H. A. Nathan, R. J. Davis & M. Sanders; Effect of chloramphenicol and analogues on Entamoeba histolytica and Trichomonas, I. de Carneri (4); Ribonuclease on living amoebae, J. Brachet (2); Effect of phenylalanine-3-C14 on nucleated and anucleated fragments of amoebids, A. Ficq; Effect of a "nitrogen mustard" on Amoeba proteus, M. J. Ord & J. F. Danielli; Melanization in Amoeba proteus, D. Frisch & H. I. Hirshfield: Surface-active agents on Pelomyxa carolinensis, R. M. Nardone, D. C. Broungart, M. P. Hurley & M. E. Gilson; Amoebicidal action of a fluorenone in vitro, A. B. Stam & P. H. van Thiel; Comparison of in vitro and in vivo amoebicide tests, J. E. Lynch, B. J. Bamforth & D. Gesckeritz: Cortisone on entamoebae. L. Lamy & V. Molinari (2); Effect of antibiotics on Entamoeba histolytica in vitro and in vivo, P. E. Thompson and others; Alkaloids on Entamoeba histolytica in vitro, H. Mühlpfordt & R. Martinez-Silva: Antimetabolites on growth of Entamoeba histolytica, M. Nakamura & E. E. Baker (1); Action of azaserine on Entamoeba histolytica, M. Nakamura; Effect of pyrimidine amides on Entamoeba histolytica, S. Jonsson & M. Nakamura; Oxysteroids on Entamoeba histolytica, H. Seneca & E. Bergendahl: Effect of chemicals on cysts of Entamoeba histolytica, T. Simitch, S. Ramsine, Z. Petrovitch, D. Chiba-Hitch & L. Jankov; Cortisone on Entamoeba invadens, L. Lamy & V. Molinari (1); Effect of cyanide on Chilomonas; B. W. McCashland & W. R. Marsh; Sulphanilamide sensitivity of Chilomonas exposed to p-aminobenzoic acid, R. P. Hall;

Effect of 2,4-dinitrophenol on Ochromonas, S. Aaronson, S. H. Hutner & H. Baker; Vitamin B<sub>12</sub> assay with Euglena, S. H. Hutner. M. K. Bach & G. I. M. Ross; Streptomycin on Euglena gracilis, J. Vávra (1); Effect of dissolved carbon dioxide on Astasia longa, J. A. Borgers & J. A. Kitching; Antagonism of trypanocidal action of puromycin, R. I. Hewitt, A. R. Gumble, W. S. Wallace & J. H. Williams (2): Effect of amino nucleoside of puromycin on Trypanosoma, E. J. Tobie & B. Highman: Action of trypanocidal drugs during barbiturate narcosis of mice, M. Petrů & M. Vojtechovska (2); Puromycin on Trypanosoma gambiense, C. Trincão, A. R. Nogueira & L. T. de Almeida Franco; Cortisone on Try-panosoma cruzi, M. Rubio D. (1); Cortisone on Trypanosoma cruzi, P. T. Pizzi & J. Chemke S.: Action of stilbamidine on T. rhodesiense, J. D. Fulton & P. J. Grant (1); Pyrimidines and triazines on Eimeria tenella, R. E. Lux; Inhibition of Eimeria tenella with pyrimethamine and a sulphonamide, S. B. Kendall & L. P. Joyner; Resistance to pyrimethamine and metachloridine. Greenberg (2): Effect of DDT on Plasmodium in the insect vector. R. W. Burgess: Alcohol on Plasmodium berghei, J. Sautet, V. Pastacalli & J. Vuillet; Nivaquin and acquired resistance to Plasmodium berghei, E. Sergent & A. Poncet (1); Ethionine in Plasmodium berghei infections, A. E. R. Taylor; Cross-resistance to drugs by Plasmodium gallinaceum, J. Greenberg & H. W. Bond; Effect of drugs on sporogony of Plasmodium gallinaceum, L. A. Terzian; Spontaneous appearance of drug resistance in *Toxoplasma*, W. D. Winter & G. E. Foley; Effect of paramino-salicylate on Colpoda, T. Francheschi; Response of Paramecium to patulin, M. L. Austin, D. Widmayer & L. M. Walker: Effect of penicillin Paramecium cultures, J. J. Doolan, M. Rotner & P. H. Yancey; Inhibition of Tetrahymena by tryptophane analogue, G. W. Kidder & V. C. Dewey: Temperature on inhibition of Tetrahymena by antibiotics, J. A. Gross: Effect of cobalt and nickel on Tetrahymena, J. S. Roth; Influence of certain medicines on Spirostomum,

S. T. Tchakhotine & A. Benedicenti; Chemicals producing abnormal growth of suctorian protozoa, F. J. Sterbenz & D. M. Lilly; Effects of chemicals on growth of carnivorous ciliates, D. M. Lilly & W. H. Cevallos;

Cyst-formation. - Effect of gonadotrophic hormones on encystation of frog protozoa, G. Čehović: Cysts etc. of free-living amoebids, Sister Monica: Encystation in Entamoeba invadens. W. Balamuth (2): Encystment of Entamoeba histolytica, C. Moriguchi: Cyst formation in Dinobryon crenulatum, B. Asmund: Cilium development in cystation of Colpoda cucullus, K. Hashimoto (3); Cystic stage of Stylonychia histrio, K. Hashimoto (2); Structural features in cystic stage of Vorticella microstoma, K. Hashimoto (1); Excystation in Pleurotricha lanceolata, W. B. Jeffries; Excystment of Frontonia depressa, J. D. Stout (2).

Behaviour. — Protozoan learning and instinct, W. H. Thorpe.

Cultivation. — Development of protozoa at low temperatures, G. A. Noble: Cultivation of Amoeba proteus on Tetrahymena, D. M. Prescott & J. W. James: Cultivation of Amoeba, M. Taylor; Cultivation of Amoeba proteus and Chaos chaos, D. M. Prescott (3): Cultivation of Entamoeba, R. Despieds: Cultivation of Entamoeba gingivalis without rice starch, M. Kaneko (1); Cultivation of Entamoeba invadens, E. W. McConnachie; Cultivation of Entamoeba histolytica with glucosamine, J. Greenberg, D. J. Taylor & H. W. Bond; Elimination of Blastocystis from Entamoeba histolytica cultures, S. R. Smedley; Cultivation of Retortamonas, M. A. R. Ansari: Synthetic medium for Strigomonas, B. A. Newton; Cultivation of Trypanosoma ranarum, F. G. Wallace; Cultivation of Trichomonas, Z. Petrović; Growth of Trichomonas spp. with bacteria, I. de Carneri (2); Culture of Trichomonas vaginalis and T. hominis, I. de Carneri (1); Elimination of bacteria and fungi from cultures of Trichomonas vaginalis, I. de Carneri (3); Cultivation of Plasmodium spp., S. Glenn & R. D. Manwell; Axenic culture of Paramecium, F. J. Sterbenz (1); Thioctic acid requirement of Paramecium, F. J. Sterbenz (2); Cultivation of Colpoda, T. Franceschi; Culture of Frontonia leucus, T. A. Okada.

#### DEVELOPMENT

General. — Development of protozoa, K. G. Grell (1).

Rhizopoda. — Development of Difflugia leidyi, M. Ertl (3); Teratology in Testacea, D. Chardez (1); Life cycle of Rotaliella roscoffensis, K. G. Grell (2); Life cycle of Allogromia laticoelaris, Z. M. Arnold (1); Development of Carboniferous foraminifera, N. P. Malakhova; Development of Neogullmia, K.-G. Nyholm (3); Development of Phainogullmia, K.-G. Nyholm (1); Development of Coleites reticulosus (Plummer), J. Hofker (12); Development of Eponides beisseli Schijfsama, J. Hofker (14) Morphogenesis in Dictyostelium discoideum, M. Sussman.

Mastigophora. — Sexual cycle in Macrospironympha, L. R. Cleveland (1); Cell division in Trichonympha and Barbulanympha, L. R. Cleveland (3); Sexual cycle in flagellates of Cryptocercus, L. R. Cleveland (2); Life oycle of Retortamonas, M. A. R. Ansari; Life cycle of Trypanosoma cruzi in the vertebrate host, C. Romaña; Development of Trypanosoma cruzi, S. Rego & P. C. C. Garnham; Life cycle of Trypanosoma avium, J. R. Baker (3); Development Trypanosoma lewisi, W. E. of Ormerod & R. Killick-Kendrick; Development of metacyclic Trypanosoma rhodesiense, R. M. Gordon & K. C. Willett; Life cycle of the rabbit trypanosome, M. Singh Grewal (1); Life cycle of Trypanosoma rangeli, M. Singh Grewal (2); Development of trypanosomes from crithidia in vitro of Trypanosoma mega, M. Steinert & G. J. Boné.

Sporozoa.—Life cycle of new gregarines, O. Tuzet & R. Ormières (2); Life cycle of Gregarina hyalellae, D. De Guisti & S. Delidow; Endogenous cycle of Diplocystis clerci, R. Stefani (2); Life history of Coelogregarina, F. J. Manning; Development of

Eimeria zurnii, L. R. Davis & G. W. Bowman: Precrythrocytic development of Plasmodium, J. Rodhain (3): Erythrocytic development of Plasmodium reichenowi, R. S. Bray: Development of Plasmodium inopinatum, R. Resseler; Excerythrocytic development of Plasmodium vivax in Pan satyrus, J. Rodhain (4): Excerythrocytic stages of Plasmodium nucleophilum, C. G. Huff: Development of Plasmodium P. C. C. Garnham, R. Lainson & A. E. Gunders; Development of Plasmodium ovale, R. Moise; Schizogony in Plasmodium berghei. E. Sergent; Schizonts of Leucocytozoon, D. J. Richey & R. E. Ware; Life history of new piroplasm, Babesio-soma, S. Jakowska & R. F. Nigrelli; Development of Ichthyosporidium, A. Porter & H. F. Vinall.

[1956]

Ciliophora. — Development of Blepharisma, H. I. Hirshfield & P. Pecora; Excystation in Pleurotricha lanceolata, W. B. Jeffries; Conjugation of Vorticella, E. Mügge; Autogamy in Tetrahymena rostrata, J. O. Corliss (1); X-irradiation of Tetrahymena pyriformis, A. M. Elliot & G. M. Clark (1); Nuclear behaviour in haploids of Tetrahymena pyriformis, G. M. Clark & A. M. Elliott; Development of of respiration in Polyspira delagei, Y. Skreb-Guilcher (2); Development of Thecacineta, D. Matthes.

### EVOLUTION & GENETICS

Evolution: Phylogeny. — "Evolutionary explosions" in protozoa, L. G. Henbest; Sex in protista, E. C. Dougherty; Intraspecific categories in pathogenic protozoa, C. A. Hoare (1); The evolution of parasitism, H. Harant & J. Ruffie; Evolution of Nummulites, R. Abrard (1); Evolution of Carboniferous foraminifera, N. P. Malakhova; Evolutionary trends in larger foraminifera, C. W. Drooger (5); Evolution of Robulus, M. Lys; Phylogeny of Reussella szajnochae, Von I. de Klasz & H. C. G. Knipscheer; Phylogeny of Globotruncana, H. Hagn & W. Zeil (1); Plexus of Lingulina tenera, T. Barnard (1); Evolution of Orbulina, Globigerinoides, and Biorbulina, W. H

Blow; Evolution of Fabularia Defrance, A. C. Collins; Phylogeny of Orbitoids, A. Papp (3); Ancestry in Euglena, L. P. Johnson; Phylogeny of Trypanosoma evansi, C. A. Hoare (2); Affinities of Trypanosoma rhodesiense and T. gambiense, K. C. Willett (1); Affinities of Trypanosoma rhodesiense, K. C. Willett (2); Evolution of ciliated Protozoa, J. O. Corliss (2, 3); Infraciliature in phylogeny of Ophryoscolecidae, S. Kantor.

Heredity. — Serotype transformation in *Paramecium*, P. D. Skaar; Heredity in ciliates, T. M. Sonneborn (1).

Variation. — Variation in Testacea, D. Chardez (1); Variation in smaller foraminifera, S. B. Bhatia (2); Variation in planktonic foraminifera, F. L. Parker; Variation in Japanese Elphidium crispum, Y. Fujita; Variation in Schackoina, E. M. Gallitelli (5); Variation in Oycloclypeus, C. W. Drooger (1); Variation in nummulites, H. Fuchs; Variation in Phainogullmia, K.-G. Nyholm (1); Variation in Hippocrepinella alba, K.-G. Nyholm (2); Variation in Neogullmia, K.-G. Nyholm (3); Transference of drugresistance in Plasmodium gallinaceum J. Greenberg (2); Gene variability in ciliates, T. M. Sonneborn (1); Variation in Paramecium, T. M. Sonneborn, M. V. Schneller & M. F. Craig.

Biometry. — Biometrical analysis of Elphidium, Y. Fujita; Biometry of nummulites, H. Fuchs; Biometry of Cycloclypeus, C. W. Drooger (2); Biometry of the occysts of chicken Eimeria, E. R. Becker (1); Statistical study of the occyst size of chicken Eimeria. E. R. Becker, W. J. Zimmermann, W. H. Patillo & J. N. Farmer; Biometrical study of Eimeria necatrix, E. R. Becker, R. J. Jessen, W. H. Patillo & W. M. van Doorninck; Size variation in Paramecium caudatum, L. C. Gilman (2).

### ECOLOGY

General. — Ecological approach to parasitism, W. L. Wiśniewski; Foraminifera as food for marine life, M. Bācescu & F. E. Caraión; Geographical distribution of Nebela, L.

Decloitre (3); Ecological value of Euglena, J. Perman.

Behaviour. — Resistance of Paramecium caudatum to natural chemical changes, A. Grebecki & L. Kuźnicki; Seasonal variation of Paramecium in Japan, S. Hayashi; Behaviour of "red tides" in estuaries, F. Chew; Gymnodinium as a cause of "red tides", H. T. Odum, J. B. Lackey, J. Hynes & M. Marshall; Behaviour of Gymnodinium in "red tides", I. Hela.

#### AQUATIO

Marine. - Biogeochemistry of strontium, H. J. M. Bowen; Ecology of marine plankton off Algerian coasts, F. Bernard; Plankton ecology of Long Island Sound, S. A. MacM. Conover; Foraminiferal ecology, H. Freydanck; Ecology of planktonic foraminifera, S. W. Stone; Effect of predators on foraminifera, A. Earland; Shallowwater marine environments, F. P. Shephard (2): Ecology of foraminifera in Atlantic and Mediterranean sediments, F. L. Parker; Lead leading to impoverishment of Argentinian coastal waters, E. Boltovskoy (2); Foraminiferal ecology around the Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; Foraminiferal ecology in Gulf of Mexico, O. L. Bandy (1); Foraminiferal ecology in the northeastern Gulf of Mexico, O. L. Bandy (2): Ecology of foraminifera of Mississippi Sound, F. B. Phleger (1): Foraminiferal ecology off Central Texas coast, F. B. Phleger (3); Ecology of foraminifera in Japan, K. Sawai; Foraminiferal ecology in Tokyo Bay, M. Morishima; Foraminifera of Japanese coasts, Y. Takayanagi; Intertidal foraminifera of the Tokara Islands, Y. Kuwano; Ecology of Ammobaculites, G. L. Harrington; Ecology of Fabularia Defrance, A. C. Collins; Ecology of North Pacific Radiolaria, V. Reshetniak; Norwegian marine ciliate ecology, P. Fjeld (1)

Brackish. — Brackish water foraminifera in Zululand, Y. H. Smitter; Protozoan ecology of Brazilian coastal lagoons, L. de Oliveira, R. Nascimento & L. Krau; Ecology of Finnish brackish-water flagellates, M. R. Droop; Brackish-water ciliates of Cheshire, England, M. G. Webb.

Freshwater. — Protozoa associated with Potamogeton, I. Müller-Liebenau; Protozoa found in potable waters, F. Lieb,, H. Exner & M. Anschau; Plankton ecology of humic acid Lake Gribsø, K. Berg & I. C. Petersen; Protozoan ecology in Mauritania, P. L. Dekeyser & A. Villiers; Protistan ecology in the Lower Congo, H. Kufferath (3); Protozoan ecology in Pymatuning Lake, Pennsylvania, H. D. Orr; Ecology of protozoa in Errakuppan Reservoir, S. V. Ganapati; Ecology of thecamoebians in the Rio de la Plata, E. Boltovskoy (1); Ecology of Venezuelan thecamoebids, L. Decloitre (4); Ecology of Venezuelan Testacea, P. van Oye (1); Ecology of Japanese fresh-water rhizopods, K. Yamamoto; Ecology of New Zealand thecamoebians, P. van Oye (3); Ecology of Finnish freshwater flagellates, M. R. Droop; Ecology of Austrian freshwater dinoflagellates, J. Schiller (1); Euglenid ecology of Neusiedler Sea, J. Schiller (2); Ecology of Dinobryon crenulatum, B. Asmund; Epistylis rotans in Lake Zurich, F. Nipkow; Peritrichs of Lake Zurich, F. Nipkow; Ecology of Hungarian ciliates, B. Vörösváry; Ecology of New Zealand freshwater ciliates, R. E. Barwick, etc.

### SOIL

Soil protozoa in Holland, F. de Graaf (1); Ecology of Dutch microorganisms, F. de Graaf & W. Meijer; Protozoa of the Dolomites, G. Marcuzzi; Soil protozoa in Central Europe, H.-G. Petzold; List of protozoa associated with normal and virus infected paprika, I. Horváth; Protozoa associated with roots of wheat, F. Biczok (1); Ecology of soil protozoans, L. Bonnet & R. Thomas.

### PALAEOECOLOGY

Distribution of planktonic foraminifera, S. W. Stone; Foraminifera as depth indicators, T. F. Grimsdale & F. P. C. M. van Morkhoven; Temperature and shellgrowth, S. Epstein & H. A. Lowenstam; Palaeoecology of foraminifera in coves off the Mississippi Delta, F. B. Phleger (2); Distribution of Holocene foraminifera in the N.W. Polder, Holland, J. H. van Voorthuysen (1): Pleistocene temperatures in southern California, C. Emiliani & S. Epstein; Palaeoecology of Pleistocene foraminifera in New Zealand, C. A. Fleming; Palaeoecology of Moravian Tertiary foraminifera, V. Pokorny; Foraminiferal ecology in German Tertiary, H. Hagn (4); Palaeoecology of Italian Miocene foraminifera, G. Perin; Palaeoecology of Japanese Miocene foraminifera, Y. Tai (1) & (2); Palaeoecology of Eocene foraminifera. M. Mangin (3): Ecology of Australian Cretaceous foraminifera, I. Crespin (1); Palaeoecology of fusulinids, Kahler (2); Palaeoecology of Chitinozoans, C. Collinson & H. Schwalb.

### MISCELLANEOUS

Micro-organisms in accumulating sediments, G. Siebert & W. Schwartz; Protozoa associated with Sphagnum, P. Chacharonis; Effect of lead on foraminiferal ecology, E. Boltovskoy (2); Population dynamics of host specificity in Urceolaria mitra, epizoic on freshwater Triclads, T. B. Revnoldson.

### PARASITISM

General. — Hostparasite relations between fish and parasitic protozoa, G. K. Petrusheveski; Ecological factors in the study of parasitism, J. Demarchi; Ecological approach to parasitology, N. H. Swellengrebel; Protozoa surviving metamorphosis in Rana pipiens, W. H. McArthur; Effect of hostmolting on protozoa of Cryptocercus, L. R. Cleveland & W. L. Nutting; Ecological conditions of ciliate parasites in digestive tubes of Allolobophora savignyi, P. de Puytorac & P. Mauret.

Host-parasite relationship.—Virulence in Entamoeba histolytica, R. A. Neal & P. Vincent; Pathogenicity of Entamoeba histolytica, W. W. Frye; Influence of bacteria on virulence of

Entamoeba histolytica, M. F. André: Effect of bacteria upon the virulence of Entamoeba histolytica, H. Matsumoto (1); Relationship between bacteria and virulence in Entamoeba histolytica, R. A. Neal (1): Effect of a nematode on invasion of liver by Entamoeba histolytica, I. M. Krupp; Effect of bacteria on the production of experimental hepatitis by Entamoeba histolytica, H. Matsumoto (2): Experimental human infections with Entamoeba histolytica, P. C. Beaver, etc. (1): Red blood cell ingestion by Entamoeba gingivalis, M. Kaneko (2); Virulence of Leishmania enrietti. J. O. Continho (1); Neurological problems of trypanosomiasis, L. van Bogaert: Infection of domestic animals with trypanosomes, E. E. Edwards, J. M. Judd & F. A. Squire (3); Cytochemical changes in adrenals during trypanosomiasis, K. Takagi; Trypanosoma spp. infections in sheep and goats, E. E. Edwards, J. M. Judd & F. A. Squire (1) & (2): Trypanosomiasis of the dog occuring in Venezuela, R. J. Gomez Rodriguez; Lethal effect on sheep fed by Try-panosoma melophagium, W. A. Nelson; Lethal effects of Trypanosoma infection on the host, L. Bouïsset, H. Harant & J. Ruffié (2); Effect of hibernation on Trypanosoma equiperdum, L. Bouisset, H. Harant & J. Ruffie (1); Trypanosoma rhodesiense in Belgian Congo, F. Evens & C. Niemegeers; Salicylic acid and derivatives on Trypanosoma gambiense infections, H. Fromentin; Effect of Trypanosoma gambiense on dogs, M. Petrů & M. Vojtěchovska (1); Effect of salicylate on plasma proteins in rats infected with Trypanosoma lewisi, W. M. Meyers & M. G. Lysenko; Trypanosoma lewisi in hypoxic rats, F. W. Hughes & A. C. Tatum (2); New strain of Trypano-soma cruzi, M. Rubio D. (2); Vaginal trichomoniasis in monkeys, E. Eugene, V. Lynch & R. K. Thoms (1); Vaginal pH and Trichomonas infection, H. Verheye; Variation of host diet on infections of Trichomonas, J. Cairns; Habitat of Giardia in kitten, D. J. Hitchcock & T. D. Malewitz; Pathology of histomoniasis, T. D. Malewitz (2): Survival of Histomonas in faeces, M. M. Farr; Reinfection of Haploembia solieri by gregarine,

R. Stefani (1); Globidium infection in an Indian horse, L. S. Hiregaudar (2); Pathogenicity of Eimeria alabamensis, L. R. Davis, D. C. Boughton & G. W. Bowman: Effect of Eimeria acervulina on the host, N. F. Morehouse & W. C. McGuire; Natural infections of Eimeria in chickens in Iowa, W. J. Zimmermann; Physiological and pathological problems of malaria, B. G. Maegraith; Plasmodium and Haemoproteus infection in pigeon, E. R. Becker, W. F. Hollander & W. H. Pattillo; Influence of Schistosoma on Plasmodium infections, M. Yoeli; Blood replacement in rats with Plasmodium, A. Zuckerman; Plasmodium infections in different strains of mice, J. Greenberg (1): Concurrent infection with Plasmodium relictum and Western equine encephalitus virus, H. C. Barnett; Plasmodium lophurae in mice, R. B. McGhee (2); Inoculation of ducks with Plasmodium lophurae, D. E. Harding (1); Inoculation of chickens with Plasmodium lophurae, D. E. Harding (2); Increase of virulence of Plasmodium gallinaceum by cyclical passage, T. Freyvogel (1); Effect of Plasmodium gallinaceum infection on chick adrenals, D. J. Taylor, J. Greenberg, E. S. Josephson & E. M. Nachel; Sickling tract and Plasmodium falciparum, M. J. Miller. J. V. Neel & F. B. Livingstone; Glycogenesis in liver of rats infected with Plasmodium berghei, T. von Brand & T. I. Mercado; Factors influencing infections of Plasmodium berghei, P. M. Carrescia & E. G. Arcolev; Effect of diet on Plasmodium berghei infections, J. Sautet & J. Caporali; Body temperature during infection with Plasmodium berghei, A. Verain & A. Verain (2); Effect of Plasmodium berahei on reproduction of rodents, H. Werner (2); Plasmodium berghei in hypoxic rats, F. W. Hughes & A. L. Tatum (1); Host response to injection of Plasmodium berghei, G. Gabiani & J. Orfila (3); Plasmodium berghei in suckling mice, G. Fabiani & J. Orfila (4); Effect of diet on infection with Plasmodium berghei, H. Galliard, J. Lapierre & J. Murand; Host coenzyme A and Plasmodium berghei infection, Singer & W. Trager; Histopathology of Leucocytozoon, J. W. Newberne;

85

Schizonts of Leucocytozoon in turkeys, D. J. Richey & R. E. Ware; Biology of piroplasms, W. O. Neitz (1): Fatal form of bovine theileriosis from Zululand, W. O. Neitz (2); Microsporidia in English cravfish, H. P. Goodrich; Mechanism of invasion of Nosema in Ecdyonus venosus, J. Weiser (3): Host-parasite relations in toxoplasmosis, Z. Kozar (3); Pathology of toxoplasmosis, J. K. Frenkel; Biology of Toxoplasma, L. Jacobs; Infection with Toxoplasma during hibernation, T. Simitch, Z. Petrovitch & A. Bordjochki (2); Congenital transmission of toxoplasmosis, R. A. de A. Cardoso, F. N. Guimaraes & A. P. Garcia; Pathology of congeni-tale toxoplasmosis, L. Wasserman, L. Gavrilita, T. Marculescu, A. Chipail & V. Patrascanu; Toxoplasma in rats, P. H. van Thiel (2); Presence of lysergic acid analogue in Toxoplasma infected mice, G. Varela, A. Vazquez & J. Torroella; Laboratory ocular toxoplasmosis, G. Varela, E. Roch & J. Torroella: Double infections of Toxoplasma and a virus. C. Vermeil (3); Effect of parasitic ciliates on the host, D. N. Ganguly & S. K. Banerjee; Host-parasite relationship of the ciliates of Allolo-bophora savignyi, P. de Puytorae & P. Mauret; Distribution of ciliates of molluses, Z. Raabe; Effect of diet on rumen protozoa, R. J. Moir & M. Somers; Young carp infected with Trichodina, S. J. Karamchandani; Pathology of balantidiasis, V. M. Arean & E. Koppisch; Pathogenicity of Tetrahymena, R. F. Nigrelli.

Transmission; Infectivity. — Reciprocal protozoan transfaunations between Roach, Cryptocercus, and the termite, Zootermopsie, W. L. Nutting; Experimental infection of laboratory animals with Entamoeba gingivalis, M. Kaneko (3); Dissemination of Entamoeba cysts by flies, T. T. Mackie etc. (1); Transmission of Dientamoeba by Enterobius, R. B. Burrows & M. A. Swerdlow; Infection of Ratus (Mastomys) coucha with protozoa, A. E. Gunders; Infection of chickens with Histomonas meleagridis, C. Horton-Smith & P. L. Long; Bloodsucking muscid flies as vectors for Leishmania, W. A. Lamborn; Vectors of Kala Azar in

Brazil, L. M. Deane; Susceptibility of squirrels to infection with Leishmania, J. Rangue & A. Faure: Infectivity of Leishmania enriettii to guinea pigs, J. O. Coutinho (1); Transmission of trypanosomiasis in Belgian Congo, L. van der Berghe; Number of trypanosomes required to give infection, K. C. Willett (3): Infection of domestic animals with Trypanosoma cruzi, L. S. Diamond & R. Rubin; Geographical distribution of *Triatoma* infected with *Trypanosoma*, M. E. Jörg; Isolation of Trypanosoma cruzi, P. C. C. Garnham: Trictoma protracta infected with Trypanosoma cruzi from Utah. U.S.A., S. F. Wood; Experimental infections of batracians with Trypanosoma cruzi, M. Rubio (1): Virulence of Trypanosoma congolense after preservation at —180°C., V. Molinari & G. Montezin (2); Deposition of metacylic forms of T. rhodesiense by tsetse, R. M. Gordon, W. Crewe & K. C. Willett: Infectivity to man of laboratory strains of Trypanosoma rhodesiense, H. Fairbairn: Transmission of Trypanosoma rhodesiense, R. M. Gordon & K. C. Willet: Transmission of Trypanosoma avium, J. R. Baker (2); Trichomonas in experimental animals, P. Uhlen-huth & K. E. Schoenherr; Tricho-monas vaginalis infections in the vagina of rats, R. Cavier & X. Mossion (1); Infection of the vagina of rats with Trichomonas vaginalis, R. Cavier & X. Mossion (2): Ocular infections with Trichomonas vaginalis J. T. Weld & B. H. Kean; Transmission of Trichomonas vaginalis. D. J. M. Bedoya; Genital infections of bulls with pig trichomonads, D. M. Hammond & W. Leidl (1); Turkeys infected with Trichomonas gallinarum from partridges, R. W. Wichmann & T. A. Bankowski; Cross-infection of pigs and goats with Trichomonas, D. M. Hammond & W. Leidl (2); Infection of rats and mice with Giardia intestinalis, M. H. Haiba: Invasion of intestinal mucosa by Eimeria necatrix, W. M. van Doorninck & E. R. Becker; Transmission of *Isospora belli* to other hosts, G. M. Jeffery (1); Transmission of malaria in Limpopo, A. Soeiro; Examination of mosquitoes for malarial parasites, J. L. Laffoon; Trans-

mission of malaria in infants, M. J. Colbourne & E. M. A. Sowah; Infections of Plasmodium in chick and duck embryos, R. B. McGhee (1): Transmission of Plasmodium berghei by mosquitoes, B. L. Celaya, E. D. Box & W. D. Gingrich; Transmission of Plasmodium berghei to suckling rats, R. J. Terry; Resistance of gerbils to Plasmodium berghei, E. Sergent & A. Poncet (4); Transplacental passage of Plasmodium berghei, L. J. Bruce-Chwatt & F. D. Gibson: Transmission of Plasmodium subpraecox to canaries, A. Corradetti & I. Neri; Infectivity of Plasmodium relictum for avian hosts, L. A. Schinazi & G. H. Ball; Infection of chimpanzee with Plasmodium vivax, J. Rodhain (3); Transmission of Plasmodium inopinatum to other rodents, R. Resseler; Transmission of Leucocytozoon simondi by Simulium, A. M. Fallis, R. C. Anderson & G. F. Bennett; Transmission of piroplasms, W. O. Neitz (1); Transmission by Rhipicephalus evertsi of Theileria ovis, B. C. Jansen & W. O. Neitz: Experimental infections of myxosporidia in fish, L. Thélin; Transmission of *Toxoplasma* by pseudocysts, P. H. van Thiel & D. van der Waaij; Effect of inocula size in Toxoplasma infection, D. E. Eyles & N. Coleman (4); Susceptibility of Citellus citellus to infection with Toxoplasma, T. Simitch, Z. Petrovitch & A. Bondjochki (1); Oral transmission of Toxoplasma. L. Schmidtke: Droplet transmission of Toxoplasma, H. Kunert & L. Schmidtke; Transmission of Toxo-plasma by Stomozys, J. J. Laarman; Oral transmission of Besnoitia bes-noiti, W. L. Jellison, W. J. Fullerton & H. Parker; Transmission of anaplasmosis in U.S.A., P. L. Piercy; Effect of gastric mucin on survival of Balantidium coli in mice and rats, K. Urabe; Tetrahymena limacis in slugs, E. N. Kozloff (3); Failure to infect mammals with Tetrahymena, W. E. McCaul.

Carriers; reservoirs. — Reservoir hosts of protozoa, B. Ryšavý & B. Erhardová; Reservoir hosts in leishmaniasis, R. Kirk (2); Foxes as reservoir hosts of kala azar in Brazil, L. M. Deane; Reservoir hosts of

Toxoplasma and Pneumocystis, O. Havlic;

Immunity; Serology. - Collodion agglutination with parasitic protozoa, J. Coudert & M. Coly; Serological studies with Entamoeba histolytica, R. Sato: Serology of Entamoeba histolytica, M. Nakamura & E. E. Baker (3); Antisera and phagocytosis in Entamoeba, J. G. Shaffer & J. Ansfield; Lysis of Leishmania flagellates by serum, J. Taub; Agglutination of Leishmania S. Adler & J. Adler; Complement fixation test for trypanosomiasis, R. Depoux, P. Merveille & J. Ceccaldi: Antibody and respiration of Trypanosoma, R. S. Desowitz (1): Complement-fixation test for diagnosis of *T. cruzi* infection, E. F. Chaffee, E. H. Fife & J. F. Kent; Lytic effect of sera on *Trypanosoma* cruzi, M. Rubio (2); Immune response of batracians to Trypanosoma cruzi, M. Rubio (1); Serum on Trypanosoma cruzi, S. Adler; Cortisone on immunity to Trypanosoma equiperdum, W. Cantrell & G. D. Betts: Serological reaction to Trypanosoma equiperdum, R. Vargues & M. le Filliatre; y-globulins and Trypanosoma gambiense infection, H. Fromentin, M. Sandor, G. Sandor & J. Levaditi; Immunological variation in Trypanosoma gambiense, S. Inoki, H. Osaki & T. Nakabayashi; Serological reactions to Trichomonas, K. E. Schoenherr; Abolition of immune response to Trichomonas foetus, W. R. Kerr & M. Robertson; Chemotherapy and immune reaction to coccidiosis, A. C. Cuckler & C. M. Malanga; Immunity to malaria, E. G. Nauck; Electrophoresis of serum proteins from cases of malaria, M. van Sande: Transmission of antibodies to Plasmodium berghei, L. J. Bruce-Chwatt & F. D. Gibson; Immunity of suckling rats to Plasmodium berghei, R. J. Terry; Immunity to Plasmodium berghei, V. Matilla, J. A. Garrido, A. P. Lorenzo & A. F. Nafnia; Serum proteins in Plasmodium berghei infections, R. Depieds & A. Faure; Mechanism of immunity to Plasmodium berghei, G. Fabiani & J. Orfila (2); Immunity between Plasmodium berghei and P. vinckei, J. Rodhain (2); Immunity

in Plasmodium gallinaceum infections, R. Deschiens, F. Pick, & U. Sarauw; Serological studies in toxoplasmosis, T. Hellbrügge, W. Spiegler & W. Grewing; Immunity in toxo-plasmosis, E. C. Cutchins & J. Warren; Toxoplasma antibody and properdin, H. A. Feldman; Serological response to Toxoplasma infections, L. Jacobs: Toxoplasma antigen from duck embryos, J. G. Heyl & R. Gispen; Comparison of different Toxoplasma antigens, W. Weigand; Serological studies of Toxoplasma from the gondi, C. Vermeil (1); Serological affinities between Toxoplasma and Sarcocystis, C. Moscovici; Serology of Haemobartonella and Eperythrozoon, R. Wigand (2); Serological reactions with Bartonella munis and Eperythrozoon coccoides, R. Wigand (1): Diagnosis of anaplasmosis by complement-fixation, D. W. Gates & T. O. Roby. [Protozoa in relation to Disease—see under Economics.]

# PARASITISM.— HOSTS

General. — Parasites common to animals and man, B. Schwartz.

Parasitic protozoa in domestic animals, G. Lapage (1).

Occurrence of protozoa in Far East sea animals, V. A. Dogiel.

Parasites of wild animals in Wyoming, U.S.A., R. F. Honess, & K. B. Winter,

Animals infected with Toxoplasma, H. de Roever-Bonnet.

Catalogue of Eimeriidae, E. R. Becker (2).

Parasitic protozoa seen in wild animals from England, E. J. Perkins (1).

#### Other Mammalia:

Wild mammals of Kazakhstan: new Eimeria and Isospora spp. (Coccid.), S. K. Svanbaev.

Hosts of Trypanosoma evansi (Mastig.), C. A. Hoare (2).

Intestinal protozoa in laboratory animals, L. Mudrow-Reichenov.

Toxoplasmosis in wild and domestic animals, J. A. Morris, C. G. Aulisio & J. M. McCown.

Apodemus (France) intestinal protozoa, J. Caron & D. Jarry.

Apodemus flavicollis (S. Moravia), Eimeria falciformis, E. keilini, E. apodemi (Coccid.), Ž. Černa & M. Daniel.

Apodemus sylvaticus, intestine (Asia): Isospora uralicae sp. n. (Coccid.), S. K. Svanbaev.

Bats, blood (California, U.S.A.), Trypanosoma vespertilionis (Mastig.) O. G. Mitchell.

Chimpanzee, blood (Liberia) Plasmodium reichenowi (Sporoz, Haemosp.), R. S. Bray.

Chimpanzee, intestine (U.S.A.), Entamoeba histolytica (Rhizop.), B. D. Fremming, F. S. Vogel, R. E. Benson & R. J. Young.

Chimpanzee, infections of Plasmodium schwetzi, P. reichenovi, P. vivax and P. malariae (Haemosporid.), P. C. C. Garnham, R. Lainson & A. E. Gunders.

Cattle, intestine (Austria) Eimeria auburnensis, E. böhmi (Coccid.), L. K. Böhn & R. Supperer.

Cattle, intestine (Italy); Giardia bovis (Polymast. Mastig.), L. Botti.

Clethrionomys glareolus (S. Moravia); Eimeria falciformis (Coccid.), Z. Cerna & M. Daniel.

Cow; intestine (India), Eimeria mundanagi sp. n. (Coccid.), L. S. Hinegaudar (1).

Deer, intestine (Austria), Eimeria ponderosa (Coccid.), L. K. Böhn & R. Supperer.

Dogs, infection with Toxoplasma (Sporoz.), R. Lainson.

Domestic animals, blood (Africa): (Mastig.), trypanosome infections, E. E. Edwards, J. M. Judd & F. A. Squire (3).

Ellobius talpinus, intestine (Asia): Eimeria ellobii sp. n. (Coccid.), S. K. Svanbaev.

Epimys nattus, blood (French Equatorial Africa), Hepatozoon sp. (Sporoz.), P. Le Goe, P. Giroud & F. Roger. Lutreolina crassicaudata, intestine, (Brazil): Trichomonas and new Hexamita (Mastig.), H. Zago Filho & M. P. Barreto.

Meriones tamariscinus, intestine (Asia): Eimeria markovi sp. n. (Coccid.), S. K. Svanbaev.

Moose, heart muscle (Canada); Sarcocystis (Sporoz), A. E. Allin.

Mustela eversmanni, intestino (Asia): Isospora pavlovskyi sp. n., I. eversmanni sp. n., Eimeria ictidea H. 1927 (Coccid.), S. K. Svanbaev.

Pan satyrus verus (liver) Plasmodium vivax (Haemosporid.), J. Rodhain (4).

Pan satyrus, experimental infection with Plasmodium vivax (Haemosporid.), J. Rodhain (3).

Pig, nasal cavity (U.S.A.) Trichomonas sp. (Mastig.), B. W. Buttrey.

Raccoons, blood (U.S.A.) Trypanosoma cruzi (Haemoflag), B. C. Walton, P. M. Bauman & C. M. Herman.

Rat, blood (Belgium), Plasmodium inopinatum (Haemosporid.), R. Resseler.

Rats, blood (Italy) incidence of Trypanosoma lewisi (Mastig.), V. Giuliani

Rodents of Utah, U.S.A., incidence of *Trichomonas muris* (Mastig.), F. R. Evans.

Rodents, gut (U.S.A.) record of coccidia, N. D. Levine & V. Ivens.

Rodents, blood (Belgian Congo), blood parasites, M. Lips & J. Rodhain.

Rodents, blood (Belgian Congo), Trypanosoma lewisi, T. cenomysi, Grahamella and Hepatozoon, J. Schwartz, H. Baumann & M. Fort.

Saiga tatarica, intestine (Asia): Eimeria elegans J., G. & R., 1932 (Coccid.), S. K. Svanbaev.

Sheep (Belgian Congo), incidence of coccidiosis, J. Deom & J. Mortelmans.

Sorex araneus (S. Moravia), Eimeria komáreki (Coccid.), Ž. Öerna & M. Daniel.

Tachyoryctes ruandae, intestine, (Belgian Congo): Eimeria tachyoryctis sp. n. (Coccid.), L. Berghe & M. Chardome.

Vulpes corsac, intestine (Asia): Eimeria heissini sp. n., Isopora buriatica J. & M., 1940 (Coccid.), S. K. Syanbaey.

#### Aves:

Birds, intestine (Germany) incidence of *Eimeria* and *Isospora* (Coccid.), E. Scholtyseck.

Birds, blood (England), incidence of Trypanosoma avium (Mastig.), J. R. Baker (1).

Sarcocystis in Mexican birds, R. K. Selander.

Alectoris graeca, caeca (U.S.A.) Trichomonas gallinarum (Mastig.)' R. W. Wichmann & T. A. Bankowski

Aythya marila, kidney (U.S.A.): Eimeria somateriae (Coccid.), L. R. Penner.

Branta canadensis interior, blood (U.S.A.); Haemoproteus, Leucocytozoon and Plasmodium, (Haemosporid.), N. D. Levine & H. C. Hanson.

Cornus brachyrhynchos brachyrhynchos (U.S.A.): Toxoplasma (Sporozoa), P. Finlay & R. D. Manwell.

Eupsitulla auricapillus, muscle (Belgium); Sarcocytis sp. (Sporoz.), J. Rodhain (1).

Goose (Russia): Eimeria truncata, T. A. Ginezinskaya; E. truncata, E. anseris (Coccid.), M. F. Schatz.

Passer domesticus, blood (U.S.A.), blood protozoa, R. D. Manwell.

Passer domesticus, blood (Iraq); Plasmodium praecox (Haemosporid.), A. H. Al-Abbass.

Passer domesticus, intestine (U.S.A.); Isospora sp. (Coccid. Sporoz) G. I. Wilson.

Pternistis leucoscepus, intestine (Italy); Eimeria pternistis (Coccid.), G. Agostinucci & E. Bronzini.

Turkeys, intestine (Great Britain) Eimeria adenoeides (Coccid), M. J. Clarkson.

## Reptilia:

Reptiles, blood (U.S.A.), incidence of Haemogregarina sp. (Gregarin.), R. W. Hull & J. H. Camin.

Ameiva ameiva ameiva (New World lizard), blood: Plasmodium pifanoi sp. n. (Spor. Haemospor.), J. V. Scorza & B. y. C. Dagert.

## Amphibia:

Incidence of parasitic ciliates in Amphibia, J. Lom (3).

Bufo marinus, blood (Venezuela) haemogregarines; Toxoplasma (Sporoz.), J. V. Scorza, C. Dagert B. & L. I. Arocha.

Cryptobranchus bishopi, faeces (U.S.A.); Trichomonas (Mastig.), T. D. Malewitz (1).

Rana pipiens tadpoles, intestine (U.S.A.); intestinal protozoa, W. H. McArthur.

#### Pisces:

Protozoa of fish in the White Sea, S. S. Shulman & R. E. Shulman-Albora.

Myxosporidia of some American fishes, P. A. Meglitsch.

Freshwater fish (Slovakia) record of protozoan parasites seen, V. Kašták.

Bathygobius capito, gills (Italy); Trichodina dohrni (Peritrich. Cil.), H. H. Reichenback-Klinke.

Clupea harengus, list of parasites; R. P. Dollfus.

Coregonus albula (Russia): Trichophrya sp. Henneguya zschokhei, Chlonomyxum thymalli, O. N. Bauer.

Hypomesus olidus (Russia): Glugea hertwigi (Microsporid), A. C. Achmerov.

Perca fluviatilis, (Switzerland); Myxobolus and Henneguya (Myxosporid), L. Thélin.

#### Insecta:

Insects, intestine (France), record of gregarines, O. Tuzet & R. Ormières.

Aphodius sp. gut (France); Didymophyes guttiformis (Greg. Sporoz.), J. Théodoridés & R. Ormières.

Apoidea; gregarines found, J. Théodoridés (2).

Aporia crataegi, midgut (Czechoslovakia): Plistophora aporiae, (Greg.) J. Veber.

Beetles from France and Morocco; protozoan parasites, J. Théodoridès (1).

Calopteryx spp. fat body (Jugoslavia): Plistophora calopterygis (Microsporid), J. Weiser (3).

Ephemerella ignita, fat body (Czechoslovakia): Nosema tatrica (Microsporid.), J. Weiser (3).

Gonocephalum arenarium, fat body (South Africa): Perezia sp. (Sporozoa, Microsporidia), A. J. Gibbs.

Hemideina thoracica, intestine (N. Zealand): Monocercomonoides melolonthae (Mastig.), M. Laird.

Laemophoeus ferrugineus (England); Coelogregarina ephestiae (Sporoz. grog.), F. J. Manning.

Odontria zealandica, intestine (N. Zealand): Monocercomonoides melolonthae, Retortamonas phyllophagae, Polymastix melolonthas (Mastig.), M. Laird.

Pericoptus truncatus, intestine (N. Zealand); Monocercomonoides melolonthae, Polymastix melolonthae, Retortamonas pericopti sp. n. (Mastig.), M. Laird.

Platyzosteria novae-zealandiae, intestino (N. Zealand): Monocerco-monoides melolonthae (Mastig.), M. Laird.

Schistocerca gregaria, gut, Gregarina garnhami n. sp. (Spor. Gregar.), E. U. Canning.

Tortrix viridana (S. Moravia); Octosporea viridanae, Nosema tortricis (Microsporid.), J. Weiser (4).

### Myriapoda:

Myriapods, intestine (France); record of gregarines, O. Tuzet & R. Ormiêres.

Gregarines from Indian millipedes, K. R. Karandikar & S. S. Rodgi (2).

Gongylorrhus sp., gut (Bombay): Nyctotherus gongylorrhus sp. n. (Ciliata), K. R. Karandikar & S. G. Rodgi (1). Thyropygus nigrolabiatus, gut (Bombay): Nyctotherus diplopodae sp. n. (Ciliata), K. R. Karandikar & S. G. Rodgi (1).

Thyropygus sp., gut (Bombay): Nyctotherus thyropygus sp. n. (Ciliata), K. R. Karandikar & S. G. Rodgi (1).

### Arachnida:

Tyrophagus noxius gut (Czechoslovakia): Nosema steinhausi (Microsporid.), J. Weiser (2).

## Crustacea:

Crustacea, intestine (France); record of gregarines, O. Tuzet & R. Ormières.

Astacus pallipes (England): Microsporidea, H. P. Goodrich.

Hyalella azteca intestine (U.S.A.); Gregarina hyalellae (Greg. Sporoz.), D. De Guisti & S. Delidow.

#### Mollusca:

Infections of Tetrahymena pyriformis in slugs, E. N. Kozloff (1).

Infections of Tetrahymena limacis in slugs, E. N. Kozloff (2).

Bielzia caerulans, gut (Czechoslovakia): Trichodinella sphaeronuclea sp. n. (Cil. peritrich), J. Lom (1).

Limax maximus, gut (Czechoslovakia), Trichodinella sphaeronuclea sp. n. (Cil. Peritrich), J. Lom (1).

Monodenia fidelis, gut (U.S.A.): Tetrahymena limacis (Holotrich.), E. N. Kozloff (3).

Prophysaon andersoni, gut (U.S.A.); Tetrahymena limacis (Holotr.), E. N. Kozloff (3).

### Annelida:

Oligochaetes (Germany), list of hosts of monocystids (Gregarin.), M. Meier.

Aeolosoma hemprichi, gut (Czechoslovakia): Radiophryoides n. gen. komáreki n. sp. (Cil. Holotrich), J. Lom (1).

Dichogaster baeri, seminal vesicles (West Africa): Monocystis omodeoi sp. n. Apolocystis dichogasteri sp. n. (Gregar.), O. Tuzet & M. Vogeli (1). Eudrilus eugeniae, seminal vesicle (Ivory Coast); Dirhynchocystis eudrilii sp. n. and Monocystis endrilii sp. n. (Greg.), O. Tuzet & M. Vogeli (2).

Fridericia hegemon, intestine (Czechoslovakia); Jirovecella hegemonis (Holotr.), J. Lom (2).

Millsonia anomala, seminal vesicles (West Africa): Monocystis capillata, M. lobosa sp. n. (Gregar.), O. Tuzet & M. Vogeli (1).

Nais communis, gut (India): Triactinomyon naidanum (Actinomyx.), K. V. Naidu.

Pomatoceras triqueter, gut (Norway); Spirohutschiella clignyi (Ciliata), P. Fjeld.

### Protozoa:

Campanella umbellaria, microsporidian infection, F. Krüger.

### Symbiosis:

Commensal Vorticella upon Conochilus, V. Moracová-Hassdentenfelová

### **ECONOMICS**

General.—Red tides on the coasts of Senegal and Mauritania, I. Marche-Marchad; "Red tide" characteristics, H. T. Odum, J. B. Lackey, J. Hynes & N. Marshall; Red water and fish mortality on Portuguese West African coast, E. de S. de Silva (1); Causes of "red tides", J. Hela; Behaviour of "red tides" in estuaries, F. Chew; Fossil protozoa in oil geology, E. N. Tiratsoo.

Soil Protozoa. — Thecamoebians of the soil, L. Bonnet & R. Thomas.

Protozoa in relation to disease.—
(See also under Parasitism).

General.—General account of parasites, G. Lapage (2); Ecological factors in the study of parasitism, J. Demarchi; Knowledge of parasites up to the 17th century, R. Hoeppli; Differential diagnosis of dysentery caused by protozoa, J. G. Basnuevo & E. Figares; Status of human protozoan diseases in Poland, Z. Kozar (4); Status of protozoan diseases of veterinary interest in Poland, G. Poluszynski; Parasitic diseases in S.E. United States, W. H. Wright;

Protozoa of veterinary importance. G. Lapage (1); Veterinary parasite problems, W. S. Bailey; Blood parasites of veterinary interest, P. Mornet; Diseases of wild mammals and birds, P. O'C. Halloran; Protozoal diseases of insects, J. Weiser (1); Parasitic protozoa of fish in ponds, V. A. Dogiel & O. N. Bauer; Phasecontrast in the examination of faeces, P. H. Hartz; Methods of examination for intestinal protozoa, E. Gutierrez Ballesteros & L. Garcia: Formol-ether concentration method for cysts in faeces, D. S. Ridley & B. C. Hawgood: Comparison of stool examination techniques for protozoa, V. M. Bailey (2); Incidence of intestinal protozoa in Italy, M. Ricci (2); Incidence of intestinal protozoa in Italian children, M. Ricci (1); Incidence of intestinal protozoa in Turkey, W. H. Wells; Incidence of intestinal protozoa in Egyptian children, W. H. Wells & W. Blagg; Incidence of intestinal parasites in Egypt, D. K. Lawless, R. E. Kuntz & C. P. Strome; Incidence of intestinal protozoa of Nigerian children, I. Okpala; Incidence of intestinal protozoa in Himalayan region, R. Svensson (1); Intestinal protozoa in Nepal, R. Svensson (2); Incidence of human protozoal infections in Russia, Z. Kozar (2); Incidence of intestinal amoebae in Korea, E. Lesser: Incidence of intestinal protozoa in Japan, L. S. Ritchie, G. W. Hunter, M. Yokogawa & C. Pan; Survey of intestinal parasites (including pro-tozoa) in Peruvians, E. H. Payne, L. Gonzales-Mugabura & E. M. Schleicher.; Incidence of intestinal protozoa, Brazil, A. E. A. Magalhães, S. F. M. Rêgo & A. F. Siqueira; Intestinal protozoa in Mexico, E. K. Markell & M. C. Nuñez; Incidence of intestinal protozoa in U.S.A., G. M. Jeffery (2); Incidence of intestinal protozoa in N. Carolina, T. T. Mackie etc. (2); Incidence of intestinal protozoa in Iowa, U.S.A., B. M. F. Palmer; Incidence of intestinal protozoa in U.S.A., F. O. Atchley. E. C. Hemphill & D. W. Hunt.

Amoebiasis — History of the study of amoebiasis in Russia, with translation of paper by Lösch (1875), D. P. Svanidze; Incidence of E. histolytica

in Iraq, V. M. Bailey (1); General account of E. histolytica, R. S. J. Hawes: Ecology of Entamoeba histolytica, E. C. Faust (2); Amoebiasis in Durban, S. Africa, R. Elsdon-Dew; Epidemiology of amoebiasis, T. T. Mackie, etc. (1); Experimental human infections with E. histolytica, P. C. Beaver, etc. (1); Laboratory diagnosis of amoebiasis, A. Neghme, R. Silva & J. Artigas: Detection of Entamoeba histolytica cysts and the aid of membrane filters, S. L. Chang & P. W. Kohler: Diagnosis of amoebiafrom the eye, H. Krümmel; Fatal amoebiasis in a chimpanzee, B. D. Fremming, F. S. Vogel, R. E. Benson & R. J. Young; Immobilization test for amoebiasis, J. A. H. Brown & J. L. Whitby; Protein studies on sera from dogs infected with Entamoeba histolytica, E. O'B. Comer; Phagocytosis in Entamoeba, J. G. Shaffer & J. Ansfield: Influence of bacteria on virulence of Entamoeba histolytica, M. F. André; Effect of bacteria on virulence of E, histolytica. H. Matsumoto (1).

Leishmaniasis. — Distribution of leishmaniasis in Tunisia, C. Vermeil (2); Epidemiology of visceral leishmaniasis in Brazil, L. M. Deane; Review of leishmaniasis in Africa, R. Kirk (1); Leishmaniasis in Yugoslavia, K. Todorovic: Infection of squirrels with Leishmania, J. Ranque & A. Faure; Agglutination of Leishmania, S. Adler & J. Adler; Lysis of Leishmania flagellates by serum, J. Taub; Complement-fixation tests in kala-azar, K. A. Monsur; Leishmaniasis as a zoonosis, R. B. Heisch; Reservoir hosts in leishmaniasis, R. Kirk (2); Muscid flies as vectors for Leishmania, W. A. Lamborn; Schizogony in Leishmania. Appuhn & C. Weiss.

Trypanosomiasis. — Trypanosomiasis in Belgian Congo, L. van der Berghe; Neurological problems of trypanosomiasis, L. van Bogaert; Aspects of trypanosomiasis research, M. Robertson; Deposition of metacylic forms by tsetse, R. M. Gordon, W. Crewe & K. C. Willett; Complement fixation test for trypanosomiasis, R. Depoux, P. Merveille & J.

Ceccaldi: Cytochemical changes in adrenals during trypanosomiasis, K. Takagi; Size of the infecting dose of trypanosomes, K. C. Willett (3): Trypanosoma infections in sheep and goats, E. E. Edwards, J. M. Judd & F. A. Squire (1), (2); Diagnosis of trypanosomiasis, M. A. Fidalgo; Status of human and animal trypanosomiasis in S. Rhodesia, W. E. Thomas, T. H. Davey & W. H. Potts; Trypanosomiasis of the dog occurring in Venezuela, R. J. Gomez Rodriguez; Experimental T. gambiense infection in dogs, M. Petrů & M. Voitěchovska (1); Serum on T. cruzi, S. Adler: Diagnosis of T. cruzi infection, F. J. Aguilar: Development of T. cruzi in the vertebrate host, C. Romaña; Experimental infections in batracians with T. cruzi, M. Rubio (1); Diagnosis of infection with T. cruzi by complement fixation test, E. F. Chaffee, E. H. Fife & J. F. Kent; Lysis of T. cruzi by sera, M. Rubio (2): Incidence Chagas' disease in Brazil, S. A. da Silva Ramos & H. M. de Albuquerque Lima.; Virulence of new strain of *T. cruzi*, M Rubio D. (2); *T. cruzi* infected *Triotoma* from Utah, U.S.A., S. F. Wood; Human Trypanosoma cruzi infection in French Guiana, H. Floch & S. Boulan; Geographical limit of T. cruzi-infected Triatoma, M. E. Jörg; Affinities and biological characters of T. rhodesiense, K. C. Willett (2); Transmission of Trypanosoma rhodesiense, R. M. Gordon & K. C. Willett; Infectivity of Trypanosoma rhodesiense, H. Fairbairn: Immunological variants in T. gambiense, S. Inoki, H. Osaki & T. Nakabayashi; Trypanosoma theileri infection in U.S.A., D. N. Levine, A. M. Watroch, S. Kantor & H. J. Hondenbrook.

Animal Flagellosis. — Survival of Histomonas in faeces, M. M. Farr; Biology of Trichomonas, D. V. Matilla; Relationship of Trichomonas to porcine atrophic rhinitis, N. D. Levine, W. C. Marquardt & P. D. Beamer; Abolition of immune response to Trichomonas foetus, W. R. Kerr & M. Robertson; Incidence of Trichomonas foetus in Brazilian bulls, E. X. Rabello; Vaginal pH and Trichomonas infection, H. Verheye; Transmission of Trichomonas vagi-

nalis, D. J. M. Bedoya; Ocular infections with Trichomonas vaginalis J. T. Weld & B. H. Kean; Incidence of infection with Trichomonas vaginalis in U.S.A., L. G. Feo; Vaginal trichomoniasis in monkeys, E. Eugene, V. Lynch & R. K. Thoms (1); Infection of the vagina of rats with Trichomonas vaginalis, R. Cavier & X. Mossion (2); Giardia infection in Poland, C. Germel; Biology of giardiasis, A. E. Sokurenko.

Coccidiosis. — Treatment of coccidiosis, P. D. Harwood, D. I. Stunz & R. W. Wolfgang (2); Coccidia in wild birds, E. Scholtyseck; Rabbits (Yugoslavia) incidence of infection with Eimeria, V. Nevenić, S. Sibalić & L. Cventković; Oocyst size in chicken Eimeria, E. R. Becker, W. J. Zimmermann, W. H. Patillo & J. N. Farmer; Natural infections of Eimeria in chickens in Iowa, W. J. Zimmerman; Biology of Eimeria alabamensis, L. R. Davis, D. C. Boughton & G. W. Bowman; Isospora belli infections in U.S.A., G. M. Jeffery (1).

Malaria. — Problems of malaria. B. G. Maegraith; Epidemiology of malaria, P. F. Russell; Parasitology of malaria, G. Covell (1); Identification of Plasmodium, P. G. Shute: Examination of mosquitoes for malarial parasites, J. L. Laffoon: Morphology of human malarial parasites, J. W. Field & P. G. Shute; Identification of human plasmodia, Anon (3); Antimalarial campaign in Lourenço Marques, A. Soiero, M. Pereira A. Pereira; Epidemiology of malaria in Limpopo valley, Sociro: Incidence of Plasmodium infection in French Cameroons, J. Languillon, J. Mouchet, E. Rivola & J. Rateau; Incidence of malaria in Sierra Leone, O. F. Connan & A. Conran; Incidence of malaria in Gold Coast, M. J. Colbourne & F. N. Wright (1), (2); Epidemiology of malaria in Venezuela, A. Gabaldon; Incidence of malaria in Kenya, S. Bell: High altitude on incidence of human malaria in Tanganyika, T. Freyvogel (2): Immunity in malaria, E. G. Nauck: Congenital transmission of malaria, H. Werner (1); Electrophoresis of serum proteins from

cases of malaria, M. van Sande; Effect of DDT on Plasmodium in the insect vector, R. W. Burgess; Effect of Plasmodium berghei on reproduction of rodents, H. Werner (2); Influence of Schistosoma on P. berghei. M. Yoeli: Blood replacement in rats with P. berghei, A. Zuckerman; Mechanism of immunity to Plasmodium berghei, G. Fabiani & J. Orfila (2); Factors influencing P. berghei infections, P. M. Carrescia & E. G. Areoleo; Transmission of Plasmodium berghei, B. L. Celaya, E. D. Box & W. D. Gingrich; Immunity to P. berghei infections, V. Matilla, J. A. Garrido, A. P. Lorenzo & A. F. Nafria; Schizogony in P. berghei, E. Sergent; Acquired resistance to P. berghei, E. Sergent & A. Poncet (1): Schizogony in Plasmodium berghei, E. Sergent & A. Poncet (3); Relationship of Plasmodium falciparum and sickle-cell anaemia, J. H. Walters & L. J. Bruce-Chwatt; Indigenous case of P. vivax in Netherlands, C. de Jong & H. Kraan; Plasmodium spp. incidence in Belgian Congo. M. Chardome, E. Peel & F. L. Lambrecht: Occurrence and morphology of P. ovale in Somalia, R. Moise: Concurrent infection with Plasmodium relictum and Western equine encephalitis virus, H. C. Barnett; P. praecox in Iraqi sparrows, A. H. Al-Abbass; Effect of high altitude on P. gallinaceum, T. Freyvogel (1).

Piroplasmosis. — Theileriosis due to new species from Zululand, W. O. Neitz (2); Theileriosis in Belgian Congo, P. Wery; Control of babesiasis, J. Carmichael.

Other Sporozoa. — Histopathology of Leucocytozoon in turkeys, J. W. Newberne; Myxosporidia of some American fishes, P. A. Meglitsch; Sarcocystis in Canadian moose, A. E. Allin; Incidence of Sarcosporidia in Polish pigs., E. Prost.

Ciliates. — Review of balantidiasis, V. M. Anean & E. Koppisch.

Toxoplasmosis. — Toxoplasmosis (general), D. N. Zasuthin; Morphology and biology of Toxoplasma, L. Jacobs; Diagnosis of toxoplasmosis, H. F. Eichenwald; Diagnosis of toxoplasmosis, Z. Kozar (3); The dye-test

for Toxoplasma, G. E. Pangales, M. Pavlatos & P. Mercier; Diagnosis of toxoplasmosis by "dve-test". C. L. Gibson, D. E. Eyles, N. Coleman & C. S. Smith: Variability of dyetest for toxoplasmosis, M. Goldman: Droplet transmission of toxoplasmosis, H. Kunert & L. Schmidtke; Oral transmission of toxoplasmosis, L. Schmidtke; Congenital transmission of toxoplasmosis, R. A. de A. Cardoso, F. N. Guimaraes & A. P. Garcia; Toxoplasmosis in children, J. Paul & R. Schlanstedt; Familial toxoplasmosis, H. A. Feldman & L. T. Miller (2); Toxoplasma in newborn twins, H. Fendel; Isolation of Toxoplasma from four human cases in Chile, E. Thiermann & F. Naquira; Isolation of Toxoplasma, F. Roger; Epidemiology of toxoplasmosis, H. de Roever-Bonnet; Incidence of toxoplasmosis in Colombia, G. Vanela, E. Roch & L. Palencia; Incidence of toxoplasmosis in America, H. A. Feldman & L. T. Miller (1); Incidence of Toxoplasma in Spain, C. S. Durall & F. Vilardell; Incidence of toxoplasmosis in Spain, C. Soler Durall & F. Vilardell Vinas; Generalized toxoplasmosis in the rat, T. Hellbrüge, W. Spiegler & W. Grewing: Toxoplasma in rats, P. H. van Thiel (2); Infection of Citellus citellus with Toxoplasma, T. Simitch, Z. Petrovitch & A. Bordjochki (1); Toxoplasmosis in dogs, R. Lainson; Toxoplasmosis in animals in Canada, T. J. Hulland: Toxoplasmosis in wild and domestic animals, J. A. Morris, C. G. Aulisir & J. M. McCown; Toxoplasmosis in pigs, V. L. Sanger & C. R. Cole; Toxoplasmosis and hibernation, T. Simitch, Z. Petrovitch & A. Bodycokki (2); Size of procedule in toxoplasmosis. in toxoplasmosis, D. E. inocula Eyles & N. Coleman (4); Preservation of Toxoplasma by freezing, D. E. Evles, N. Coleman & D. J. Cavanaugh: Pathogenicity of Toxoplasma, J. K. Frenkel; Laboratory ocular toxoplasmosis, G. Varela, E. Roch & J. Torroella; Serological studies of Toxoplasma from the gondi, C. Vermeil (1); Comparison of Toxoplasma antigens prepared by different methods, W. Weigand; Toxoplasma antigen from duck embryos, J. G. Heyl & R. Gispen; Toxoplasma antibody and properdin, H. A. Feldman:

Immunity in experimental toxoplasmosis, E. C. Cutchins & J. Warren; Concentration of Toxoplasma antigen, S. C. Marshall & R. Pillinger; Serological affinities of Toxoplasma and Sarcocystis, C. Moscovici; Lysergic acid diethylamide in Toxoplasma infected mice, G. Varela, A. Vazquez & J. Torroella.

Protista insertae sedis.—Effect of cortisone on Pneumocystosis, A. Linhartová; Pneumocystis in guinea pigs, A. Sotero-Cabral; Isolation of Pneumocystis from premature infants in Chile, T. Pizzi (2); Transmission of anaplasmosis, P. L. Piercy; Diagnosis of anaplasmosis, D. W. Gates & T. O. Roby; Anaplasmosis in sheep in U.S.A., E. J. Splitter, M. J. Twichaas & E. R. Castro.

Chemotherapy. - Action of trichomycin on protozoa, S. Hosoya; Action of trypanocidal drugs during barbiturate narcosis of mice, M. Petrů & M. Vojtěchovska (2): Effect of chloramphenicol and analogues on Entamoeba histolytica and Trichomonas, I. de Carneri (4); Chemotherapy of amoebiasis in vitro, W. Balamuth (1); Chemoprophylaxis of amoebiasis, P. C. Beaver, etc. (2); Treatment of amoebiasis, A. R. D. Adams; Amoebicidal activity of new substance, biallylamicol, P. E. Thompson, J. W. Reinertson, D. A. McCarthy, A. Bayles & A. R. Cook; Effect of antibiotics on *Entamoeba* histolytica in vitro and in vivo. P. E. Thompson, etc.; Laboratory evaluation of the activity of amoebicides, P. E. Thompson; Chemotherapy of amoebiasis, A. W. Woodruff, S. Bell, F. D. Schofield; Effect of alkaloids on Entamoeba histolytica, H. Mühlpfordt & R. Martinez-Silva; Mantomide on Entamoeba histolytica, E. W. Dennis & D. A. Berberian; Cortisone on entamoebae, L. Lamy & V. Molinari (2); Comparison of in vitro and in vivo tests of amoebidides, J. E. Lynch, B. J. Bamforth & D. Geockeritz; Oxysteroids on Entamoeba histolytica, H. Seneca & E. Bergendahl; Amoebicidal action in vitro of a fluorenone, A. B. Stam & P. H. van Thiel; Action of drugs on Leishmania enriettii, J. O. Coutinho (2): New method for screening drugs

against leishmaniasis, E. M. Franchino, J. Grun & L. A. Stauber; Action of puromycin on Trypanosoma, C. Trincão, A. R. Nogueira & T. A. Franco; Chemotherapy of human trypanosomes from Belgian Congo, F. Evens & C. Niemegeers; Antagonism of trypanocidal action of puromycin, R. I. Hewitt, A. R. Gumble, W. S. Wallace & J. H. Williams (2): Trypanocidal activity of puromycin analogues, R. I. Hewitt & A. R. Gumble; Chemo-therapy of trypanosomiasis, G. F. Otto, J. C. Moetsch & R. U. Schoek; New antibiotic on experimental trypanosomiasis, A. Packchanian; Phenanthridines on Trypanosoma spp., G. Woolfe: Prophylactic effect of suramin complexes in trypanosomiasis, J. Williamson & R. S. Desowitz: Chemoprophylaxis of bovine trypanosomiasis, T. I. Watkins & G. Woolfe; Puromyein on Trypanosoma, C. Trincão, A. Nogueira & A. Franco; Trypanocidal activity of amino nucleoside of puromycin, E. J. Tobie & B. Highman; Cortisone on Trypanosoma cruzi, M. Rubio D (1): Cortisone on Trypanosoma cruzi. P. T. Pizzi & T. Chemke S.; Isoniazid on Trypanosoma cruzi, N. Botafogo Goncalves, B. M. Tavares & E. da Silva Carmo; Action of stilbamidine on T. rhodesiense, J. D. Fulton & P. T. Grant (1); Puromycin on Trypanosoma gambiense, C. Trincão, A. R. Nogueira & L. T. de Almeida Franco: Puromycin analogues on Trypanosoma equiperdum, R. Hewitt, A. R. Gumble, W. S. Wallace & J. H. Williams (1); Monothiouronium derivatives on Trypanosoma equiperdum, M. Volini, R. K. Stubbs & N. Ercoli; Mixed oxyphenarsine-resistant and normal Trypanosoma equiperdum in the rat, W. Cantrell; Erythromycin on Trypanosoma evansi, L. Bellelli; Largactil Trichomonas, J. Dutkiewicz: Trichomycin on Trichomonas vaginalis, M. Magara, E. Yokouti, T. Senda & E. Amino; Chemotherapy of Trichomonas vaginalis, J. E. Lynch, E. C. Holley & J. E. Margison; Anisomycin on Trichomonas vaginalis, J. E. Lynch, E. C. Holley & A. M. Solmirs; Furazolidone in the treatment of pigeon trichomoniasis, R. M. Stabler; Anisomycin on Trichomonas foetus,

J. E. Lynch, A. R. English, J. Morrison & I. Maven: Nitrofuran as a coccidiastatic agent, P. D. Harwood, D. I. Stunz & R. W. Wolfgang (1); Effect of nitrofurazone on coccidiosis in sheep, J. Deom & J. Mortelmans; Furacin on ovine and caprine coccidiosis, C. Tarlatzis, A. Panetsos & P. Dragonas; Effect of furacin on Eimeria necatrix, R. F. Shumard; Pyrimidines and triazines on Eimeria tenella, R. E. Lux: Potentiation between pyrimethamine and sulphadimethyl-pyrimidine against Eimeria tenella, S. B. Kendall & L. P. Joyner: Nicarbazin on chicken coccidiosis, A. C. Cuckler & C. M. Malanga; Action of pyrimethamine and sulphadimidine on Eimeria tenella, L. P. Joyner & S. B. Kendall; Arsonio acid analogue on Eimeria tenella, N. F. Morehouse & F. McKay: Nicarbazin on Eimeria tenella, C. W. Barber: Nivaquin and acquired resistance to Plasmodium berghei, E. Sergent & A. Poncet (1); Sulphonamide treatment of mouse malaria, G. Fabiani & J. Orfila (1); Effect of alkaloids on Plasmodium berghei, R. Hamet; Effect of chloroquin and primaquin of *Plasmodium berghei*, Perez-Reyes, R.; Effect of a nitrogen mustard on Plasmodium gallinaceum and P. berghei, G. Cardinali & P. M. Carrescia: No potentiation between quinine and pyrimethamine in Plasmodium gallinaceum, A. Bishop; Effect of drugs on sporogony of Plasmodium gallinaceum, L. A. Terzian; Action of pyrimethamine and primaquin on *Plasmodium gallina-*ceum, F. de la **Jara**; Chloroquin resistance in Plasmodium gallina-ceum, A. P. Ray & G. K. Sharma; Drug resistance in Plasmodium gallinaceum, J. Greenberg & H. W. Bond: Rauwolfia alkaloids on Plasmodium gallinaceum, R. Rama Rao & M. Sirsi; Primaquin-pyrimethamine combinations against Plasmodium relictum, G. Soberon y Parra, & R. Perez Reyes; Proguanil resistance in Plasmodium falciparum, A. B. G. Laing; Effect of drugs on Plasmodium falciparum gametocytes, G. M. Jeffery, M. D. Young & D. E. Eyles; Relapses of Plasmodium vivax after chloroquin treatment, G. M. Jeffery (3); Pyrimethamine and sulphadiazine on Toxoplasma, D. E.

Eyles & F. E. Jones; Sulphonamides on Toxoplasma, D. E. Eyles & N. Coleman (3); Chemotherapy of toxoplasmosis, D. E. Eyles; Treatment of murine toxoplasmosis D. E. Eyles & N. Coleman (1); Synergism between pyrimethamine and sulphadiazine on Toxoplasma, D. E. Eyles & N. Coleman (2); Triazines on Toxoplasma, W. D. Winter & G. E. Foley; Chloropromazine on Toxoplasma, M. Dolezal, Z. Przybylkiewicz & J. Starzyk; Chemotherapy of Babesia rodhaini, A. E. R. Taylor, R. J. Terry & D. G. Godfrey; Treatment of anaplasmosis, J. G. Miller.

## DISTRIBUTION

## (a) GEOGRAPHICAL

General. — Geographical distribution of Nebela, L. Decloitre (3); Distribution of Paramecium caudatum, L. C. Gilman (1).

### 1. Land and Freshwater.

Palaearctic Region. Arctic Islands. -Lists of Polar Thecamoebians, L. Decloitre (5). Europe.—Freshwater protozoans from the Hereford area, England, E. J. Perkins (2); Soil protozoa near Kortenhoef, Holland, F. de Graaf (1): Plankton of the Netherlands, P. Leentvaar; Protozoa of the "Dolomites", Italy, G. Marcuzzi; Soil protozoa in Central Europe, H.-G. Petzold; Plankton of Lake Gribsø, K. Berg & I. C. Petersen; Protozoa in well-waters of Prague, V. Řeháčková; Lake-shore plankton of Heiddensee Island, Switzerland, H. D. Münch; Soil protozoa in Roumania, I. Lepsi; Rhizopoda from the Netherlands, F. de Graaf (2); Slime moulds in the Netherlands, A. J. M. Garieanne: Testacea and Heliozoa of the Netherlands, M.-C. Haeck: Soil rhizopods in Holland, H. R. Hoogenraad & A. A. de Groot; Rhizopods from Belgium, P. van Oye (2) & D. Chardez (2); Thecamoebids in France, R. Thomas & bids in France, R. Nectroux; Mabille; P. protozoa of Czechoslovakia, M. Ertl (2); Rhizopoda from slag in Czechoslovakia, K. Rosa; Rhizopoda of the Danube, M. Ertl (1): Moss-rhizopods of Silesia, E. Bartos; Marine flagellates from Plymouth, M. Parke.

I. Manton & B. Clarke; Dinobryon crenulatum in Danish ponds, B. Asmund: Synura in Denmark, J. B. Petersen & J. B. Hansen; Brackish and fresh-water flagellates in Finland, M. R. Droop; Dinoflagellata from the Neusiedler Sea, Austria, J. Schiller (1); Euglenids of Neusiedler Sea, J. Schiller (2) & A. Diskus (1); English records of peritrichids on aquatic insects, J. Green: Brackish-water ciliates of Cheshire, England, M. G. Webb: Ciliates of the Pas-de-Calais area, D. Chardez (3); Plankton of Lake Zurich. F. Nipkow; Suctoria in Germany, S. Husmann; Ciliates in Hungary, B. Vörösváry; Vorticella in Czechoslovakia, V. Moravcova-Hassdenten-felová; Moss ciliates from Central Europe, J. Gellert; Ciliates of Central Europe, R. Sramek-Hušek (1). N. Africa.—Protozoa of Mauritania, P. L. Dekeyser & A. Villiers. Japan. -Zooplankton of Ozegahara Lake, Japan, M. Uéno; Fresh-water rhizo-pods from Japan, K. Yamamoto; Elphidiid foraminifera in Japan, Y. Fujita; Paramecium in Japan, S. Hayashi.

Oriental Region. — India; Ceylon. —Protozoa of Errakuppan Reservoir, Madras, S. V. Ganapati; Foraminifera of Indian shore sands, S. B. Bhatia (1); Ciliates of the millipedes of the Bombay area, K. R. Karandikar & S. G. Rodgi.

Australian Region and Polynesia.— New Zealand.—New thecamoebians from New Zealand, P. van Oye (3); Freshwater ciliates from New Zealand, R. E. Barwick, etc.

Ethiopian Region.—Africa.—Protozoa of Lake Tanganyika, H. Kufferath (2); Protists of the Lower Congo area, H. Kufferath (3); Rhizopoda of British East Africa, A. L. Decloitre; Rhizopoda from Senegal, E. Decloitre; Thecamoebians from French West Africa, L. Decloitre (1); Brackish water foraminifera in Zululand, Y. H. Smitter; West African Monocystids, parasitic in Oligochaetes, O. Tuzet & M. Vogeli (1).

Nearctic Region.—United States.— Protozoa of Pymatuning Lake, Pennsylvania, H. D. Orr; Euglenids of an Iowan pond, L. P. Johnson; Dileptus beersi sp. n. in the U.S.A., E. E. Jones. South America.—Testacea in Venezuela, P. van Oye (1); Thecamoebids from Venezuela, L. Decloitre (4); Thecamoebians of the Rio de la Plata, E. Boltovzskoy (1); Salt and freshwater protozoa of Brazilian coastal lagoons, L. de Oliviera, R. Nascimento & L. Krau.

#### 2. Marine.

Arctic.-Russian marine foraminifera, Z. G. Shchedrina (2): Foraminifera of the Levanev depression. Arctic Ocean. N. A. Belov & N. N. Lapina: Foraminifera of Alaskan coasts, A. J. Carsola; North Atlantic.—Protozoa of the Whitstable coastal areas, England, A. M. el Maghraby & E. J. Perkins; Plankton of the Danish coast, J. Grøntved; Plankton of Long Island Sound, S. A. MacM. Conover; North Atlantic planktonic foraminifera. F. L. Parker; New species of Gymnodinium from the English Channel. D. Ballantine: Atlantic dinoflagellates, K. R. Gaardner (2); Atlantic Coccolithinae, K. R. Gaardner (1); Norwegian marine ciliates, P. Fjeld; Mediterranean and Black Sea .--Marine plankton off Algerian coasts, F. Bernard; Protozoa at Bari, Italy, Sangiorgi, F. Chaputi & M. Mediterranean plank-Chimicuti: tonie foraminifera, F. L. Parker; Foraminifera of the Algerian coast, J. Boureart. North Pacific.—North-west Pacific plankton, L. I. Smirnova; Foraminifera of the Californian continental slope, G. D. Hanna; Foraminifera of the Salton Sea, California, R. E. Arnal; Foraminifera of North Pacific, Z. G. Shchedrina (1) & (3); Foraminifera of Japanese coastal areas, Y. Takayanagi; H. Ujiié (1) & (2); Intertidal foraminifera of the Tokara Islands, Y. Kuwano; Foraminifera of Tokyo Bay, M. Morishima; Radiolaria of North Pacific, V. A. Dogelv & V. V. Reshchetnyak; Radiolaria of the North Pacific, V. V. Reshetniak; Heterotrichids of North Pacific, A. A. Strelkov.

Tropical.—Atlantic. — Foraminifera of the West Indies, J. Hofker (5); Foraminifera of the Bahamas, L. V. Illing; Foraminifera of Mississippi

Sound, F. B. Phleger (1); Foraminifera of Gulf of Mexico, O. L. Bandy (1): Foraminifera of the northeastern Gulf of Mexico, O. L. Bandy (2); Foraminifera of Central Texas coast, F. B. Phleger (3); Foraminifera of the Senegal coast, G. Colom (8); Radiolaria of Portuguese West African coast, J. de S. Pinto: Dinoflagellates of the Dakar coast, E. de Sousa e Silva (2); Excuviella baltica and "red tides" on Portuguese West African coasts, E. de S. de Silva (1); Tintinnids of the Dakar coast, E. de Sousa e Silva (2). Indo-Pacific.— Ammobaculites in Californian coastal waters, G. L. Harrington; Foraminifera from the Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; Radiolaria of East Pacific, G. Arrhenius & N. Blomquist.

Antarctic.—New Antarctic suctorians, C. Allgén.

## (b) GEOLOGICAL

General.—Practical value of protozoan fossils, H. E. Thalmann (1); Fossil protozoa in oil geology, E. N. Tiratsoo; Fossil microplancton in Australian rocks, G. Deflandre & I. C. Cookson (1); Micro-organisms in accumulating sediments, G. Siebert & W. Schwartz; Iron bacteria as rockforming organisms, M. W. Strong; Phyletic sequence in Nummulites, R. Abrard (1); Taxonomy of foraminifera, D. M. Rauser-Chernoussova (2); Types of Lamarck's foraminiferal genera, A. R. Loeblich (3); Migration of Fabularia Defrance, A. C. Collins; Foraminiferal migration, I. Crespin (2); Evolutionary trends in larger foraminifera, C. W. Drooger (5); Damaged foraminiferal tests, A. Earland; Wall-structure of Kainozoic foraminifera, V. A. Krashininnikov; Chalcedony in foraminiferal tests, A. K. Bogdanovich & R. G. Dmitrieva; Biogeochemistry of strontium, H. J. M. Bowen; Magnesium in marine protozoan tests, K. E. Chare: Accumulation rates of nitroand calcium carbonate Equatorial Atlantic floor, J. D. E. Wiseman; Conversion of calcite to fluorite, J. F. Grayson; Mineralogy of fossil protozoans, G. S. Switzer & A. J. Boucot; Temperature and

shell-growth, S. Epstein & H. A. Lowenstein; Foraminifera as depth indicators, T. F. Grimsdale & F. P. C. M. van Morkhoven; Foraminifera and rhythmic sedimentation, A. Carozzi (1); Turbidites and protozoan fossils, A. Carozzi (2); Foraminifera and turbidity currents. M. L. Natland & Ph. H. Kuenen: Foraminifera of deep-water sands and gravels, F. P. Shephard (1); Orientation of Hippocrepinella in sediment, K.-G. Nyholm (2); Sulphur nodules of Lake Eyre formed by "flagellates", L. G. M. Baas-Becking & I. R. Kaplan; Shallow-water marine environments, F. P. Shephard (2); Foraminifera in flint pebbles, W. Wetzel (2); Fossil protozoans of Mendoza, C. Rusconi; Bottom deposits of the Levanev depression, Arctic Ocean, N. A. Belov & N. N. Lapina; Guide fossil foraminifera of Atlantic coastal plains, J. D. McLean jr. (1); Num-mulite classification, B. T. Golev; Coiling of Globorotalia scitula (Brady) and its stratigraphical value, M. Vašiček; Value of Globorotalia, J. Hofker (3); Distribution of Schaekoina, E. M. Gallitelli (5); Increase of foraminiferal pore-diameter as a stratigraphic indicator, J. Hofker (13) Palaeontological chronology and foraminifera, O. H. Schindewolf: J. Hofker (1).

Primary. — Precambrian foraminifera in Ivory Coast, R. Hovasse; Palaeozoic foraminifera in Poland, L. Majzon (2); Palaeozoic foraminifera from Indochina, J. Fromaget: Palaeozoic foraminifera in Ecuador. H. J. Tschopp; Palaeozoic foraminifera in the Pacific area, R. S. Allan: Status of Reitlinger's Cambrian foraminifera, regarded as algae, M. K. Elias; Devonian foraminifera in Russia, V. D. Chekhovich, etc.; E. R. Bykova; Devonian foraminifera from New York, W. R. Evitt; Devonian foraminifera from Michigan, M. J. Copeland & R. V. Kesling; British Upper Palaeozoic foraminifera, R. H. Cummings (2); Upper Palaeozoic foraminifera of East-Central Europe, A. Ramovs (1); Upper Palaeozoic foraminifera in Russia, A. B. Visteluis & A. D. Miklukho-Maklai; O. A. Lipina; E. A. Reitlinger; A. D. Miklukho-Maklai: Fusulinids

in Japanese Upper Palaeozoic, R. Morikawa & M. Horiguchi; R. Toriyama; Upper Palaeozoic foraminifera in Texas, W. A. Heek, K. A. Yenne & L. G. Henbest; Upper Palaeozoic fusulinids in Texas, R. E. Bergenback & R. T. Terriere: Upper Palaeozoic foraminifera of Wyoming, U.S.A.; R. S. Agatston; Upper Palaeozoic foraminifera in Algeria, L. Glangeaud & A. Aymé, etc.; Foraminifera in English Carboniferous, D. Magraw & W. H. C. Ramsbottom; Foraminifera in the Scottish Carboniferous, A. E. M. Nairn: Carboniferous foraminifera from Wales, T. N. George; Carboniferous foraminifera in Eire, D. H. Oswald; Foraminifera in Belgian Carboniferous, F. Demanet: Foraminifera in Russian Carboniferous, A. M. Blokh; H. E. Brazknikova & M. V. Yartsheva; R. A. Ganelina; E. Malzahn; D. M. Rauser-Chernous-sova (1); A. I. Ravikovich; Sequence of Russian Carboniferous foraminifera. N. P. Malakhova: Carboniferous foraminifera of the Donetz Basin, D. E. Aisenberg & N. E. Brazhnikova (2); Carboniferous foraminifera in Japan, I. Hayasaka & M. Minato; Carboniferous fusulinids from Japan, K. Kanmera (1); Carboniferous foraminifera from Utah, E. B. Heylmun; Lower Carboniferous foraminifera in the U.S.S.R., L. S. Librovich & V. A. Raznitzin; Lower Carboniferous foraminifera in Belorussia, R. M. Pistrak, S. V. Semikhatova, E. I. Pashkevich & K. N. Verëiskaya; Visean foraminifera in Russia, D. E. Aisenberg & N. E. Brazhnikova (1); Namurian foraminifera of North Africa, P. Deleau & P. Marie; Upper Carbonian ferous fusulinids from Japan, H. Fujimoto & H. Igō; Pennsylvanian foraminifera of central U.S.A., R. H. Dott jr.; Pennsylvanian foraminifera from Colorado and Utah, U.S.A., S. A. Wengerd & J. W. Strickland; Pennsylvanian foraminifera in Colorado, J. C. Maher; Pennsylvanian foraminifera in New Mexico, W. J. Plumley & R. W. Graves jr.; Pennsylvanian foraminifera in Oklahoma, W. E. Ham; Permian foraminifera from Yugoslavia, V. Kochansky-Devide & A. Ramovs; A. Ramovs (2); Foraminifera of Russian Permian,

L. P. Grozdilova; Permian foraminifera from Astrakhan, A. V. Kopeliovich & Y. S. Eventov; Permian foraminifera in the Donetz Basin, G. D. Kireeva & L. P. Nesterenko; L. P. Nesterenko; Permian foraminifera in N.W. Caucasus, K. V. Miklukho-Maklai; Permian foraminifera in Japan, M. Minato & S. Hashimoto, etc.; Permian fusulinids in Japan, R. Endo & W. Hashimoto; H. Igō; K. Kanmera (2); R. Morikawa; K. Nakazawa & D. Shimizu; Fusulinids from American Permian, D. L. Blackstone jr.; Permian foraminifera from New Guinea, F. K. Rickwood; Fusulinid migration in Eurasia, F. Kahler (2); Palaeozoio chitinozoans from North America, C. Collinson & H. Schwalb; Leiosphaera (Hystrichs) in Swedish Ordovician, G. Regnéll; Devonian microplankton from Canada, J. Deunff.

Secondary. - Mesozoic foraminifera of the Appennines, G. Merla; Mesozoic foraminifera from Azerbaidan, Ch. A. Tairov; Mesozoic foraminifera in Ecuador, H. J. Tschopp; Mesozoic foraminifera in Peru, R. B. Travis; Mesozoic fora-minifera in Algeria, P. Deleau (1); M. D. Delga; J. Flandrin (1) & (2); L. Glangeaud, A. Aymé, etc.; J. Guillemot; S. N. la Repal (2); Mesozoic foraminifera in Western Australia, R. O. Brunnschweiler; Mesozoic foraminifera in the Pacific area, R. S. Allan; Mesozoic foraminifera of Indonesia, R. W. van Bem-melen (1); Radiolaria in Californian Mesozoic, W. R. Riedel & J. Schlocker; Tintinnids in Italian Mesozoic, R. Verniory (2); Microplankton in Australian Mesozoic, G. Deflandre & I. C. Cookson (2); Triassic foraminifera in Poland, L. Majzon (1); Triassic foraminifera in North Carolina, H. G. Richards: Jurassic Lingulinae from Britain, T. Barnard (1); Jurassic foraminifera in France, J. Cuvillier & A. Debourle; J.-P. Mangin (2); H. Tintant & C. Larcher; Spirocyclinids in French Jurassic, G. Aurouze & J. J. Bizon; Jurassic foraminifera in Italy, L. Conti; C. Maxia; Jurassic foraminifera from Austria, R. Weynschenk (2): Foraminifera in Alpine Jurassic, A. Carozzi (2); Jurassic foraminifera

in Central Europe, E. Danisch; Jurassic foraminifera in Poland, J. Matecki (1); Jurassic foraminifera in Russia, O. K. Kaptarinko-Chernous-sova; P. M. Sukharevich; Jurassic foraminifera from Azerbaidzhan, N. Kasimova; Jurassic foraminifera in Dagestan, G. K. Kasimova, Z. V. Kutznetzova & Z. F. Mikheeva; Jurassic index foraminifera, R. Weynschenek (1); Radiolaria in Alpine Jurassie, A. Carozzi (2); Eponides toulmini (Brotzen) in Cretaceous, J. Hofker (10); Orbignyna in the European Cretaceous, J. Hofker (6); Lagena acuticosta Rouss in European Cretaceous, J. Hofker (9) Bolivinoides polonica Pozaryska in European Cretaceous, J. Hofker (8); Dictyop-sella tenuissima (Reuss) in European Cretaceous, J. Hofker (7); Gavelinella and Gavelinopsis in West European Cretaceous, J. Hofker (13); Cretaceous foraminifera in France, J. Cuvillier & A. Debourle: Planktonic Cretaceous foraminifera from Netherlands, J. Hofker (11); Foraminifera in Alpine Cretaceous, A. Carozzi (1); S. Prey: Cretaceous foraminifera of the Pre-Alps, F. Jaffé; Foramini-fera in Swiss Cretaceous, W. Gigon; Cretaceous foraminifera in Spain, G. Colom (1); R. Ciry & P. Rat; P. Rat; Foraminifera from the Italian Cretaceous, F. Ferasin; E. M. Gallitelli (4); Foraminifera from the Cretaceous of Capri, Italy, A. Ducci: Cretaceous foraminifera in Austria, K. Küpper (1): Foraminifera in Central European Cretaceous, M. Reichel; Cretaceous foraminifera in Germany, H. Hagn (1), (4), (5); H. Hagn & W. Zeil (1); J. Hofker (4); Cretaceous foraminifera in Bavaria, W. Zeil; Cretaceous foraminifera in Jugoslavia, A. Papp (2); Cretaceous foraminifera in Poland, S. Geroch & R. Gradzinski; S. Liszka; Cretaceous foraminifera in Greece, I. Paraske-vaidis; C. Renz & M. Mitzopoulos; Cretaceous foraminifera in northern Iraq, R. G. S. Hudson; Cretaceous foraminifera in Asia Minor, W. J. McCallien & M. Tokay; Cretaceous foraminifera in Middle East, A. H. Smout; Cretaceous foraminifera in Canada, G. B. Mellon & J. H. Wall; Cretaceous foraminifera from Colorado, W. A. Fischer; Cretaceous foraminifera in Dakota, U.S.A., E. J. Bolin (1): Cretaceous foraminifera of Gulf Coast, U.S.A., E. R. Applin; Cretaceous foraminifera in Minnesota, E. J. Bolin (2); Cretaceous foraminifera in Missouri, D. L. Frizzell & E. Schwartz; Cretaceous foraminifera from Washington, W. R. Danner: Cretaceous foraminifera from the Antilles, R. A. Christman; Foraminifera in Venezuelan Cretaceous, J. M. S. de Civrieux (1), (2); W. Mayne; R. J. Smith; Cretaceous foraminifera in North Africa, A. Ayme, L. Glangeaud & J. Magné; L. D. Flandrin & J. Flandrin; Foraminifera in Algerian Cretaceous, G. Busson, J. Magné & J. Sigal; L. Duplan; Cretaceous foraminifera of Tunisia, J. Bolze, P. F. Burollet & G. Castany: Cretaceous foraminifera in Morocco, R. Ambroggi: Globotruncana in Egypt, S. S. Nakkady & A. Osman; Cretaceous foraminifera in Egypt, R. Said & A. Kenawy; Foraminifera in Australian Creta-ceous, S. Edgell & I. Crespin (1); Review of Cretaceous larger foraminifera, R. Ciry & P. Rat: Tethyan Cretaceous foraminifera, A. ten Dam; Cretaceous radiolaria in Minnesota, E. J. Bolin (2); Radiolaria in Venezuelan Cretaceous, J. M. S. de Civrieux (1); Radiolaria in Algerian Cretaceous, G. Busson, J. Magné & J. Sigal; Microplankton in German Cretaceous, W. Wetzel (1); Cretaceous microplankton from France, L. Valensi: Lower Cretaceous tintinnids of the western Mediterranean, G. Colom (2); Upper Cretaceous foraminifera in Switzerland, G. Torricelli; Upper Cretaceous foraminifera in Italy, E. M. Gallitelli (3); Turonian foraminifera in Azerbaidzhan, U.S.S.R., D. M. Khalilov & Ch. A. Tairov; Senonian foraminifera in the Donetz Basin, V. F. Gorbenko: Cretaceous foraminifera in Italy, E. di N. Alliata (1); Foraminifera in Californian Upper Cretaceous, K. Küpper (2); New Upper Cretaceous foraminifer from Cuba, P. Bronnimann (2); Upper Cretaceous fora-minifera, E. M. Gallitelli (7); Protista in European Upper Cretaceous flints, O. Wetzel; Pfenderina neocomiensis in the Alps, R. Murat & G. Scolari; Occurrence of Reussella szajnochae, Von J. de Klasz & H. C. G. Knipscheer.

Tertiary. — Tertiary foraminifera in Italy, E. di N. Alliata (1): Discocuclina in Eccene of Senegal, R. Abrard (3): Foraminifera in the African Paleocene. R. Abrard (2): Oligocene foraminifera in Italy, E. di N. Alliata (2); Tertiary foraminifera in France, H. Agalede; G. Aurouze & D. Boulanger; J. Cuvillier (1); M. Vigneaux (1) & (2); Tertiary foraminifera in Italy, E. Perconig (1); T. de Stefani; F. Villa (2); Tertiary foraminifera of the Appennines, G. Merla; Foraminifera in Alpine Tertiary, A. Carozzi (1); H. Hagn (2); A. Papp & R. Grill; S. Prey; Tertiary foraminifera from Spain, G. Colom (5); Tertiary foraminifera in Germany, J. Görges & H. Penndorf; R. Grill; H. Hagn (4); H. Hagn & W. Zeil (2); Tertiary foraminifera in Central Europe, R. Grill (2); Tertiary foraminifera in Bavaria, H. Hagn (3); Tertiary foraminifera in East Europe, S. Obradovic (1) & (2); Tertiary foraminifera of Czecho-slovakia, E. Hanzlíková; B. Růžička & K. Benes; Tertiary foraminifera in Yugoslavia, S. Muldini; Tertiary foraminifera in Moravia, V. Pokorny; Tertiary foraminifera in Poland, V. Kantorova & J. Kantor; Tertiary foraminifera in Greece, I. Paraskevaidis; P. Marie (2); Tertiary foraminifera in Turkey, K. Turnovsky; Tertiary foraminifera in Russia, E. V. Mjatliuk; E. K. Vakheniya; Tertiary foraminifera in Japan, M. Chiji; S. Ijiri, K. Ogawa, etc.; S. Iwasa; Y. Tai (3); Tertiary foraminifera in California H. H. foraminifera in California, H. H. Sullwold, jr.; Tertiary foraminifera of the Californian continental slope, G. D. Hanna; Tertiary foraminifera in Florida, W. E. Moore; Tertiary foraminifera in Gulf of Mexico, G. R. Kellough; Tertiary foraminifera from Maryland, J. D. McLean jr. (3); Tertiary foraminifera in Nebraska, G. W. Mendenhall; Tertiary foraminifera in Texas, J. E. Grayshon, M. M. Osborne & M. S. Bishop: M. T. Halbouty & G. C. Hardin, jr.; Tertiary foraminifera from the Antilles, R. A. Christman; H. Hiltermann (1); Tertiary foraminifera in Puerto Rico, R. C. Mitchell; Tertiary foraminifera from Colombia, V. Petters & R. Sarmiento; Tertiary foraminifera in Ecuador, H. J.

Tschopp; Tertiary foraminifera in Peru, R. B. Travis; Tertiary foraminifera in North Africa, P. Deleau (2); & L. D. Flandrin & J. Flandrin; Tertiary foraminifera in Algeria, M. Dalloni; P. Deleau; M. D. Delga; G. Dubourdieu; J. Flandrin (1) & (2); L. Glangeaud, A. Aymé, etc.; Y. Gourinard; J. Guillemot; S. N. la Repal (2); Tertiary foraminifera in Morocco, P. Taltasse; Tertiary foraminifera of Tunisia. J. Bolze, P. F. Burollet & G. Castany; Nummulites in Tertiary of Senegal, M. de Cizancourt & J. Cuvillier; Foraminifera in the Australian Tertiary, I. Crespin (3); S. Edgell; Fabularia Defrance in Australian Tertiary, A. C. Collins; Foraminiferal migration in Australian Tertiary, I. Crespin (2); Tertiary foraminifera of Manus Island, F. M. Kicinski & D. J. Belford; Kainozoio foraminifera in the Pacific area, R.S. Allan; Tertiary foraminifera from New Guinea, F. K. Rickwood; Tertiary foraminifera of Indonesia, R. W. van Bemmelen (1) & (2); Tertiary foraminifera in New Caledonia, N. Grekoff & Y. Gubler; Tertiary larger foraminifera from Bikini Atoll, W. S. Cole; Tertiary foraminifera of Eniwetok Atoll, H. S. Ladd, E. Ingerson, etc.; Tertiary foraminifera from Saipan, R. Todd (5); Tertiary foraminifera in the Solomon Islands, F. M. Kicinski; Dinoflagellates in German Tertiary, H. Gocht; Microplankton in Australian Tertiary, G. Deflandre & I. C. Cookson (2); Lower Tertiary foraminifera in France, P. Balavoine: Lower Tertiary foraminifera from Netherlands, J. Hofker (11); Chiloguembelina, new Lower Tertiary genus of foraminifera, A. R. Loeblich jr. & H. Tappan; Paleogene fora-minifera in Poland, S. Geroch & R. Gradzinski; Paleogene foraminifera from Russia, E. K. Shutskaya; Palaeogene foraminifera in California, V. S. Mallory (1); Palaeogene foraminifera from Morocco, M. Rey (2): Palaeogene foraminifera in Egypt, R. Said & A. Kenawy; Foraminifera of British Paleocene, J. Haynes; Paleocene foraminifera in Austria, K. Küpper (1); Paleocene foraminifera in Maryland, U.S.A., J. Hofker (2); J. D. McLean jr. (2); Paleocene

radiolaria from Missouri, D. L. Frizzell & E. S. Middour; Paleocene foraminifera in Trinidad, P. Bronnimann (1); Paleocene foraminifera in Africa, M. Lys; Paleocene foraminifera from Egypt, M. Y. Hassan; M. I. Youssef, M. Y. Hassan & H. F. Abdru: Paleocene foraminifera in oilfield stratigraphy, D. J. Setterington: Eocene foraminifera in France. A. Debourle: M. Neumann (1) & (3): M. Veillon & M. Vigneaux; Eccene foraminifera of the Pyrenees, J.-P. Mangin (1); M. Mangin (3); M. Ruiz de Gaona; G. Colom; Eccene foraminifera in Spain, A. Almela & J. Ma. Rios; & G. Colom (3); Foraminifera in Swiss Eccene, W. Gigon; Eccene foraminifera in Central Europe, F. Kahler (1); Eocene foraminifera in the Carpathians, S. Geroch: Eocene foraminifera from Turkey, A. Dizer; Eocene foraminifera in Russia, R. G. Garetzki & G. I. Nemkov; Spiroclypeus in Indian Eocene, B. S. Tewari; Eocene foraminifera from Washington, W. W. Rau; Eccene foraminifera in California, C. V. Fulmer; J. J. Graham; P. P. Goudkoff & N. C. Mendoza; Eccene foraminifera of the Pacific coast of U.S.A., V. S. Mallory (2): Eorupertia in Venezuelan Eocene, H. W. Anisgard; Eocene foraminifera in Morocco, P. Fallot, M. D. Delga & J. Magné; Eocene foraminifera in Australia, H. G. Raggatt; Eocene foraminifera in the Philippines, R. R. Grey; Trans-Atlantic Eocene fora-miniferal correlations, M. Rey (1); Dinoflagellates in the Spanish Eccene, G. Colom (3); Oligocene foraminifera in France, M. Bourdon & M. Lys; A. Debourle & M. Delmas; F. Gullentops: Lagena-x in Oligocene of Netherlands, J. H. van Voorthuysen (2); Oligocene foraminifera in Portugal, A. T. Rocha & J. M. Ferreira (1); Foraminifera in German Oligocene, O. Atzbach & K. W. Geib; & H. Thursch; Oligocene foraminifera in Italy, M. L. Nicosia; U. Salvatori; Oligocene foraminifera from Capri, Italy, A. Ducci; Oligocene foraminifera from Sicily, L. Coggi & E. Bruschi; Oligocene foraminifera in Yugoslavia, A. Papp (1); Oligocene foraminifera in Russia, M. F. Dzvelaya; Oligocene foraminiferal facies of Middle East, A. N. Thomas:

Oligocene foraminifera in Peru, R. M. Stainforth & W. Rüegg; Oligocene foraminifera in Algeria, J. Magné; Oligocene foraminifera from Tunisia, M. Dolle; Oligocene foraminifera in East Indies, C. W. Drooger (2); Upper Tertiary thecamoebians from Hungary, J. Kovary; Oligo-Miocene foraminifera and their evolution. W. H. Blow: Oligo-Miocene transatlantic correlation, C. W. Drooger (3); Neogene foraminifera in Italy. E. Perconig; Neogene foraminifera in Germany, K. Nebert; Neogene foraminifera in Portugal, A. T. Rocha & J. M. Ferreira (2); Neogene foraminifera in Serbia, K. Veliković-Zajec; Neogene foraminifera in Algeria, J. Magné & C. Tempere; S. N. la Repal (1); Foraminifera in Alpine Miocene, W. Brückner; F. Hofmann; E. Jörg; Miocene fora-minifera in Italy, V. Conato & B. Martinis; G. Perin; C. R. Ronchetti, A. Torrente (2); Miocene foraminifera in Eastern Europe, B. Růžička & S. K. Beneš; R. Tomić-Džodžo; Miocene foraminifera in Poland, E. Luczkowska (1) & (2); J. Matecki (2); M. Sidó; Miocene foraminifera in Russia, V. A. Grossgeïm; & G. N. Grishkevich; Miocene foraminifera from Japan, S. Iwasa & Y. Kikucki; T. Matsunaga; Y. Tai (1) & (2); Foraminifera in Indian Miocene, K. Mohan & A. K. Chatterji: Miocene foraminifera of the Philippines, E. Saurin: Miocene microfossils in Spain, G. Colom & J. Gamundi; Miocene foraminifera in Florida, H. S. Puri; Miocene foraminifera in Algeria, M. D. Delga, L. Glangeaud, J. Magné, etc.; Heterostegina in Miocene of Angola, A. J. Wissink; Miocene foraminifera of Angola, A. Daci: Mio-Pliocene foraminifera in Italy, E. M. Gallitelli (2); Pliocene foraminifera in Portugal, G. S. de Carvalho; & G. Colom (4); Pliocene foraminifera in Italy, A. Malatesta & A. Torrente; F. Ottmann; E. Perconig (3); A. Torrente (1); I. Valenti; F. Villa (1); Pliocene foraminifera in California, M. L. Natland & Ph. H. Kuenen; Pliocene foraminifera from Moroeco, P. Marie (1); Alveolinids in Spain, G. Colom (6); Miogypsina in Spain, C. W. Drooger (4); Occurrence of Asterigerinata, P. J. Bermudez; Distribution of Miogypsina, C. W.

RHIZOPODA 103

**Drooger** (4); Distribution of Orbitoids, A. Papp (3).

Quaternary and Sub-Recent. -North Atlantic Pleistocene foraminifera, D. B. Ericson: Pleistocene foraminifera in Atlantic cores, D. B. Ericson & G. Wollin; North Atlantic planktonic foraminifera as Pleistocene temperature-indicators, J. Kane; Foraminifera of postglacial clays in Norfolk, W. A. Macfadyen; Quaternary foraminifera in France, L. Guillaume; Quaternary foraminifera in Holland, J. M. Ferreira & A. T. Rocha: Foraminifera in the Dutch Holocene, J. H. van Voorthuysen (1); Pleistocene foraminifera in Italy, A. Malatesta & A. Torrente; Quaternary foraminifera in Italy, B. Accordi; Pleistocene foraminifera in Japan, Y. Fujita; Pleistocene foraminifera from the north-west Pacific, H. W. Menard; Changing climates of Mississippi delta area, F. B. Phleger (2); Pleistocene temperatures in southern California, C. Emiliani & S. Epstein; Quaternary foraminifera from Alaska, A. R. Loeblich jr. (1); Late Kainozoic foraminifera from Brazil, S. Petri; Pleistocene foraminifera from New Zealand, C. A. Fleming; Microfossil protozoans in Australian Pleistocene and Recent deposits, N. H. Ludbrook:

Recent and Ocean Sediments.-Planktonic foraminifera in ocean cores, D. B. Ericson & G. Wollin: Ecology of planktonic foraminifera, S. W. Stone; Foraminifera from North Atlantic, F. B. Phleger, F.L. Parker & J. F. Peirson; Foraminifera of Mississippi Sound, F. B. Phleger (1); Gulf of Mexico foraminifera, O. L. Bandy (1); Foraminiferal distribution off Central Texas coast, F. B. Phleger (3); Foraminifera from offshore cores in the Mississippi Delta, F. B. Phleger (2); Foraminifera of the Bahamas, L. V. Illing; Foraminifera of the Algerian coast, J. Bourcart: Foraminifera of the Californian continental slope, G. D. Hanna; Sediments of East Pacific calcareous eupelagio area, Arrhenius & N. Blomquist; Recent foraminifera from the Marshall foraminifera from the Islands, J. A. Cushman, R. Todd & R. J. Post: Foraminiferal distribution in Raroia Atoll sequence, J. T.

Sperrazza; Recent foraminifera from the North-western Pacific, H. W. Menard; Foraminifera of Alaskan coasts, A. J. Carsola; Recent foraminifera in Japan, K. Sawai; Foraminifera of Tokyo Bay, Japan, M. Morishima; Recent Indian foraminifera, S. B. Bhatia (1).

### III. SYSTEMATIC INDEX

References to the "Titles" are made by the name(s) of the Author(s) printed in Clarendon type.

#### PROTOZOA: GENERAL

Protozoan systematics, J. E. Webb J. H. Elgood; Bacterial homonyms of protozoon genera, Anon. (1); Intraspecific groups in pathogenic protozoa, C. A. Hoare (1).

#### I.—RHIZOPODA

## (a) Amoebida.

New Entamoeba from the human eye, H. Kümmel.

Flamella citrensis, sp. n. (p. 151) from citrus pulp wastes (U.S.A.), E. C. Bovee (3).

Vexillifera telmathalassa sp. n. (p. 155) marine (U.S.A.), E. C. Bovee (2).

### (b) Testacea.

Status of the thecamoebians, L. Decloitre (2).

The camoe bians from Greenland, L. Decloitre (5).

Thecamoebians from French West Africa, L. Decloitre (1).

New thecamoebids from Venezuela, L. Decloitre (4).

Testacea from Venezuela, P. van Oye (1).

New thecamoebians from New Zealand, P. van Oye (3).

Amphitrema jollyi sp. n. (p. 33); A. paparoensis sp. n. (p. 34); New Zealand, P. van Oye (3).

Ampullataria gen. n. rotunda sp. n. (p. 353) freshwater, P. van Oye (1).

Arcella gibbosa var. n. aplanata (p. 334) freshwater, Venezuela, P. van Oye (1).

Centropyxis aculeata var. n. intermedia (p. 338); C. orinokii sp. n. (p. 341) freshwater, Venezuela, P. van Oye (1); C. aculeata var. n. lata (p. 239), C. aerophila var. n. cornata (p. 248), C. sexilatera sp. n. (p. 245), Africa, L. Decloitre (1); C. aerophila var. n. globulosa (p. 414); C. plagiostoma sp. n. (p. 415); C. p. var. n. terricola (p. 415); C. sylvatica Deflandre) comb. n. (p. 415) [for C. aerophila Defl. var. sylvatica]; C. s. var. n. minor (p. 416); soil, L. Bonnet & R. Thomas: C. bacillifera sp. n. (p. 328); C. deflandrei sp. n. (p. 331); C. laevigata var. n. alta (p. 333); Venezuela, L. Decloitre (4); C. longispina sp. n. (p. 24) Greenland, L. Decloitre (5) [corrected from spinosa in author's personal handwriting].

Cyclopyxis armata, pseudolaevigata, deflandrei spp. n. (p. 342), freshwater, Venezuela, P. van Oye (1).

Difflugia acuminata var. n. brevicaulis (p. 30) France, R. Thomas & J. Mabille; D. carinata sp. n. (p. 18), New Zealand, P. van Oye (3); D. chauchonia sp. n. (p. 12); Greenland, L. Decloitre (5); D. polliciformis sp. n. (p. 346) freshwater, Venezuela, P. van Oye (1).

Difflugiella oviformis (Penard) comb. n. (p. 418) [for Cryptodifflugia oviformis Penard 1890], soil; L. Bonnet & R. Thomas.

Euglypha acanthopora (Ehrenberg)
Perty var. n. deflandrei (p. 326);
E. tuberculata var. minor forma n.
subcylindrica (p. 326); Venezuela, L.
Decloitre (4); Euglypha rotunda
forma. n. obliqua (p. 255), Africa,
L. Decloitre (1).

Geopyxella gen. n. sylvicola sp. n. (p. 419) (genotype), soil, France, L. Bonnet & R. Thomas.

Heleopera penardi sp. n. (p. 419) [includes H. petricola emend. Leidy]; H. petricola var. n. humicola (p. 419) soil, L. Bonnet & R. Thomas.

Lesquereusia modesta var. n. minima (p. 348) freshwater, Venezuela, P. van Oye (1).

Nebela deflandrei sp. n. (p. 335) Venezuela, L. Decloitre (4); N. subsphaerica sp. n. (p. 25); N. wailesi var. n. magna (p. 28); New Zealand, P. van Oye (3).

Plagiopyxis declivis sp. n. (p. 420); P. d. var. n. oblonga (p. 421); P. penardi sp. n. (p. 421); soil, L. Bonnet & R. Thomas.

Pontigulasia gessneri sp. n. (p. 347) freshwater, Venezuela, P. van Oye (1).

Pseudopontigulasia gen. n. (p. 347) gessneri sp. n. (p. 347) freshwater, Venezuela, P. van Oye (1).

Quadrulella elongata sp. n. (p. 352) freshwater, Venezuela, P. van Oye (1).

Schwabia terricola sp. n. (p. 422), soil, L. Bonnet & R. Thomas.

†Silicoplacentina gen. n. (p. 269) hungarica sp. n. (p. 270) (genotype), S. inflata, majzoni spp. n. (p. 270), S. irregularis sp. n. (p. 271) Upper Tertiary, Hungary, J. Kovary.

Tracheleuglypha acolla sp. n. (p. 422); T. a. var. n. aspera (p. 422); soil, L. Bonnett & R. Thomas.

# (c) Foraminifera.

Systematics of the foraminifera, J. Hofker (5).

†New foraminifera from Russian Devonian, E. R. Bykova.

†New Upper Palaeozoic foraminifera from Britain, R. H. Cummings (2).

†New Upper Palaeozoic foraminifera in Russia, O. A. Lipina & E. A. Reitlinger.

†New but undescribed foraminifera in Russian Upper Palaeozoic, A. D. Miklukho-Maklai.

†New but undescribed foraminifera from the Japanese Upper Palaeozoic, R. Toriyama.

†New Russian Carboniferous foraminifera, H. E. Brazhnikova & M. V. Yartsheva; D. M. Rauser-Chernoussova (1).

†New Carboniferous fusulinids from Japan, K. Kanmera (1).

†New Permian foraminifera from Yugoslavia, V. Kochansky-Devide & A. Ramoys.

†New Permian fusulinids from Japan, K. Kanmera (2); R. Morikawa.

†New Mesozoic foraminifera from Azerbaidzhan, Ch. A. Tairoy.

†New Jurassic foraminifera from Austria, R. Weynschenk (2).

†New figured but not fully described foraminifera from the Russian Jurassio, O. K. Kaptarinko-Chernoussova.

†New Cretaceous foraminifera in Italy, E. M. Gallitelli (4).

†New Cretaceous foraminifera in Egypt, R. Said & A. Kenaway.

†New Cretaceous foraminifera from Middle East, A. H. Smout.

†New Cretaceous foraminifera from Canada, G. B. Mellon & J. H. Wall.

†New but undescribed foraminifera from the American Cretaceous, W. A. Fischer.

†New Cretaceous foraminifera from Gulf Coast, U.S.A., E. R. Applin.

†New Upper Cretaceous foraminifera, E. M. Gallitelli (7).

†New Upper Cretaceous foraminifera from Germany, J. Hofker (4).

†New Upper Cretaceous foraminifera from Cuba, P. Bronnimann (2).

†New Tertiary foraminifera from Spain, G. Colom (5).

†New Tertiary foraminifera from Russia, E. V. Mjatliuk.

†New Tertiary larger foraminifera from Bikini Atoll, W. S. Cole.

†New Tertiary foraminifera from Saipan, R. Todd (5).

†New Tertiary foraminifera from Japan, S. Iwasa.

†Tertiary foraminifera from Colombia, V. Petters & R. Sarmiento.

†New Paleogene foraminifera from Russia, E. K. Shutskaya.

†New Palaeogene foraminifera from Morocco, M. Rey (2).

†New Palaeogene foraminifera in Egypt, R. Said & A. Kenawy.

†New British Palaeocene foraminifera, J. Haynes.

†New Paleocene foraminifera from Maryland, U.S.A., J. Hofker (2).

†New Paleocene foraminifera from Trinidad, B.W.I., P. Bronnimann (1).

†New Eocene foraminifera from Turkey, A. Dizer.

†New Oligocene foraminifera from France, F. Gullentops.

†New Oligo-Miocene foraminifera from South America, W. H. Blow.

†New Neogene foraminifera in Italy, E. Perconig (2).

†New Miocene foraminifera from Poland, E. Luzykowska (2); J. Matecki.

†New Miocene foraminifera from Japan, S. Iwasa & Y. Kikuchi.

†New late Kainozoic foraminifera from Brazil, S. Petri.

†New Pliocene foraminifera from Italy, E. Perconig (3).

†Recent foraminifera from the Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

New foraminifera from the West Indies, J. Hofker (5).

New foraminifera from the North Pacific, Z. G. Shchedrina (3).

Brackish water foraminifera in Zululand, Y. H. Smitter.

†Alabamina conica sp. n. (p. 295), Eocene, Saipan, R. Todd (5).

†Alliatina gen. n. (p. 464) (genotype Cushmanella excentrica Alliata 1952) Pliocene, J. C. Troelsen.

†Ammobaculites greenhornensis sp. n. (p. 10) [nom. nud.] Cretaceous, Colorado, W. A. Fischer; †A. pyreniacus sp. n. (p. 359), Eocene, Pyrenees, M. Ruiz de Gaona & G. Colom; †A. schwageri sp. n. (p. 121), Palaeocene, Egypt, R. Said & A. Kenawy.

†Ammodiscus spirillinaformis sp. n. (p. 113) [figured but not separately described] Mesozoic, Azerbaidzhan, Ch. A. Tairov.

†Ammodiscoides kumaensis sp. n. (p. 82) Paleogene, Russia, E. K. Shutskaya.

†Amphistegina madagascariensis d'Orb.; notes thereon, R. Todd (5).

†Anomalina misrensis sp. n. (p. 153) Lower Eccene, Egypt, R. Said & A. Kenawy.

†Anomalina ? maculosa sp. n. (p. 296), Recent, Saipan, R. Todd (5).

†Anomalinoides nakkadyi, suturatus, sinaensis spp. n. (p. 154), Cretaceous, Egypt, R. Said & A. Kenawy.

†Archaediscus glomus sp. n. (p.74); A. electus sp. n. (p. 75); A. spectabilis sp. n. (p. 76); A. matutinus, approzimatus spp. n. (p. 77); A. rhombiformis sp. n. (p. 78); Carboniferous, Russia, R. A. Ganelina.

†Arenobulimina aegyptica sp. n. (p. 126), Cretaceous, Egypt, R. Said & A. Kenawy.

†Arenoturrispirillina gen.n. (p. 114) aptica sp. n. (p. 115) [?genotype] Mesozoic, Azerbaidzhan, Ch. A. Tairov.

†Arnoldia gen. n. antiqua sp. n. (p. 2584) (genotype) Pre-Cambrian, Ivory Coast, R. Hovasse.

†Asterigerina aberystwythi sp. n. (p. 97) Paleocene, Britain, J. Haynes; †A. fimbriata sp. n. (p. 296), Eocene, Saipan; A. venusta sp. n. (p. 297), Miocene, Saipan, R. Todd (5); †A. paralleloides sp. n. (p. 177), Tertiary, Spain, G. Colom (5); †A. praeplanorbis sp. n. (p. 348), Oligocene, Germany, H. Hagn (4).

†Asterigerinata; review of, P. J. Bermudez.

†Asterigerinata cubensis sp. n. (p. 202), Oligocene, Cuba; A. guerrai sp. n. (p. 204), Eocene, Cuba; A. globulospinosa (Cushman) var. n. glabra (p. 205), Eocene, Mississippi; P. J. Bermudez.

†Aulotortus gen. n. (p. 26) sinuosus sp. n. (p. 27) (genotype), Jurassic, Austria, R. Weynschenck (2).

†Austrotrillina brunni sp. n. (p. 203) Oligo-Miocene, Greece, P. Marie (2).

†Baggina parva sp. n. (p. 297) Miocene, Saipan, R. Todd (5); †B. teninoensis sp. n. (p. 76), Eocene, Washington, W. W. Rau. †Baituganella gen. n. (p. 19) chernyshinensis sp. n. (p. 20) (genotype); B. vulgaris sp. n. (p. 20); Upper Palaeozoic, Russia, O. A. Lipina.

†Barkerinidae fam. n. (p. 342), A. H. Smout.

†Barkerina gen. n. (p. 5) barkerensis sp. n. (p. 6) (genotype) Cretaceous, Missouri, D. L. Frizzell & E.Schwartz.

†Bdelloidina vincentownensis sp. n. (p. 7) Paleocene, Maryland, J. Hofker (2).

†Begia gen. n. (p. 339) gyra sp. n. (p. 340) (genotype); B. conica sp. n. (p. 340); B. concava, calcarata, perforata, convexa spp. n. (p. 341); B. glomerulata sp. n. (p. 342); Cretaceous, Middle East, A. H. Smout.

†Bifarina antiqua sp. n. (p. 144) Cretaceous, Egypt, R. Said & A. Kenawy.

†Biorbulina gen. n. (p. 69) (genotype Globigerina bilobata d'Orbigny 1846) Oligo-Miocene, Venezuela, W. H. Blow.

†Bisphaera minima, grandis spp. n. (p. 18) Upper Palaeozoic, Russia, O. A. Lipina.

†Bolivina basbeckensis, hiltermanni spp. n. (p. 68) Upper Cretaceous, Germany, J. Hofker (4); †B. decurrens var. n. parallela (p. 143). Cretaceous, Egypt, R. Said & A. Kenawy; †B. densa sp. n. (p. 297) Miocene, Saipan; B. subrhomboidalis sp. n. (p. 297) Eocene, Saipan, R. Todd (5); †B. rhombica sp. n. (p. 91); B. striatula var. n. angulata (p. 93); Kainozoie, Brazil, S. Petri; B. spatuloides sp. n. (p. 66); B. pseudogoessii sp. n. (p. 69), Recent, West Indies, J. Hofker (5).

†Bolivinita bandyi sp. n. (p. 141) Cretaceous, Egypt, R. Said & A. Kenawy.

†Bolivinoides ouezzanensis sp. n. (p. 210) Paleocene, Morocco, M. Rey (2).

†Bolivinopsis minuta sp. n. (p. 138) Cretaceous, Egypt, R. Said & A. Kenawy. Botellina spiculotesta sp. n. (p. 84) North Pacific, Z. G. Shchedrina (3).

†Bradyina ferganica sp. n. (p. 1153) [nom. nud.] Upper Palaeozic, Russia, A. D. Miklukho-Maklai.

†Bronnimannella gen. n. (p. 35) (genotype Gümbëlina plummerae Loetterle 1937) [Bronnibrownia Gallitelli 1955 listed as synonym] Upper Cretaceous, E. M. Gallitelli (7).

†Bulimina aculeata var. n. porrecta (p. 148), Miocene, Poland. E. Luczkowska (2); †B. aspensis sp. n. (p. 179), Tertiary, Spain, G. Colom (5); †B. carmenensis sp. n. (p. 29), Lower Miocene; B. dentoni sp. n. (p. 29) Upper Oligocene; Colombia, V. Petters & R. Sarmiento; †B. gibba var. nom. n. corsiniana (p. 258) [for Bulimina fusiformis var. baccata Fornasini] Pliocene, Italy, E. Perconig (3); †B. honjôensis sp. n. (p. 16), Tertiary, Japan, S. Iwasa.

†Carbonella spectabilis var. n. crassa (p. 41), Upper Palaeozoic, Russia, O. A. Lipina.

†Cassidulina gemma, marshallana spp. n. (p. 366) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

Ceratobulimininae; revision thereof, J. C. Troelsen.

†Ceratocancris; re-definition thereof, J. C. Troelsen.

†Ceratolamarckina subgen. n. (p. 456) [of Ceratolulimina] (subgenotype C. tuberculata Brotzen 1948); C. jullandica sp. n. (p. 456), Paleocene, Denmark, J. C. Troelsen.

†Charltonina canterburyensis sp. n. (p. 97) Paleocene, Britain, J. Haynes; †C. toddae sp. n. (p. 152), Paleocene, Egypt, R. Said & A. Kenawy.

†Chernyshinella gen. n. (p. 47) (genotype Endothyra glomiformis Lipina 1948); C. paraglomiformis, paucicamerata spp. n. (p. 50); C. disputabilis sp. n. (authorship to Dain) (p. 50); C. tumulosa sp. n. (p. 51); Upper Palaeozoic, Russia, O. A. Lipina.

†Chiloguembelina gen. n. (p. 340) (genotype Guembelina midwayensis Cushman 1940) Paleocene and Eocene, A. R. Loeblich jr. & H. Tappan. Chitinosaccus gen. n. zuluensis sp. n. (p. 259) (genotype) brackish water, Zululand, Y. H. Smitter.

†Chrysalogonium tappanae sp. n. (p. 134), Cretaceous, Egypt, R. Said & A. Kenawy.

†Cibicides americanus var. n. paraensis (p. 135); C. cururuensis sp. n. (p. 136); Kainozoic, Brazil, S. Petri; †C. basraensis sp. n. (p. 211) Oligocene, Morocco, M. Rey (2); †C. boueanus var. n. crassus (p. 153), Miocene Poland, E. Luckowska (2); †C. daguerri sp. n. (p. 113), Eocene, France, M. Neumann (1); †C. nekhlianus, schwageri, tappanae spp. n. (p. 155) Cretaceous; C. loeblichi, megaloperforatus spp. n. (p. 155) Paleocene; Egypt, R. Said & A. Kenawy; †C. tani sp. n. (p. 193), Miocene, Japan, S. Iwasa & Y. Kikuchi; †C. tuxpamensis subsp. n. aspensis (p. 171); C. perlucidas subsp. n. aspensis (p. 172); C, levantinus sp. n. (p. 174); Tertiary, Spain, G. Colom (5).

†Clavulina golubjatnikovi **sp. n.** (p. 90) Paleogene, Russia, E. K. **Shutskaya**.

†Climacammina; systematics thereof, R. H. Cummings (2).

†Climacammina supraparva sp. n. (p. 227); C. ferra sp. n. (p. 228); Carboniferous, Great Britain, R. H. Cummings (2).

†Codonofusiella cuniculata sp. n. (p. 6), Permian, Japan, K. Kanmera (2).

†Coxites gen. n. (p. 342) zubairensis gp. n. (p. 343) (genotype), Cretaceous, Middle East. A. H. Smout.

†Cremsia gen. n. (p. 50) (genotype Textularia † proboscoidea Cushman & Stainbrook 1943); C. incelebrata sp. n. (p. 53); Devonian, Russia, E. R. Bykova.

Cribroelphidium asakense sp. n. (p. 233) Recent, Japan, Y. Fujita; C. pacificum sp. n. (p. 273), Recent, Japan, H. Ujiié (2); †C. tomitai sp. n. (p. 419) Tertiary, Japan, Y. Tai (3).

†Cribrogenerina; systematics thereof, R. H. Cummings (2).

†Cribrostomoides; emendation thereof, D. L. Frizzell & E. Schwartz.

†Cribrostomum; systematics thereof, R. H. Cummings (2).

†Cribrostomum scoticum sp. n. (p. 220); C. wilkiestoni sp. n. (p. 221); C. ponielum sp. n. (p. 222); C. inflatum, linnum, oveyi spp. n. (p. 223); Carboniferous, Great Britain, R. H. Cummings (2).

†Cristellaria bicostataformis, multicava spp. n. (p. 10) [nomina nuda] Jurassic, Dagestan, G. K. Kasimova, Z. V. Kutznetzova & Z. F. Mikheeva.

†Cuvillierina gen. n. eocenica sp. n. (p. 55) (genotype), Eocene, France, A. Debourle.

Cyclammina senegalensis sp. n. (p. 35), coast of Senegal, G. Colom (8).

†Darbyella mimounaensis sp. n. (p. 210) Eccene, Morocco, M. Rey (2).

† Deckerella; systematics thereof, R. H. Cummings (2).

† Deckerella quadrata sp. n. (p. 232); Carboniferous, Great Britain, R. H. Cummings (2).

† Deckerellina; systematics thereof, R. H. Cummings (2).

†Dentalina ghorabi sp. n. (p. 133), Cretaceous, Egypt, R. Said & A. Kenawy.

†Discorbis celsa sp. n. (p. 299) Eocene, Saipan; D. fulva sp. n. (p. 299) Recent, Saipan, R. Todd (5); †D. coloradoensis sp. n. (p. 10) [nom. nud.] Cretaceous, Colorado, W. A. Fischer; †D. nirrisi sp. n. (p. 15) Cretaceous, Canada, G. B. Mellon & J. H. Wall; †D. pentacameratus sp. n. (p. 229), Tertiary, Russia, E. V. Mjatliuk.

†Discocyclina trabayensis sp. n. (p. 130), Eocene, France, M. Neumann (3); †D. senegalensis sp. n. (p. 237), Eocene, Senegal, R. Abrard (3).

†Dorothia compacta sp. n. (p. 299) Eccene, Saipan, R. Todd (5); †D. sinaeneis sp. n. (p. 128), Lower Eccene, Egypt, R. Said & A. Kenawy.

†Dunbarinella alpina sp. n. (p. 380) Permian, Yugoslavia, V. Kochansky-Devidé & A. Ramovs.

†Dunbarula nanz sp. n. (p. 377) Permian, Yugoslavia, V. Kochansky-Devidé & A. Ramoys. †Ellipsoglandulina ellisi sp. n. (p. 146), Paleocene, Egypt, R. Said & A. Kenawy.

†Ellipsonodosaria ugoensis sp. n. (p. 192) Miocene, Japan, S. Iwasa & Y. Kikuchi.

†Ellipsopleurostomella oligocenica sp. n. (p. 67), Oligocene, Italy, E. di N. Alliata (2).

†Elphidium advenum var. n. dispar (p. 346) [authorship to Cushman] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; †E. advenum var. n. miyatense (p. 231); E. bosoense sp. n. (p. 232); Pleistocene & Recent, Japan, Y. Fujita; †E. formosurum sp. n. (p. 299), Recent, Saipan, E. hyalocostatum sp. n. (p. 300), Recent, Saipan, R. Todd (5); †E. semiinvolutum sp. n. (p. 228), Tertiary, Russia, E. V. Mjatliuk. †Elphidium ? limbatus sp. n. (p. 75); E. paraensis sp. n. (p. 77); E. cf. poeyanum var. n. elongata (p. 79); E. sagrai var. n. cururuensis (p. 80); E. tropicalis sp. n. (p. 81); Kainozoic, Brazil, S. Petri.

†Endothyra inflata sp. n. (p. 54); E. nordvikensis sp. n. (p. 59); E. recta sp. n. (p. 60); E. costifera, paracostifera spp. n. (p. 61); E. p. var. n. multicamerata (p. 62); E. tenuiseptata sp. n. (p. 63); E. latispiralis sp. n. (p. 65); E. l. varr. n. angusta, grandis (p. 66); E. rjausakensis var. n. magna (p. 67); E. parakosvensis sp. n. (p. 68); E. taimyrica sp. n. (p. 69); E. tuberculata subsp. n. magna [authorship to Lipina & Safonova]; E. crassitheca, kosvensis spp. n. (p. 71); E. paraukrainica sp. n. (p. 72); E. transita sp. n. (p. 73); E. infirma sp. n. (p. 75); Upper Paleozoic, Russia, A. O. Lipina.

†Entosolenia socuyiensis sp. n. (p. 273), Cretaceous, Venezuela, J. M. S. de Civrieux (2).

†Eoflabellina; systematics thereof, H. Bartenstein.

†Eolasiodiscus gen. n. (p. 75) donbassicus sp. n. (p. 76) (genotype), E. galinae sp. n. (p. 76), Upper Palaeozoic, Russia, E. A. Reitlinger. †Eorupertia cristata (Gümbel); systematics thereof, H. Hagn (6).

†Eouvigerina hofkeri sp. n. (p. 141), Crotaceous, Egypt, R. Said & A. Kenawy.

†Eovolutina tuimasensis sp. n. (p. 23), Upper Palaeozoic, Russia, O. A. Lipina.

†Epistomina elschankaensis var. n. poltavica (p. 60) E. dneprica, uhligi, limbata, peregrina, decorata, mosquensis, spp. n. (p. 60), E. mosquensis var. n. ukrainica (p. 60), Jurassic, Russia, O. K. Kaptarinko-Chernoussova.

†Epistominella takayanagii sp. n. (p. 17), Tertiary, Japan, S. Iwasa.

Epistominiae; revision thereof, J. C. Troelsen.

†Epistominoides danica sp. n. (p. 461) Palaeccene, Denmark, J. C. Troelsen.

†Eponides carolinensis var. n. navarraensis (p. 377) Eocene, Pyrenees, M. Ruiz de Gaona & G. Colom; †E. hatakeyamai sp. n. (p. 192) Miocene, Japan, S. Iwasa & Y. Kikuchi; †E. mariei, sigali spp. n. (p. 148), Cretaceous, Egypt, R. Said & A. Kenawy; †E. scheibei sp. n. (p. 31); Lower Miocene, Colombia, V. Petters & R. Sarmiento; †E. spiratus sp. n. (p. 151), Miocene, Poland, E. Luczkowska (2).

†Evlania gen. n. transversa sp. n. (p. 20) (genotype); E. devonica sp. n. (p. 21); Devonian, Russia, E. R. Bykova.

†Fissurina circularis, millettii spp. n. (p. 351) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

† Flabellamminopsis; systematics thereof, H. Bartenstein.

†Flabellamminopsis gen. n. (p. 104)
variabilis sp. n. (p. 105) (genotype);
F. v. var. n. a. (p. 106); F. v.
var. n. β. (p. 106); F. v. var. n. δ.
(p. 107); F. planulatus sp. n. (p. 104);
F. crassus, corrugatus, tricarinatus
spp. n. (p. 107); F. t. var. n. a.
(p. 108); F. t. var. n. β. (p. 108);
F. turbidus, proteus spp. n. (p. 108);
F. tetracarinatus sp. n. (p. 109);

F. t. var. n. α. (p. 109); F. diversiformis sp. n. (p. 110); Jurassic, Poland, J. Matecki (1)

†Frondicularia barlowensis sp. n. (p. 195), Cretaceous, Gulf Coast, E. R. Applin.

†Frondilina gen. n. (p. 24) devexis sp. n. (p. 25) (genotype); F. sororis sp. n. (p. 26); Devonian, Russia, E. R. Bykova.

†Fusulina higoensis sp. n. (p. 133); F. ohtanii sp. n. (p. 136); F. kurikiensis sp. n. (p. 138); Carboniferous, Japan, K. Kanmera (1).

†Fusulinella gracilis sp. n. (p. 127) Carboniferous, Japan, K. Kanmera (1).

†Ganella gen. n. (p. 187) neumannae sp. n. (p. 187) (genotype), Tertiary, France, G. Aurouze & D. Boulanger.

†Garantella gen. n. rudia sp. n. (p. 60) (genotype), G. marginata, floscula, stellata spp. n. (p. 60), Jurassic Russia, O. K. Kaptarinko-Chernoussova.

†Gaudryina barlowensis sp. n. (p. 192), Cretaceous, Gulf Coast, E. R. Applin; †G. elegantissima, limbata spp. n. (p. 123), Palaeocene; G. nekhlensis sp. n. (p. 124), Palaeocene; Egypt, R. Said & A. Kenawy; †G. kabardinensis sp. n. (p. 88). G. zolkaensis sp. n. (p. 89) Palaeogene, Russia, E. K. Shutskaya; †G. mcleani sp. n. (p. 7) Paleocene, Maryland, J. Hofker (2); †G. supracretacea sp. n. (p. 64), Upper Cretaceous Germany, J. Hofker (4); †G. trullissata sp. n. (p. 331) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

†Gavelinella brotzeni sp. n. (p. 147), Cretaceous; G. b. var. n. paleocenica (p. 148), Paleocene; Egypt, R. Said & A. Kenawy; †G. pertusa subsp. n. maestrichtiensis (p. 73), Upper Cretaceous, Germany, J. Hofker (4).

Gavelinopsis altantica sp. n. (p. 212), Recent, West Indies, J. Hofker (5);†G. bartensteini, involutiformis spp. n. (p. 74), Upper Cretaceous, Germany, J. Hofker (4).

†Geinitzina indigena sp. n. (p. 22); G. reperta sp. n. (p. 24); Devonian, Russia, E. R. Bykova. †Glandulina antiqua sp. n. (p. 137) Cretaceous, Egypt, R. Said & A. Kenawy.

†Globigerina; review of, P. Bronnimann (1); †G. biforaminata sp. n. (p. 76), Upper Cretaceous, Germany, 7. Hofker (4); †G. eximia sp. n. (p. 300) Miocene; G. ? grata sp. n. (p. 300) Oligocene; G. nepenthes sp. n. (p. 301), Miocene; G. pera sp. n. (p. 301), Eocene; all Saipan, R. Todd (5); †G. globorotaloidea sp. n. (p.212), Tertiary, Spain, G. Colom (5); †G. hölzi sp. n. (p. 50) Cretaceous, Germany, H. Hagn & W. Zeil (1); †G. lozanoi sp. n. (p. 149); G. aspensis sp. n. (p. 151); Tertiary, Spain, G. Colom (5); G. rubescens sp. n. (p. 234), Recent, West Indies, J. Hofker (5); †G. soldadoensis sp. n. (p. 9); G. gravelli sp. n. (p. 12); G. hornbrooki sp. n. (p. 15); G. finlayi sp. n. (p. 18); G. taroubaensis sp. n. (p. 18); G. stainforthi sp. n. (p. 23); Paleocene, Trinidad, P. Bronnimann (1);  $\dagger G$ . triloba var. n. aspera (p. 125) Kainozoie, Brazil, S. Petri.

†Emendation of Globigerinoides bispherica Todd, W. H. Blow.

†Globigerinoides glomerosa sp. n. (p. 64); G. glomerosa subsp. n. curva (p. 64); G. glomerosa subsp. n. curva (p. 64); G. glomerosa subsp. n. glomerosa, circularis (p. 65); G. transitoria sp. n. (p. 65); Tertiary, Venezuela, W. H. Blow; †G. indigena sp. n. (p. 152), Miocene, Poland, E. Luczkowska (2); †G. mitra sp. n. (p. 302) Miocene, G. pseudorubra sp. n. (p. 303) Oligocene, Saipan, R. Todd (5).

Globobulimina aperta sp. n. (p. 56), Recent, West Indies, J. Hofker (5).

†Globorotalia; status thereof, J. Hofker (3).

†Globorotalia angulata var. n. kubanensis (p. 93), G. a. var. n. praepentacamerata (p. 94), G. nartanensis sp. n. (p. 96), G. praenartanensis sp. n. (p. 98), Paleogene, Russia, E. K. Shutskaya; †G. velascoensis var. n. parva (p. 209) Paleocene, Morocco, M. Rev (2).

†Globotruncana (Praeglobotruncana) renzi subsp. n. primitiva (p. 43), Upper Cretaceous, California, K. Küpper (2). †Globulina lacrima var. n. canadensis (p. 16) Crotaceous, Canada, G. B. Mellon & J. H. Wall,

[1956]

†Glomospira charoides var. n. leroyi (p. 120), Cretaceous, Egypt, R. Said & A. Kenawy.

†Glomospiranella latispiralis sp. n. (p. 44); G. rara sp. n. (p. 45); Upper Palaeozoic, Russia, O. A. Lipina.

†Glomospirella pseudopulchra sp. n. (p. 31), Upper Palaeozoic, Russia, O. A. Lipina.

†Glublerina; status thereof, E. M. Gallitelli (6).

†Gümbelina; status thereof, E. M. Gallitelli (6).

†Gumbelina tenuis sp. n. (p. 303) Eocene, Saipan, R. Todd (5).

†Gumbelina? distorta sp. n. (p. 189) Cretaceous, Italy, E. M. Gallitelli (4).

†Gumbelina ? marshallana sp. n. (p. 349) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

†Gumbelitria; status thereof, E. M. Gallitelli (6).

†Gumbelitriella; status thereof, E. M. Gallitelli (6).

†Guttulina asanoi sp. n. (p. 191)
Miocene, Japan, S. Iwasa & Y.
Kikuchi; †G. caudriae sp. n. (p. 28);
Upper Oligocene, Colombia, V. Petters
& R. Sarmiento; †G. irregularis var.
n. contraria (p. 68); Kainozoio,
Brazil, S. Petri.

†Gyroidina reussi sp. n. (p. 149) [for G. nitida (Reuss) of Cushman 1946]. Cretaceous, Egypt, R. Said & A. Kenawy.

†Gyroidinoides frizzelli sp. n. (p. 149) Paleocene, Egypt, R. Said & A. Kenawy; †G. voluptus sp. n. (p. 93) Paleocene, Britain, J. Haynes,

†Halkyardia bikiniensis sp. n. (p. 584), Tortiary, Bikini Atoll, W. S. Cole.

†Haplophragmoides caucasicus, kubanensis spp. n. (p. 85), Paleogene, Russia, E. K. Shutskaya; †H. foliacea sp. n. (p. 181) Cretaceous, Italy, E. M. Gallitelli (4); †H. langsdalensis sp. n. (p. 191), Cretaceous, Gulf Coast, E. R. Applin; †H. sluzari sp. n. (p. 17) Cretaceous, Canada, G. B. Mellon & J. H. Wall.

†Hauerina milletti, serrata spp. n. (p. 337) [authorship to Cushman] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

†Hemifusulina orienta sp. n. (p. 1153) [nom. nud.] Upper Palaeozoic, Russia, A. D. Miklukho-Maklai.

†Hemigordius longus sp. n. (p. 524); H. permicus, nalivkini spp. n. (p. 525); H. ovatus sp. n. (p. 526); H. ovatus var. n. minima (p. 527); Permian, Russia, L. P. Grozdilova.

†Heterillina tongriensis sp. n. (p. 14) Oligocene, France, F. Gullentops.

†Heterohelicidae; revision thereof, E. M. Gallitelli (6).

†Heterohelix; status thereof, E. M. Gallitelli (6).

†Heterostegina nigripustula sp. n. (p. 575); H. pusillumbonata sp. n. (p. 576); Tertiary, Bikini Atoll, W. S. Cole.

†Heterostomella gracilis sp. n. (p. 64), Upper Cretaceous, Germany, J. Hofker (4).

†Hidaella gen. n. (p. 45) kameii sp. n. (p. 46) (genotype) Upper Carboniferous, Japan, H. Fujimoto & H. Igō.

†Historbitoides gen. n. (p. 61) kozaryi sp. n. (p. 61) (genotype), Upper Cretaceous, Cuba, P. Bronnimann (2).

Höglundina hyalina sp. n. (p. 125), Recent, West Indies, J. Hofker (5).

†Hollandina gen. n. pegwellensis sp. n. (p. 94) (genotype—includes Truncatulina haidingerii (Burrows & Holland ? 1897) (non d'Orbigny), Paleocene, Britain, J. Haynes.

Hyalovirgulinidae fam. n. (p. 45), J. Hofker (5).

†Kahlerina gen. n. (p. 383) pachytheca sp. n. (p. 385) (genotype); K. p. subsp. n. pusilla (p. 388); Permian, Yugoslavia, V. Kochansky-Devidé & A. Ramovs.

†Kilianina Pfender; date of erection as 1933, J. Sigal.

†Lagena amphora var. n. tenuis (p. 183), Cretaceous, Italy, E. M. Gallitelli (4).

†Lagenonodosaria sinaensis sp. n. (p. 137) Paleocene, Egypt, R. Said & A. Kenawy.

†Lamarckella gen. n. media sp. n. (p. 59) (genotype), L. antiqua, inflecta, plana, incrassata, quadrilobata, perforata, epistominoides, perlucens, spp. n. (p. 59). Jurassic, Russia, O. K. Kaptarinko-Chernoussova.

Lamarckina elongata sp. n. (p. 104), Recent, West Indies, J. Hofker (5); †L. lamellosa, prima, discorbisi, spp. n. (p. 59), Jurassic, Russia, O. K. Kaptarinko-Chernoussova.

†Lasiodiscidae fam. n. (p. 74), Upper Palaeozoie, E. A. Reitlinger.

†Lenticulina asanoi sp. n. (p. 20) Miocene, Japan, Y. Tai (2); †L. bayrocki sp. n. (p. 19) Cretaceous, Canada, G. B. Mellon & J. H. Wall; †L. huziokai sp. n. (p. 191) Miocene, Japan, S. Iwasa & Y. Kikuchi; †L. vedeli sp. n. (p. 62) Jurassic, France, J.-P. Mangin (2).

†Lepidocyclina (Eulepidina) abdopustula sp. n. (p. 594) Tertiary, Bikini Atoll, W. S. Cole; †L. (Nephrolepidina) augusticamera sp. n. (p. 585); L. (N.) bikiniensis sp. n. (p. 586); L. (N.) b. var. n. unipilaris (p. 587); L. (N.) cubiculirhomboidea sp. n. (p. 587); L. (N.) pumilipapilla sp. n. (p. 592); Tertiary, Bikini Atoll, W. S. Cole.

†Lepidolina kumaensis sp. n. (p. 22); L. toriyamai sp. n. (p. 24); Permian, Japan, K. Kanmera (2).

†Lingulinae; systematics thereof, T. Barnard (1).

†Loxostomum latum, vescum spp. n. (p. 304), Eocene, Saipan, R. Todd (5).

Marginolamellidae fam. n. (p. 189), J. Hofker (5).

†Marginulina collinsi sp. n. (p. 20), Cretaceous, Canada, G. B. Mellon & J. H. Wall; †M. martinisi sp. n. (p. 8) Tertiary, Italy, T. de Stefani.

†Marginulinopsis deserti sp. n. (p. 132), Cretaceous, Egypt, R. Said & A. Kenawy.

†Massilina pseudoclara sp. n. (p. 304), M. rustica sp. n. (p. 305) Recent, Saipan, R. Todd (5).

†Miliammina sproulei var. n. gigantea (p. 21); M. subelliptica sp. n. (p. 22) Cretaceous, Canada, G. B. Mellon & J. H. Wall.

†Miliola pseudoprisca sp. n. (p. 13) Oligocene, France, F. Gullentops.

 $\dagger Miogypsina$ ; systematics thereof, C. W. Drooger (4).

†Miogypsinoides grandipustula sp. n. (p. 602) Tertiary, Bikini Atoll, W. S. Cole.

†Miscellanea antillea (Hanzawa); status thereof, M. de Cizancourt.

†Monogenerina; systematics thereof, R. H. Cummings (2).

†Monotaxis subconica sp. n. (p. 63), M. subplana sp. n. (p. 64) Carboniferous, Russia, H. E. Brazhnikova & M. V. Yartsheva.

†Monotaxinoides gen. n. (p. 65) transitorius sp. n. (p. 65) (genotype), M. priscus sp. n. (p. 65), Carboniferous, Russia, H. E. Brazhnikova & M. V. Yartsheva.

†Multiseptida gen. n. (p. 27) corallina sp. n. (p. 28) (genotype), Devonian, Russia, E. R. Bykova.

†Nanicella porrecta sp. n. (p. 54); N. bella sp. n. (p. 55); Devonian, Russia, E. R. Bykova.

†Navarella gen. n. joaquini sp. n. (p. 289) (genotype) Cretaceous, Spain, R. Ciry & P. Rat.

†Neoflabellina postreticulata sp. n. (p. 65), Upper Cretaceous, Germany, J. Hofker (4).

†Neorotalia alicantina sp. n. (p. 165); N. bicarinata sp. n. (p. 167); N. minuta sp. n. (p. 168); Tertiary, Spain, G. Colom (5).

†Neoschwagerina craticulifera var. n. occidentalis (p. 394) Permian, Yugoslavia, V. Kochansky-Devide & A. Ramovs.

†Neotrocholina gen. n. valdensis sp. n. (p. 404) (genotype), Cretaceous, Central Europe, M. Reichel.

†Nodogenerina spinosa sp. n. (p. 69) Upper Cretaceous, Germany, J. Hofker (4).

†Nodomorphina pulchra sp. n. (p. 210) Eccene, Morceco, M. Rey (2).

†Nodosarella pliocenica sp. n. (p. 50) Pliocene, Portugal, G. Colom (4); † N. minuta sp. n. (p. 145), Paleocene; N. misrensis sp. n. (p. 146), Cretaceous; Egypt, R. Said & A. Kenawy.

†Nodosaria praecursor sp. n. (p. 349); N. procera, postprocera spp. n. (p. 350); Carboniferous, Russia, D. M. Rauser-Chernoussova (1).

†Nonion korneevae sp. n. (p. 225), Tertiary, Russia, E. V. Mjatliuk; †N. reculverensis sp. n. (p. 86) Paleocene, Britain, J. Haynes; †N. rusticum sp. n. (p. 305) Eocene, Saipan, R. Todd (5).

†Nonionella curvisulcata sp. n. (p. 73); Kainozoic, Brazil, S. Petri; †N. robusta var. n. perdita (p. 83), Paleocene, Britain, J. Haynes.

 $\dagger Nummulites$ ; classification thereof, B. T. Goler.

†Nummulites karamani sp. n. (p. 3) Eccene, Turkey, A. Dizer; †N. (Camerina) elisabetae sp. n. (p. 466) Tertiary, Poland, H. Fuchs.

†Nummulitoides subgen. n. (p. 489) [of Operculina] tessieri sp. n. (p. 489) [subgenotype] Paleocene, French West Africa, R. Abrard (2).

†Obruchevella; regarded as alga, M. K. Elias.

†Oolina germetrica sp. n. (p. 305) Eccene, Saipan, R. Todd (5); †O. reussi sp. n. (p. 145), Cretaceous, Egypt, R. Said & A. Kenawy.

†Operculina benevidea sp. n. (p. 237), Miocene, Angola, A. Daci; †O. lucidisutura sp. n. (p. 575), Tertiary Bikini Atoll, W. S. Cole; †O. pellatispiroides sp. n. (p. 182), Tertiary, Spain, G. Colom (5).

†Operculinoides amplicuneata sp. n. (p. 573); O. rectilata sp. n. (p. 575); O. bikiniensis sp. n. (p. 574); Tertiary, Bikini Atoll, W. S. Cole; †O. daviesi sp. n. (p. 117), Paleocene, Egypt, M. Y. Hassan; †O. georgianus Cole & Herrick; status thereof, M. de Cizancourt.

†Emendation of Orbulina d'Orbigny (p. 66), W. H. Blow.

†Emendation of Orbulina suturalis Bronnimann (p. 66), W. H. Blow.

†Orthomorphina stainforthi sp. n. (p. 259) Pliocene, Italy, E. Perconig (3).

†Orthophragmina; systematics thereof, M. Neumann (2).

†Palaeobigenerina; systematics thereof, R. H. Cummings (2).

†Palaeotextularia; systematics thereof, R. H. Cummings (2).

†Palaeotextularia davisella sp. n. (p. 218); P. angulata sp. n. (p. 219); Carboniferous, Great Britain, R. H. Cummings (2).

†Palaeotextulariidae fam. n. (p. 216) Palaeozoic, R. H. Cummings (2).

†Paracaligella gen. n. antropovi sp. n. (p. 26) (genotype); P. spinosa sp. n. (p. 27); Upper Palaeozoic, Russia, A. O. Lipina.

†Parafissurina ovalis sp. n. (p. 306) Miocene, Saipan, R. Todd (5).

†Parafusulina nakamigawai sp. n. (p. 262) Upper Palaeozoic, Japan, R. Morikawa & M. Horiguchi; †P. pseudojaponica sp. n. (p. 32) [nom. nud.] Upper Palaeozoic, Japan, R. Toriyama.

†Parastaffella fraudulenta sp. n. (p. 350); P. keltmensis sp. n. (p. 351); Carboniferous, Russia, D. M. Rauser-Chernoussova (1).

†Parathurammina paulis sp. n. (p. 17), Devonian, Russia, E. R. Bykova.

Phainogullmia gen. n. aurata sp. n. (p. 466) (genotype) Recent, Scandinavia, K.-G. Nyholm (1).

†Phyllopsammina gen. n. adanula sp. n. (p. 503) (genotype), Miocene, Poland, J. Matecki (2).

†Placopsilina langsdalensis sp. n. (p. 193), Cretaceous, Gulf Coast, E. R. Applin.

†Planoglobulina; status thereof, E. M. Gallitelli (6).

†Planularia vadászi sp. n. (p. 215), Miocene, Poland, M. Sidó. †Planulina cushmani sp. n. (p. 394) Eocene, Pyrenees, M. Ruiz de Gaona & G. Colom; †P. karsteni sp. n. (p. 31), Oligocene, Colombia; V. Petters & R. Sarmiento.

†Plectofrondicularia carinata sp. n. (p. 229), Tertiary, Russia, E. V. Mjatliuk; †P. gracilis sp. n. (p. 210) Eocene, Morocco, M. Rey (2).

†Pleurostomella frons sp. n. (p. 306) Miocene, Saipan, R. Todd (5); †P. rameroensis sp. n. (p. 72), Oligocene, Italy, E. di N. Alliata (2); †P. subglobosa sp. n. (p. 211) Oligocene, Morocco, M. Rey (2).

†Polysegmentina lecointrei, marcaisi cushmani spp. n. (p. 12), [nom. nud.] Pliocene, Morocco, P. Marie (1).

†Praelamarckina gen. n. humilis sp. n. (p. 59) (genotype) Jurassio, Russia, O. K. Kaptarinko-Chernoussova.

†Protelphidium gen. n. hofkeri sp. n. (p. 86) (genotype - includes? Nonionina depressula Burrows and Holland 1897 (non Walker & Jacob), Paleocene, Britain, J. Haynes.

Pseudocibicidoides gen. n. katasensis sp. n. (p. 263) (genotype) Japanese coastal waters, H. Ujiié (1).

†Pseudoclavulina brayi sp. n. (p. 35), Cretaceous, Spain, G. Colom (1); †P. pseudoarenata sp. n. (p. 125) Cretaceous, Egypt, R. Said & A. Kenawy.

†Pseudodoliolina pseudolepida subsp. n. gravitesta (p. 12), Pormian, Japan, K. Kanmera (2).

†Pseudofusulina duplithecata sp. n. (p. 297) Permian, Japan, H. Igō; †P. globosa var. n. exilis (p. 26) [nom. nud.]; P. vulgaris var. n. megasphaerica (p. 32) [nom. nud.]; Upper Palaeozoic, Japan, R. Toriyama.

†Pseudogumbelina; status thereof, E. M. Gallitelli (6).

†Pseudopalmula Cushman & Stainbrook 1943; emendation thereof, E. R. Bykova.

†Pseudopalmula fragaria sp. n. (p. 43); P. variocellata sp. n. (p. 44); P. ovata sp. n. (p. 45); P. extremitata sp. n. (p. 46); P. gyrinopsis sp. n. (p. 47); P. scheda sp. n. (p. 49); Devonian, Russia, E. R. Bykova.

†Pseudonodosaria clearwaterensis sp. n. (p. 23), Cretaceous, Canada, G. B. Mellon & J. H. Wall.

Pseudoparrella hyalina sp. n. (p. 109), Recent, West Indies, J. Hofker (5).

†Pseudoschwagerina parauddeni sp. n. (p. 1154) [nom. nud.], Upper Palaeozoic, Russia, A. D. Miklukho-Maklai.

†Pseudostaffella praegorskyi sp. n. (p. 352), Carboniferous, Russia, D. M. Rauser-Chernoussova (1).

†Pseudotextularia; status thereof, E. M. Gallitelli (6).

†Pseudotriplasia gen. n. (p. 497) elongata sp. n. (p. 499) (genotype); P. plana sp. n. (p. 501); P. robusta elongata, inconstans, globulosa spp. n. (p. 502); Miocene, Poland, J. Matecki (2).

†Pseudouvigerina sinaensis sp. n. (p. 141) Cretaceous, Egypt, R. Said & A. Kenawy.

†Pullenia platti sp. n. (p. 87) Paleocene, Britain, J. Haynes.

†Quadrimorphina; re-definition thereof, J. C. Troelsen.

†Quadrimorphina albertensis sp. n. (p. 24), Cretaceous, Canada, G. B. Mellon & J. H. Wall.

†Queraltina; status thereof, H. Hagn (2).

†Quinqueloculina distorqueata sp. n. (p. 333) [authorship to Cushman] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; †Q. grosserugosa sp. n. (p. 10) Oligocene, France, F. Gullentops; †Q. moremani var. n. barlowensis (p. 192), Cretaceous, Gulf Coast, E. R. Applin; †Q. sakaii sp. n. (p. 418) Tertiary, Japan, Y. Tai (3); †Q. tubus sp. n. (p. 306), Recent, Saipan, R. Todd (5).

†Rabanitina gen. n. (p. 343) basraensis sp. n. (p. 344) (genotype), Cretaceous, Middle East, A. H. Smout. †Rectobolivina dupuyi sp. n. (p. 181), Tertiary, Spain, G. Colom (5).

†Rectocornuspira siratchoya sp. n. (p. 19), Devonian, Russia, E. R. Bykova.

†Rectoglandulina bulla sp. n. (p. 134), Paleocene, Egypt, R. Said & A. Kenawy.

†Rectogumbelina; status thereof, E. M. Gallitelli (6).

†Rectogümbelina longa sp. n. (p. 139) Cretaceous, Egypt, R. Said & A. Kenawy.

†Rectotrochamminoides gen. n. (p. 9) vagrans sp. n. (p. 10) [nom. nud.] Cretaceous, Colorado, W. A. Fischer.

†Rectuvigerina advena sp. n. (p. 144) Paleocene, Egypt, R. Said & A. Kenawy.

†Reichelina chichibuensis sp. n. (p. 251) Permian, Japan, R. Morikawa.

Reophax asymmetricus sp. n. (p. 82) North Pacific, Z. G. Shchedrina (3).

†Reussella exilis sp. n. (p. 307) Eccene, Saipan, R. Todd (5); †R. spinulosa var. n. incrassata (p. 149), Miocene, Poland, E. Luczkowska (2); †R. szajnochae subsp. n. praecursor (p. 603) Cretaceous, Germany, Von I. de Klasz & H. C. G. Knipscheer.

†Robulus incisus sp. n. (p. 92);
R. pre-incisus sp. n. (p. 96), Paleocene, Africa, M. Lys; †R. denticulifera var. n. bartoniana (p. 403); R. olianensis sp. n. (p. 406) Eocene, Pyrenees, M. Riuz de Gaona & G. Colom; R. pavlovskii sp. n. (p. 90) North Pacific, Z. G. Shchedrina (3); †R. ef. smileyi var. n. pauciloculata (p. 59) Kainozoic, Brazil, S. Petri; †R. sugotaensis sp. n. (p. 191) Miocene, Japan, S. Iwasa & Y. Kikuchi.

†Rosalina mimiconcinna sp. n. (p. 91), Paleocene, Britain, J. Haynes.

†" Rotalia" beccarii var. n. angulata (p. 106) Kainozoic, Brazil, S. Petri.

†Rotalia tanosawaensis sp. n. (p. 192), Miocene, Japan, S. Iwasa & Y. Kikuchi.

Rotaliella roscoffensis, californica spp. n. (p. 759) [nomina nuda], K. G. Grell (5). †Rotalipora turonica subsp. n. thomei (p. 28), Cretaceous, Germany, H. Hagn & W. Zeil (1).

Rubratella gen. n. intermedia sp. n. (p. 759) [nom. nud.], K. G. Grell (5).

†Rugidia? spinosa sp. n. (p. 362) [authorship to Cushman] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

†Rugososchwagerina ferganica sp. n. (p. 1154) [nom. nud.] Upper Palaeozoie, Russia, A. D. Miklukho-Maklai.

†Rzehakina spiroloculinoides sp. n. (p. 182) Cretaceous, Italy, E. M. Gallitelli (4).

†Saccammina ingloria sp. n. (p. 18), Devonian, Russia, E. R. Bykova.

†Saccamminoides gen. n. carpathicus sp. n. (p. 54) (genotype), Eocene, Carpathians, S. Geroch.

†Saracenaria akitaensis sp. n. (p. 191) Miocene, Japan, S. Iwasa & Y. Kikuchi; †S. trollopei sp. n. (p. 25), Cretaceous, Canada, G. B. Mellon & J. H. Wall.

†Schubertella japonica sp. n. (p. 33) [nom. nud.] Upper Palaeozoic, Japan, R. Toriyama.

†Schwagerina etoi sp. n. (p. 25) (nom. nud.) Upper Palaeozoic, Japan, R. Toriyama; †S. pseudocrassa sp. n. (p. 9), Permian, Japan, K. Kanmera (2).

†Semitextularia Miller & Carmer 1933; emendation thereof, E. R. Bykova.

†Semitextularia oscoliensis sp. n. (p. 33); S. semilukiensis sp. n. (p. 34); S. sigillaria sp. n. (p. 36) [includes S. thomasi of Cushman & Stainbrook 1943]; S. natiopsis sp. n. (p. 37); S. minuta sp. n. (p. 38); S. inartia sp. n. (p. 39); S. palmuliensis sp. n. (p. 40); S. platicera sp. n. (p. 41); Devonian, Russia, E. R. Bykova.

†Septabrunsiina gen. n. (p. 42) (genotype Endothyra? krainica Lipina 1948), Upper Palaeozoic, Russia, O. A. Lipina.

†Septaglomospiranella gen. n. (p. 46) (genotype Endothyra? primaeva Rauser-Chernoussova 1948); S. dainae sp. n. (p. 47); Upper Palaeozoic, Russia, O. A. Lipina.

†Septatournayella gen. n. (p. 36) (genotype Tournayella segmentata Dain 1953); S. pseudocamerata, malakhovae spp. n. (p. 38); S. ? minuta (Lipina) (for E. ? minuta Lipina 1948); S. rauserae sp. n. (p. 40); Upper Palaeozoio, Russia, O. A. Lipina.

†Sigmoilina asselberghsi sp. n. (p. 12) Oligocene, France, F. Gullentops; †S. bartoniensis sp. n. (p. 410) Eocene, Pyrenees, M. Ruiz de Gaona & G. Colom; †S. imamurai sp. n. (p. 20) Miocene, Japan, Y. Tai (2).

†Simplorbitolina gen. n. (p. 302) manasi sp. n. (p. 302) (genotype), Cretaceous, Spain, R. Ciry & P. Rat.

†Siphogenerinoides carlilensis sp. n. (p. 10) [nom. nud.] Cretaceous, Colorado, W. A. Fischer.

Siphonina primitiva sp. n. (p. 120), Recent, West Indies, J. Hofker (5).

†Siphotextularia inopinata sp. n. (p. 148), Miocene, Poland, E. Luczkowska (2); †S. olianensis sp. n. (p. 413) Eocene, Pyrenees, M. Ruiz de Gaona & G. Colom.

†Spiroclypeus ranjanae sp. n. (p. 320), Miocene, India, B. S. Tewari.

†Spiroloculina clara var. n. lirata (p. 335) [authorship to Cushman]; S. marshallana sp. n. (p. 335) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; †S. concava nom. n. (p. 53) (for S. planulata Cushman 1929 (non Lemarck)) Kainozoic, Brazil, S. Petri; †S. folium sp. n. (p. 307) Recent, Saipan, R. Todd (5).

†Spiroplectammina? angusta sp. n. (p. 80); S. nana sp. n. (p. 80); S. spinosa sp. n. (p. 81); Upper Palaeozoic, Russia, O. A. Lipina; †S. knebeli var. n. longa (p. 122); S. paracarinata sp. n. (p. 122) Paleocene, Egypt, R. Said & A. Kenawy; †S. scaligera sp. n. (p. 147), Miocene, Poland, E. Luczkowska (2).

†Spirosigmoilinella gen. n. (p. 49) compressa sp. n. (p. 50) (genotype) Miocene, Japan, T. Matsunaga.

†Tappanina gen. n. (p. 36) (genotype Bolivinita selmensis Cushman 1933) [validation of nom. nud. Tappanina Gallitelli 1955] Upper Cretaceous, E. M. Gallitelli (7).

Technitella oblonga, oviformis spp. n. (p. 81); T. pacifica, sphaera spp. n. (p. 82); North Pacific, Z. G. Shchedrina (3).

†Textularia alveata sp. n. (p. 307) Recent, Saipan, R. Todd (5); †T. curta sp. n. (p. 46); T. marajoara sp. n. (p. 47) Kainozoic, Brazil, S. Petri; †T. dupla sp. n. (p. 329) [authorship to Todd] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post.

†Tikhinella gen. n. (p. 29) measpis sp. n. (p. 30) (genotype); T. fringa sp. n. (p. 30); T. pirula sp. n. (p. 31); T. cannula sp. n. (p. 32), Devonian, Russia, E. R. Bykova.

†Tournayella discoidea var. n. angusta (p. 35); T. gigantea sp. n. (p. 35); T. g. var. n. minoris (p. 35); T. costata sp. n. (p. 36), Upper Palaeozoic, Russia, O. A. Lipina.

†Tournayellina gen. n. vulgaris sp. n. (p. 52) (genotype), Upper Palaeozoic, Russia, O. A. Lipina.

†Trachelinella gen. n. (p. 38) (genotype Bolivina watersi Cushman 1927) [includes Trakelina Gallitelli 1955 as a synonym] Upper Cretaceous, E. M. Gallitelli (7).

†Triasina gen. n. hantkeni sp. n. (p. 245), Trias, Poland, L. Majzon (1).

†Triloculina bikiniensis, involuta spp. n. (p. 338); T. marshallana, subplanciana spp. n. (p. 339); [authorship to Todd]; T. earlandi sp. n. (p. 338) [authorship to Cushman] Recent, Marshall Islands, J. A. Cushman, R. Todd & R. J. Post; †T. incisura sp. n. (p. 308) Recent, Saipan, R. Todd (5); † T. tongriensis sp. n. (p. 15) Oligocene, France, F. Gullentops.

†Tritaxia athabascensis sp. n. (p. 27), Cretaceous, Canada, G. B. Mellon & J. H. Wall; †T. barakai sp. n. (p. 123) Cretaceous, Egypt, R. Said & A. Kenawy.

†Tritaxilina bermudezi sp. n. (p. 162), Tertiary, Spain, G. Colom (5); †T. maxima sp. n. (p. 36) Oligocene, Italy, U. Salvatori.

†Trochammina floris sp. n. (p. 90), Paleogene, Russia, E. K. Shutskaya; †T. mcmurrayensis sp. n. (p. 28), Cretaceous, Canada, G. B. Mellon & J. H. Wall.

†Trochamminoides irregularis var. n. planulata (p. 84), Paleogene, Russia, E. K. Shutskaya.

†Tubitextularia; status thereof, E. M. Gallitelli (6).

†*Uralinella* gen. n. (p. 15) bicamerata sp. n. (p. 16) (genotype) Devonian, Russia, E. R. Bykova.

†Uvigerina codazzii, porqueroensis, redmondi spp. n. (p. 30), Oligocene; U. gallowayi var. n. basiquadrata (p. 30) Lower Miocene, Colombia; V. Petters & R. Sarmiento; †U. longistriata sp. n. (p. 182); †U. striatissima sp. n. (p. 187), Neogene, Italy, E. Perconig (2); †U. pudica, bellicostata spp. n. (p. 150), Miocene, Poland, E. Luzykowska (2).

†*Uvigerinella quadrata* sp. n. (p. 17), Tertiary, Japan, S. Iwasa.

†Vaginulina longiformis sp. n. (p. 134) Paleocene; V. misrensis sp. n. (p. 135), Cretaceous; Egypt, R. Said & A. Kenawy.

†Vaginulinopsis baggi sp. n. (p. 30), Miocene, Maryland; V. ? crisfieldensis sp. n. (p. 31), ? Eocene, Maryland, J. D. McLean jr. (3).

†Valvulineria pulchra sp. n. (p. 308), V. ? scita sp. n. (p. 308), Eccene, Saipan, R. Todd (5).

† Ventilabrella, status thereof, E. M. Gallitelli (6).

†Verneuilina aegyptica, karreri spp. n. (p. 122) Cretaceous, Egypt, R. Said & A. Kenawy; †V. szajnochae sp. n. (p. 600), Cretaceous, Germany, Von I. de Klasz & H. C. G. Knipscheer

†Verneuilinella gen. n. (p. 113) azerbaidjanica sp. n. (p. 113) [?genotype] Mesozoic, Azerbaidzhan, C. L. A. Tairov.

†Victoriella aquitanica sp. n. (p. 47), Oligocene, France, A. Debourle & M. Delmas.

†Virgulina akitaensis sp. n. (p. 17), Tertiary, Japan, S. Iwasa. Virgulinopsis gen. n. (p. 47) cubana sp. n. (p. 47); V. translucens sp. n. (p. 48); Recent, West Indies, J. Hofker (5).

†Wedekindellina prolifica sp. n. (p. 130) Carboniferous, Japan, K. Kanmera (1).

† Yabeina akiyamai sp. n. (p. 256) Permian, Japan, R. Morikawa; † Y. gubleri sp. n. (p. 19), Permian, Japan, K. Kanmera (2).

†Zeauvigerina aegyptica sp. n. (p. 141) Crotaceous, Egypt, R. Said & A. Kenawy.

# (d) Heliozoa.

Acanthocystis (?) echinoidea sp. n. (p. 515); fresh-water, Roumania, I. Lepsi.

# (e) Radiolaria.

†New Paleocene radiolaria from Missouri, D. L. Frizzell & E. S. Middour.

†Anthocyrtoma ardeola sp. n. (p. 29) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Brachiospyris martini sp. n. (p. 28) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Carposphaera [Carposphaera] frizzelli sp. n. (p. 10); C. [C.] milesi sp. n. (p. 11) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Cenellipsis [Cenellipsula] pecki sp. n. (p. 19), Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Dorylonchidium [Dorylonchella] exlinae sp. n. (p. 21), Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Druppatractus [D.] benesagittatus parumsagittatus, spp. n. (p. 21) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Druppula saligra sp. n. (p. 21); D. oligra sp. n. (p. 22); Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Eucytidium [Artocyrtis] frizzelli sp. n. (p. 34); E. [Eucytidium] plummerae sp. n. (p. 34); Paleocene, Missouri, D. L. Frizzell & E. S. Middour. †Eusyringium [E.] royi sp. n. (p. 35), Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Larnacalpis smili sp. n. (p. 27), Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Lithostrobus [Cyrtostrobus] turricula sp. n. (p. 33) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Lophoconus wetzeli sp. n. (p. 30) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Spongodiscus [Spongocyclia] campbelli sp. n. (p. 26) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Spongolonchis grawei sp. n. (p. 16) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Spongurus [Spongurantha] crowleyensis sp. n. (p. 23) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Staurodoras ? muelleri sp. n. (p. 18) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Stichopilium? [Stichopolium?] cunninghami sp. n. (p. 32) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Stomatodiscus missouriensis, portersensis spp. n. (p. 25) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Stylosphaera [S.] fairchildi sp. n. (p. 15), Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Stylostaurus ? carolynae sp. n. (p. 17); S. palaeocenica sp. n. (p. 17); Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Theocorys [Theocorys] minerva sp. n. (p. 31); Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Trematodiscus [T.] barbarae sp. n. (p. 24) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

†Xiphosphaera [X.] clarki sp. n. (p. 13) Paleocene, Missouri, D. L. Frizzell & E. S. Middour.

# 2.—MASTIGOPHORA A. PHYTOMASTIGINA

# (a) Chrysomonadida.

Chrysochromulina ericina sp. n. (p. 389); C. ephippium sp. n. (p. 398); C. alifera sp. n. (p. 406); marine, Plymouth [authorship to Parke & Manton], M. Parke, I. Manton & B. Clarke.

Discosphaera crucifera sp. n. (p. 7); D. regalis sp. n. (p. 8); Atlantic, K. R. Gaardner (1).

Gephryrocapsa oceanica var. n. californiensis (p. 179), E. Kramptner.

Lohmannosphaera michaelsarsi sp. n. (p. 8); Atlantic, K. R. Gaardner (1).

Monochrysis lutheri sp. n. (p. 34), salt pools, Finland, M. R. Droop.

Nephromonas gen. n. hyalina sp. n. (p. 35), brackish pools, Finland, M. R. **Droop**.

Pontosphaera grani sp. n. (p. 9); Atlantic, K. R. Gaardner (1).

Rhabdosphaera echinata, paxillifera, spinosa spp. n. (p. 10); R. tenuistylis sp. n. (p. 11); Atlantic, K. R. Gaardner (1).

Synura spinosa forma. n. mollispina, spinosa (p. 20); S. spinosa forma. n. longispina, curtispina, nygaardii (p. 22), Denmark, J. B. Petersen & J. B. Hansen.

# (b) Cryptomonadida.

[No records].

# (e) Dinoflagellata.

New dinoflagellates from the Atlantic, K. R. Gaardner (2).

Dinoflagellata from the Neusiedler Sea, Austria, J. Schiller (1).

Amphidinium pusillum sp. n. (p. 20); A. viride, bidentatum, spp. n. (p. 21); A. sauerzopfi, oculatum spp. n. (p. 22); A. eucephalum, multiplex spp. n. (p. 23); A. obliquum sp. n. (p. 24); A. inconstans, glaucovirescens spp. n. (p. 25); A. vorax sp. n. (p. 26); A. caerulescens sp. n. (p. 27); A. ruttneri sp. n. (p. 28); Neusiedler Sea, Austria, J. Schiller (1).

Blepharocysta compressa sp. n. (p. 6), Atlantic, K. R. Gaardner (2); B. matzenaueri nom. n. (p. 6) [for Lissodinium schilleri Matzenauer]; B. m. forma n. gibba (p. 7), Atlantic, K. R. Gaardner (2).

Cladopyxis, status of, K. R. Gaardner (2).

†Deflandrea heterophlycta sp. n. (p. 249); D. robusta sp. n. (p. 250); D. bakeri sp. n. (p. 251); D. b. forma n. pellucida (p. 251); D. obliquipes, pachyceros spp. n. (p. 252); Eccene, Australia, G. Deflandre & I. C. Cookson (2).

Dinophysis acutissima sp. n. (p. 19); D. reticulata (p. 21); Atlantic, K. R. Gaardner (2).

†Dracodinium gen. n. (p. 87) solidum sp. n. (p. 88) (genotype) Lower Tertiary, Germany, H. Gocht.

†Eisenackia gen. n. crassitabulata sp. n. (p. 258) (genotype) Lower Eocene, Australia, G. Deflandre & I. C. Cookson (2).

Epiperidinium michaelsarsi sp. n. (p. 22), Atlantic, K. R. Gaardner (2).

Exuviaella magna sp. n. (p. 23), Atlantic, K. R. Gaardner (2); E. peisonis sp. n. (p. 59) Neusiedler Sea, Austria, J. Schiller (1).

Glenodinium bieblii, peisonis spp. n. (p. 48); G. gessneri, ampliconicum spp. n. (p. 49); G. fungiforme sp. n. (p. 50); G. vindobonense, kampneri spp. n. (p. 51); G. denticulatum, sciculiferum spp. n. (p. 52); Neusiedler Sea, Austria, J. Schiller (1).

Goniaulax paulseni nom. n. (p. 25) [for G. sp. of Paulsen], K. R. Gaardner (2).

Goniodoma concavum sp. n. (p. 27); G. depressum sp. n. (p. 28); Atlantic, K. R. Gaardner (2).

†Gymnodinium australiense sp. n. (p. 248) Miocene, Australia, G. Deflandre & I. C. Cookson (2); G. eufrigidum sp. n. (p. 28); G. submontanum, stagnale spp. n. (p. 29); G. cyaneum, caerulescens, achroum spp. n. (p. 30); G. schuettii sp. n. (p. 32); G. knollii, devorans spp. n. (p. 32); G. legiconveniens, amphiconicoides spp. n. (p. 33); G. danubiense, absumens, deformabile spp. n. (p. 34);

G. posthiemale, glaucum spp. n. (p. 35); G. wawrikae, peisonis spp. n. (p. 36); G. baumeisteri, viridaleut spp. n. (p. 38); G. huber-pestalozzi, sp. n. (p. 39); G. granii sp. n. (p. 42); G. paradoxiforme sp. n. (p. 41); Neusiedler Sea, Austria, J. Schiller (1); G. vitiligo sp. n. (p. 467); G. veneficum sp. n. (p. 468); Plymouth, England, D. Ballatine.

Gyrodinium pallidum sp. n. (p. 47); G. elongatum sp. n. (p. 48); Neusiedler Sea, Austria, J. Schiller (1).

Histioneis parallela sp. n. (p. 33); Atlantic, K. R. Gaardner (2).

†Hystrichodinium oligacanthum sp. n. (p. 255), Lower Tertiary, Australia, G. Deflandre & I. C. Cookson (2).

Massartia austriaca sp. n. (p. 45) Neusiedler Sea, Austria, J. Schiller (1).

Murrayella kofoidi nom. n. (p. 34) [for Amphidoma biconica Kofoid]; M. k. forma n, elongata (p. 34); Atlantic, K. R. Gaardner (2).

Oxytomum carinatum sp. n. (p. 35); O. latum sp. n. (p. 36); O. michaelsarsi, ovum spp. n. (p. 37); Atlantic, K. R. Gaardner (2).

†Palaeohystrichophora Deflandre, emendation thereof (p. 257); P. multispina, minuta spp. n. (p. 257), Upper Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

Peridinium bulbosum sp. n. (p. 39); P. heterospinum sp. n. (p. 45); P. parvispinum sp. n. (p. 48); Atlantic, K. R. Gaardner (2); P. hiemale sp. n. (p. 54) Neusiedler Sea, Austria, J. Schiller (1); P. matzenaueri nom. n. (p. 46) [for P. conicum forma concava Matzenauer], K. R. Gaardner (2).

Phalacroma complanatum sp. n. (p. 51); P. lacrima, latum spp. n. (p. 52); P. longialatum sp. n. (p. 53); P. pirum, robustum spp. n. (p. 54); P. rugosum, symmetricum, spp. n. (p. 55); Atlantic, K. R. Gaardner (2).

Prorocentrum tubiferum sp. n. (p. 60) Neusiedler Sea, Austria, J. Schiller (1).

†Rhombodinium gen. n. draco sp. n. (p. 85) (genotype) Middle Oligocene, Germany, H. Gocht. †Wetzeliella lineidentata sp. n. (p. 253); W. homomorpha sp. n. (p. 254); Lower Tertiary, Australia, G. Deflandre & I. C. Cookson (2).

# (d) Euglenoidida.

Euglena fracta sp. n. (p. 271) pond, Iowa, L. P. Johnson; E. halophila sp. n. (p. 172), Neusiedler Sea [authorship to Schiller], A. Diskus (1); E. nastriformis, höfleri, spp. n. (p. 553); E. mobilis, pochmanni, pachyperiplastica, sacculus spp. n. (p. 554); E. simplex sp. n. (p. 555); E. agilis forma n. caeruleoviridis (p. 556); E. agilis varr. n. praeexcisa, varians (p. 556); E. agilis varr. n. circumsulcata, apyrenoidea (p. 557); E. bichloris, naviculaeformis, limaciformis spp. n. (p. 558); E. kalleides, peisonis, paucichromata spp. n. (p. 559); E. stenothermalis, longoflagellata, spp. n. (p. 561); E. impleta, glacialis, chromofusiformis spp. n. (p. 562), E. impleta forma n. sparsocolorata (p. 563); E. conglacians, cylindrica spp. n. (p. 563); E. pellucida sp. n. (p. 564); E. minutomucronata, aculeata spp. n. (p. 565); E. chromanularis, pallida spp. n. (p. 566); E. aestivalis, velox, fiebigeri spp. n. (p. 567); E. serpens sp. n. (p. 568); E. vermiformis sp. n. (p. 569); E. pituitosa sp. n. (p. 569); E. heteroformis, aequabilis, machurae, paramylangulata spp. n. (p. 571); E. cicutaria, sigma, filocaudata spp. n. (p. 572), E. discusii sp. n. (p. 573); E. adunca nom. n. (p. 573) [for E. rostrata Schiller 1953 (non Ehrenberg [1838]]; E. vitrea, tibiamgera, spp. n. (p. 574); E. aspera sp. n. (p. 575); E. anquis sp. n. (p. 578), all Neusiedler Sea, freshwater, Austria, J. Schiller

#### (e) Phytomonadida.

Pedinomonas upsilon sp. n. (p. 37), pools, Finland, M. R. Droop.

#### B. ZOOMASTIGINA

## (f) Protomonadida.

Protospongia dybsoeënsis sp. n. (p. 9), Danish coast, J. Grøntved.

Retortamonas pericopti, sp. n. (p. 302) from N. Zealand insects, M. Laird.

Salpingoeca natans sp. n. (p. 9), Danish coast, J. Grøntved.

Comparison between the metabolism of trypanosomes and their systematic classification, T. von Brand.

Trypanosoma evansi, revision of taxonomic status, and affinities, C. A. Hoare (2).

Trypanosoma dressei, sp. n. (p. 484), T. thomasi sp. n. (p. 485), from rodents Belgian Congo, M. Lips & J. Rodhain.

# (g) Trichomonodadida.

Tritichomonas sp. from pig U.S.A., B. W. Buttrey.

(h) Hypermastigida.

[No records].

(i) Diplomonadida.

Nomenclature of *Hexamita*, H. Zago Filho & M. P. Barretto.

Hexamita marsupialis sp. n. (p. 84) from Brazilian, H. Zago Filho & M. P. Barretto.

(j) Polymonadida.

[No records].

(k) Opalinida.

[No records].

# 3.—SPOROZOA

## GENERAL

Taxonomy of Sporozoa, E. M. Heissin.

## A. COCCIDIOMORPHA

#### (a) Gregarinida.

Actinocephalus conicus var. n. magna. (p. 76) from beetles, J. Théodorides (1).

Ancyrophona cervicornis sp. n. (p. J. Théodoridès (1).

Ancyrophona cervicornis sp. n. (p. 72) from beetles, J. Théodoridès (1).

Apolocystis dichogasteri sp. n. (p. 416), from African Oligochaete, O. Tuzet & M. Vogeli (1); A. pilosa sp. n. (p. 359), A. stammeri sp. n. (p. 360), from German oligochaete, M. Meier.

Didymophyidae, identity of family, J. Théodoridès & R. Ormières.

[1956]

Didymophyes scarabaei sp. n. (p. 55); D. risyphi sp. n. (p. 56); D. tuzetae sp. n. (p. 58); from beetles, J. Théodoridès (1).

Dirhynchocystis eudrilii sp. n. (p. 721) from oligochaete, O. Tuzet & M. Vogeli (2).

Gregarina garnhami sp. n. (p. 50) E. U. Canning; G. maculata var. n. banyulensis (p. 64) from beetles, J. Théodoridès (1); G. ophoni sp. n. (p. 326) from Coleoptera France, O. Tuzet & R. Ormières.

Hyalospora volsella sp. n. (p. 321) from Thyasanura, France, O. Tuzet & R. Ormières,

Hyalosponina froilanoi sp. n. (p. 25), H. zebriaca sp. n. (p. 27) from Indian millipedes, K. R. Karandikar & S. S. Rodgi.

Monocystis endrilii sp. n. (p.726) from oligochaete, O. Tuzet & M. Vozeli (2); M. lobosa, capillata spp. n. (p. 412) M. omodeoi sp. n. (p. 416); from African Oligochaete, O. Tuzet & M. Vogeli (1),

Monoductus kelaarti sp. n. (p. 31), M. tubulosus sp. n. (p. 33), from Indian millipedes, K. R. Karandikar & S. S. Rodgi (2).

Oligochaetocytis gen. n. pachydrili (p. 375), O. mesenchytaei sp. n. (p. 377), from German oligochaete, M. Meier.

Rhabdocystis pilosa sp. n. (p. 361), from German oligochaete, M. Meier.

Stictospora provincialis var. n. anomalae (p. 80) from beetles, J. Théodoridès (1).

Stenophona karnataki sp. n. (p. 14), S. papillata sp. n. (p. 17), S. ovoidalis sp. n. (p. 20), S. tubulosus sp. n. (p. 21) from Indian millipedes, K. R. Karandikar & S. S. Rodgi (2).

Stylocephalus eastoni sp. n. (p. 83); S. phalloïdes sp. n. (p. 87); from beetles, J. Théodoridès (1).

Zygocystis henleae sp. n. (p. 370) from German oligochaete, M. Meier.

# (b) Coccidiida.

Eimeria heissini sp. n. (p. 181), E. ellobii sp. n. (p. 185), E. markovi sp. n. (p. 189) from wild mammals of Kazakhstan, S. K. Svanbaev; E. komareki, sp. n. (p. 22) from Moravian shrew, Z. Cerna & M. Daniel; E. mundaragi sp. n. (p. 197) from Indian calf, L. S. Hiregaudar (1); E. pternistis sp. n. from Somaliland bird, G. Agostinucci & E. Bronzini; E. tachyoryctis sp. n. (p. 67) from Tachyoryctes ruandae (Belgian Congo Rat), L. Berghe & M. Chardome.

Isopora pavlovskyi sp. n. (p. 183), I. eversmanni sp. n. (p. 183), I. uralicae sp. n. (p. 187) from wild mammals of Kazakhstan, S. K. Svanbaev.

Protococcidia ord. n. (p. 1293); validation thereof, E. M. Heissin.

# (c) Haemosporidia.

Systematics of piroplasms of domestic animals, W. O. Neitz (1).

Babesia as generic name in bacteriology, Anon. (2).

Babesiosoma gen. n. (p. 113), morphology and affinities, S. Jakowska & R. F. Nigrelli.

Plasmodium inopinatum sp. n. (p. 262) from Belgian rat, R. Resseler; P. pifanoi sp. n. (p. 4) from reptile, Ameiva ameiva ameiva Venezuela, J. V. Scorza & B. y. C. Dagert; P. subpraecox, as a strain of P. praecox, A. Corradetti & I. Neri.

Classification of Theileridae, W. O. Neitz & B. C. Jansen.

Theileria lawrencei sp. n. (p. 122) from cattle, Zululand, W. O. Neitz (2).

#### B. CNIDOSPORIDIA.

# (d) Myxosporidia.

[No record].

## (e) Microsporidia.

Nosema steinhausi sp. n. (p. 190) from Czech mites, J. Weiser (2); N. tatrica sp. n. (p. 193) from Ephemerella ignita, J. Weiser (3); N. tortricis sp. n. (p. 207) from Moravian oaterpillars, J. Weiser (4).

Octosporea viridanae sp. n. (p. 204) from Moravian caterpillars, J. Weiser (4).

Perezia sp. from beetle, A. J. Gibbs.

Plistophona aporiae sp. n. (p. 184) from Czech butterfly, J. Veber; P. calopterygis sp. n. (p. 198) from Calopteryx larvae, J. Weiser (3).

# (f) Actinomyxidia.

Triactinomyxon naidanum sp. n. (p. 209), from Indian oligochaete, K. V. Naidu.

# (g) Sarcosporidia.

[No record].

# (h) Haplosporidia.

[No record].

# SPOROZOA INCERTAE SEDIS.

Nomenclature of Benoitia besnoiti, W. L. Jellison.

Taxonomy of Toxoplasma, P. H. van Thiel (3).

Toxoplasma from crow (U.S.A.), P. Finlay & R. D. Manwell; Toxoplasma sp. n. from Bufo marinus, J. V. Scorza, C. Dagert B. & L. I. Aracha.

#### 4.—CILIOPHORA

#### A. CILIATA

Systematics of ciliated Protozoa, J. O. Corliss (2, 3).

#### (a) Holotrichida.

Bursostoma gen. n. bursaria sp. n. (p. 366), Hungary, B. Vörösváry.

Bursostomidae fam. n. (p. 366), B. Vörösváry.

Chilodonella pigra sp. n. (p. 517) soil, Roumania, J. Lepsi.

Colpoda discoidea sp. n. (p. 342) moss, Hungary, J. Gellért.

Dileptus beersi sp. n. (p. 68), fresh to brackish, flood plain pools, U.S.A., E. E. Jones.

Enchelys agricola sp. n. (p. 270), soil (Hungary), J. Horváth.

Jirovecella gen. n. hegemonis sp. n. (p. 230) from Czech oligochaete, J. Lom (2). Legendrea pes pelicani; status there of, M. Tuffrau.

Loxophyllum piriformis sp. n. (p. 357), Hungary, B. Vörösváry.

Nassula musicola var. n. fluviatilis (p. 362), Hungary, B. Vörösváry; N. tumida var. n. obscura (p. 517) soil, Roumania, I. Lepsi.

Prorodon hivernalis sp. n. (p. 353), Hungary, B. Vörösváry.

Pseudocristigera gen. n. hymenofera sp. n. (p. 271), soil (Hungary), J. Horváth.

Radiophryoides gen. n. komáreki sp. n. (p. 281) from Czechoslovakian oligachaete, J. Lom (1).

Rhopalophrya elegans sp. n. (p. 269) soil (Hungary), J. Horváth.

Spathidium; systematics thereof, F. Wenzel.

Spathidium alpinum sp. n. (p. 341) moss, Hungary, J. Gellért; S. geobium sp. n. (p. 517), soil, Roumania, I. Lepsi.

Tetrahymena setifera sp. n. (p. 113), G. G. Holz & J. O. Corliss.

Urotricha mamilla sp. n. (p. 516) soil, Roumania, I. Lepsi.

# (b) Heterotrichida.

Spirostomum sp. from India, B. R. Seshachar & P. B. Padmavathi.

Stentor Oken 1815; validation thereof, Anon. (4).

#### (c) Oligotrichida.

Daturella balechei sp. n. (p. 365), Dakar coast, Africa, E. de Sousa e Silva (2).

Halterioforma gen. n. caudata sp. n. (p. 274) soil (Hungary), J. Horváth.

Nyctotherus diplopodae sp. n. (p. 2) in Thyropygus nigrolabiatus; N. thyropygus sp. n. (p. 4) in Thyropygus sp.; N. gongylorrhus sp. n. (p. 7) in Gongylorrhus sp.; millipedes, Bombay, K. R. Karandikar & S. G. Rodgi (1).

## (d) Entodiniomorpha.

[No record].

#### (e) Hypotrichida.

Atractos gen. n. contortus sp. n. (p. 372) Hungary, B. Vörösváry.

Gonostomum spirotrichoides sp. n. (p. 347); G. bryonicolum, ciliophorum spp. n. (p. 348); moss, Hungary, J. Gellert.

Histrio hyalinus sp. n. (p. 377), Hungary, B. Vörösváry.

Holosticha longiseta sp. n. (p. 519) soil, Roumania, I. Lepsi; H. muscicola sp. n. (p. 345) moss, Hungary, J. Gellért.

Opistotricha terrestris sp. n. (p. 275) soil (Hungary), J. Horváth.

Paraholosticha bujoreani sp. n. (p. 520) soil, Roumania, J. Lepsi.

Paraholosticha vitrea sp. n. (p. 370), Hungary, B. Vörösváry.

Steinia dubia sp. n. (p. 349) moss, Hungary, J. Gellért.

Uroleptus humicola sp. n. (p. 345) moss, Hungary, J. Gellért.

# (f) Peritrichida.

Pyxidium asymmetricum sp. n. (p. 157), Central Europe, F. Biczók.

Trichodina dohrni sp. n. (p. 363) from Italian fish, H. H. Reichenbach-Klinke.

Trichodinella sphaeronuclea sp. n. (p. 277) from Czechoslovakian molluscs, J. Lom (1).

#### B. SUCTORIA

Acineta rotunda sp. n. (p. 173); A. ovoidea sp. n. (p. 175); posterophagealan region of Desmodora, Antarctic, C. Allgén.

Loricaphrya gen. n. (p. 521), division of Thecacineta, D. Matthes.

Praethecacineta gen. n. (p. 521) division of Thecacineta, D. Matthes.

#### PROTISTA INCERTAE SEDIS

†New Palaeozoic Chitinozoans from North America, C. Collinson & H. Schwalb.

†New Devonian microplankton from Canada, J. Deunff.

New fossil microplankton from the Australian Mesozoic and Tertiary, G. Deflandre & I. C. Cookson (2).

†New Cretaceous microplankton from France, L. Valensi.

†Ampullachitina gen. n. laguncula sp. n. (p. 28) (genotype) Palaeozoic, North America, C. Collinson & H. Schwalb.

†Angochitina bifurcata sp. n. (p. 21) Lower Devonian; A. flasca sp. n. (p. 22); A. pusilla sp. n. (p. 23); both Middle Devonian; North America, C. Collinson & H. Schwalb.

†Cannosphaeropsis fenestrata sp. n. (p. 283), Upper Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

†Conochitina dactylus sp. n. (p. 24) Middle Silurian, North America, C. Collinson & H. Schwalb.

†Cyclonephelium gen. n. compactum sp. n. (p. 285) (genotype); C. distinctum sp. n. (p. 285); Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

†Cymatiosphaera cornifera, multisepta spp. n. (p. 147) Devonian, Canada, J. Deunff; †C. imitata sp. n. (p. 288), Upper Cretaceous; C. punctifera sp. n. (p. 289), Lower Eocene; Australia, G. Deflandre & I. C. Cookson (2).

†Desmochitina poculum sp. n. (p. 31) Palaeozoic, North America, C. Collinson & H. Schwalb.

†Epicephalopyxis indentata sp. n. (p. 292), Lower Tertiary; E. spectabilis sp. n. (p. 293), Lower Cretaceous; Australia, G. Deflandre & I. C. Cookson (2).

†Hystrichokibotum trabeculiferum sp. n. (p. 269) Miocene, Australia, G. Deflandre & I. C. Cookson (2).

†Hystrichokolpoma rigaudae sp. n. (p. 279), Eccene, Australia, G. Deflandre & I. C. Cookson (2).

†Hystrichosphaera bulloides, hyperacantha spp. n. (p. 264), Miccene; H. crassipellis sp. n. (p. 265), Eccene; Australia, G. Deflandre & I. C. Cookson (2).

†Hystrichosphaeridium pseudhystrichodinium subsp. n. magnum (p. 35); H. hirtum subsp. n. amplum (p. 38); Cretaceous, Germany, W. Wetzel (1); †H. pulcherrimum sp. n. (p. 270) Lower Cretaceous; H. choanophorum sp. n. (p. 271), Miocene; H. isocalamus sp. n. (p. 272), Lower Cretaceous; H. centrocarpum

sp. n. (p. 272), Miocene; H. machaerophorum sp. n. (p. 274) Miocene; H. striatoconus sp. n. (p. 275), Upper Cretaceous; H. floripes sp. n. (p. 276) Lower Tertiary; †H. heteracanthum sp. n. (p. 276) Upper Cretaceous; H. placacanthum sp. n. (p. 276), Miocene; H. colligerum sp. n. (p. 276), Miocene; H. colligerum sp. n. (p. 278), Eocene; Australia, G. Deflandre & I. C. Cookson (2); †H. rhopalophorum sp. n. (p. 36); H. tridactylites sp. n. (p. 37); H. huguonioti sp. n. (p. 38); Cretaceous, France, L. Valensi; †H. rigiciferum sp. n. (p. 146); H. ramusculosum var. n. macrocladum (p. 146); Devonian, Canada, J. Deunff.

†Illichitina gen. n. crotalum sp. n. (p. 29) (genotype) Palaeozoic, North America, C. Collinson & H. Schwalb.

†Lagenochitina brevicervicata sp. n. (p. 18); L. elongata sp. n. (p. 19); L. sphaerica sp. n. (p. 20); all Middle bevonian; L. sacculus sp. n. (p. 19), Lower Devonian; North America, C. Collinson & H. Schwalb.

†Leiofusia bacillum, minuta spp. n. (p. 148), Devonian, Canada, J. Deunff.

†Leiosphaera scrobiculata sp. n. (p. 291), Upper Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

†Lombardia Bronnimann; validity thereof, R. Verniory (1).

†Membranilarnax angustivelum, clathrodermum spp. n. (p. 290), Eocene, Australia, G. Deflandre & I. C. Cookson (2).

†Micrhystridium alloiteaui sp. n. (p. 148), Devonian, Canada, J. Deunff; †M. fucosum sp. n. (p. 40), Cretaceous, France, L. Valensi; †M. pachydermum sp. n. (p. 282) Lower Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

†Nematosphaeropsis gen. n. balcombiana sp. n. (p. 268) (genotype) Miocene, Australia, G. Deflandre & I. C. Cookson (2).

†Odontochitina cribropoda sp. n. (p. 292), Upper Cretaceous, Australia, G. Deflandre & I. C. Cookson (2).

†Polyedryxium decorum sp. n. (p. 146); P. simplex, evolutum, pruvosti, piveteaui, venustum, cuboides, centrigerum spp. n. (p. 147); Devonian, Canada, J. Deunff.

†Pterocystidiopsis velata sp. n. (p. 291), Lower Tertiary, Australia, G. Deflandre & I. C. Cookson (2).

†Pterospermopsis australiensis sp. n. (p. 286), Lower Cretaceous; P. ginginensis sp. n. (p. 287) Upper Cretaceous; P. microptera sp. n. (p. 288), Lower Tertiary, Australia, G. Deflandre & I. C. Cookson (2); †P.

onondagaensis sp. n. (p. 148), Devonian, Canada, J. Deunff.

†Schematophora gen. n. (p. 262) speciosa sp. n. (p. 262) (genotype) Eocene, Australia, G. Deflandre & I. C. Cookson (2).

†Veryhachium farcillatum, heterogonum, ambiguum, remotum, crucistellatum, exasperatum spp. n. (p. 146); Devonian, Canada, J. Deunff.





